Index to Volume 93

July–December, 2000

Author Index

ABIKO S. *See* Okamura T, 421
ADACHI K. *See* Murai Y, 884
ADDICKS K. *See* Arnhold S, 1026
AGID Y. *See* Bejjani BP, 1091
AGUIAR PH. *See* Miura FK, 162
AINYETTE I. Cognition after subarachnoid hemorrhage. Letters, 160
AKAIKE S. *See* Nakada M, 900
AKAISHI K. *See* Hongo K, 912
ALAFACI C, SALPIETRO FM, GRASSO G, LUCERNA S, MORABITO A, TAMASELLO F. Osteoblastic meningioma. Letters, 367
_____. *See* Salpietro FM, 159
ALETICH VA, DEBRUN GM, MISRA M, CHARBEL F, AUSMAN JI. The remodeling technique of balloon-assisted Guglielmi detachable coil placement in wide-necked aneurysms: experience at the University of Illinois at Chicago, 388
ALEXANDER E JR. 3131C—World War II neurosurgery, 901
ALLARD M. *See* Le Rumeur E, 427
ALLEYNE CH JR. Book review, 1089
AL-RAWI PG. *See* Hutchinson PJ, 37
ALSOP D. *See* Smith DH, 315
ALTINÖRS N, BAVBEK M, CANER HH, ERDOĞAN B. Central nervous system hydatidosis in Turkey: a cooperative study and literature survey analysis of 458 cases, 1
ALVES WM. *See* Farace E, 539
ANDERSON GJ. *See* Horgan MA, 108
ANDRESSEN C. *See* Arnhold S, 1026
ANZIVINO MJ. *See* Nishio S, 845
AOKI K. *See* Tibbs R, 1041
ARAI H. *See* Miyajima M, 62
ARBIT E. *See* Wroński M, 9
ARNHOLD S, LENARTZ D, KRUTTWIG K, KLINZ FJ, KOLOSSOV E, HESCHELER J, STURM V, ANDRESSEN C, ADDICKS K. Differentiation of green fluorescent protein–labeled embryonic stem cell–derived neural precursor cells into Thy-1–positive neurons and glia after transplantation into adult rat striatum, 1026
ARNOLD ST. *See* Robinson S, 402
ATKINSON JLD, KASPERBAUER JL, JAMES EM, LANE JI, NIPPOLDT TB. Transcranial–transdural real-time ultrasonography during transsphenoidal resection of a large pituitary tumor. Case report, 129
AUSMAN JI. *See* Aletich VA, 388
AWAD IA. Effect of Guglielmi detachable coils on aneurysm management. Letters, 720
_____. *See* Ng PY, 554
_____. *See* Sturaitis MK, 569
AYDIN Y. *See* Kanat A, 153

BADIE B, PRESTON JK, HARTIG GK. Use of titanium mesh for reconstruction of large anterior cranial base defects. Technical note, 711
_____, SCHARTNER JM, PAUL J, BARTLEY BA, VORPAHL J, PRESTON JK. Dexamethasone-induced abolition of the inflammatory response in an experimental glioma model: a flow cytometry study, 634
BADR A. *See* Tibbs R, 1041
BAER L. *See* Rauch SL, 1019
BAETHMANN A. *See* Westermaier T, 835
BAKAY RAE. *See* Starr PA, 704
BALE RJ, BURTSCHER J, EISNER W, OBWEGESER AA, RIEGER M, SWEENEY RA, DESSL A, GIACOMUZZI SM, TWERDY K, JASCHKE W. Computer-assisted neurosurgery by using a noninvasive vacuum-affixed dental cast that acts as a reference base: another step toward a unified approach in the treatment of brain tumors, 208
BALKHOYOR KB, BERNSTEIN M. Involution of diencephalic pilocytic astrocytoma after partial resection. Report of two cases in adults, 484
BALTUCH GH. *See* Boockvar JA, 140
_____. *See* Telfeian AE, 127
BALZER J. *See* Maesawa S, 1033
BAMPOE J, LAPERRIERE N, PINTILIE M, GLEN J, MICALLEF J, BERNSTEIN M. Quality of life in patients with glioblastoma multiforme participating in a randomized study of brachytherapy as a boost treatment, 917
BARTLEY BA. *See* Badie B, 634
BARZÓ P. *See* Marmarou A, 183
BATTERSBY RDE. *See* Fewings PE, 529
BAVBEK M. *See* Altinörs N, 1
BAYANI J, ZIELENSKA M, MARRANO P, NG YK, TAYLOR MD, JAY V, RUTKA JT, SQUIRE JA. Molecular cytogenetic analysis of medulloblastomas and supratentorial primitive neuroectodermal tumors by using conventional banding, comparative genomic hybridization, and spectral karyotyping, 437
BEAUCHESNE P, SOLER C, MOSNIER JF. Diffuse vertebral body metastasis of a glioblastoma multiforme: a technetium-99m Sestamibi single-photon emission computerized tomography study. Case report, 887
BECKER D. Wide-necked basilar artery bifurcation aneurysm. Letters, 373
_____. *See* Pouratian N, 676
BEHRENS-BAUMANN W. *See* Firsching R, 33
BEJJANI BP, AGID Y, DORMONT D, PIDOUX B, YELNICK J, CORNU P. Subthalamic nucleus. Letters, 1091
BELL BA. *See* Shaw MDM, 992
BELZBERG AJ. *See* Schwarz J, 531
BENTSON J. *See* Villablanca JP, 254
BERMAN N. *See* Kelly DF, 743
BERMAN RF, VERWEIJ BH, MUIZELAAR JP. Neurobehavioral protection by the neuronal calcium channel blocker Ziconotide in a model of traumatic diffuse brain injury in rats, 821
BERNSEN HJJA, RIJKEN PFJW, PETERS H, RALEIGH JA, JEUKEN JWM, WESSELING P, VAN DER KOGEL AJ. Hypoxia in a human intracerebral glioma model, 449
BERNSTEIN M. *See* Balkhoyor KB, 484
_____. *See* Bampoe J, 917
BERTELLI JA, GHIZONI MF, MICHELS A. Brachial plexus dorsal rhizotomy in the treatment of upper-limb spasticity, 26
BHATOE HS. Osteoblastic meningioma. Letters, 366
BILLA RF. *See* Raftopoulos C, 175
BIRBAUMER N. *See* Wiech K, 876
BISE K. *See* Stummer W, 1003

Bitzer M, Nägele T, Geist-Barth B, Klose U, Grönewäller E, Morgalla M, Heiss E, Voigt K. Role of hydrodynamic processes in the pathogenesis of peritumoral brain edema in meningiomas, 594
Bjerre P. *See* Schulz MK, 808
Blackburn LB. *See* Robinson S, 402
Blume W. *See* Grady MS, 282
Boakye M, Huckins SC, Szeverenyi NM, Taskey BI, Hodge CJ Jr. Functional magnetic resonance imaging of somatosensory cortex activity produced by electrical stimulation of the median nerve or tactile stimulation of the index finger, 774
Bock WJ. *See* Boström J, 335
Bonafe A. *See* Vayssiere N, 784
Boock R[1]. *See* Mason RB, 99
Boockvar JA, Telfeian A, Baltuch GH, Skolnick B, Simuni T, Stern M, Schmidt ML, Trojanowski JQ. Long-term deep brain stimulation in a patient with essential tremor: clinical response and postmortem correlation with stimulator termination sites in ventral thalamus. Case report, 140
_____. *See* Telfeian AE, 127
Bookheimer SY. *See* Pouratian N, 676
Born DE. *See* McKhann GM II, 44
Boscherini D. *See* Raftopoulos C, 175
Boström J, Janßen G, Messing-Jünger M, Felsberg JU, Neuen-Jacob E, Engelbrecht V, Lenard H-G, Bock WJ, Reifenberger G. Multiple intracranial juvenile xanthogranulomas. Case report, 335
Boström S. *See* Gunnarsson T, 432
Bourgeois BFD. *See* Robinson S, 402
Bouvier-Labit C. *See* Figarella-Branger D, 605
Brammer M. *See* Hill DLG, 214
Brassier G, Morandi X, Riffaud L, Mercier P. Basilar artery anatomy. Letters, 368
Breiter SN. *See* Clatterbuck RE, 981
Broaddus WC. *See* Manning MA, 494
Broggi G. *See* Franzini A, 873
Brotchi J. *See* Massager N, 951
Buchbinder B. *See* Rauch SL, 1019
Buckner JC. *See* Galanis E, 201
Bullock MR. *See* Marmarou A, 183
Bullock R. *See* Reinert M, 800
Bunge H. *See* Payne BR, 229
Burtscher J. *See* Bale RJ, 208
Bushan C. Solitary tuberculoid Hansen lesion of the ulnar nerve, 898
Buxton N, Robertson I. Endoscopic approach to tectal tumors. Letters, 152

Cabezudo-Artero JM. *See* Lorenzana-Honrado L, 911
Cai DX, Mafra M, Schmidt RE, Scheithauer BW, Park TS, Perry A. Medulloblastomas with extensive posttherapy neuronal maturation. Report of two cases, 330
Caner HH. *See* Altinörs N, 1
Cannestra AF. *See* Pouratian N, 676
Cardinale RM. *See* Manning MA, 494
Carpenter RC. *See* Miyagi Y, 471
Carvi y Nievas MN, Höllerhage HG. Aneurysm clip slippage. Letters, 372
Cassem EH. *See* Rauch SL, 1019
Caviness VS Jr. *See* Rauch SL, 1019
Cekic O. *See* Miura FK, 162
Chaloupka JC. *See* Sturaitis MK, 569
Chapman PH, Curtin HD, Cunningham MJ. An unusual pterygopalatine meningocele associated with neurofibromatosis Type 1. Case report, 480
Charbel F. *See* Aletich VA, 388
Chen B. *See* Meguro T, 640
Chen XH. *See* Smith DH, 315
Chen ZF. *See* Nishio S, 845
Cho H, Nemoto EM, Sanders M, Fernandez K, Yonas H. Comparison of two commercially available near-infrared spectroscopy instruments for cerebral oximetry. Technical note, 351
Cho TH. *See* Kwon TH, 796
Choi PCL. *See* Ng HK, 490
Choi S. *See* Reinert M, 800
Choux M. *See* Figarella-Branger D, 605
Chung HS. *See* Kwon TH, 796
Chung YG. *See* Kwon TH, 796
Cif L. *See* Vayssiere N, 784
Citow JS, Kranzler L. Multicentric intracranial smooth-muscle tumor in a woman with human immunodeficiency virus. Case report, 701
Civatte M. *See* Figarella-Branger D, 605
Clatterbuck RE, Moriarity JL, Elmaci I, Lee RR, Breiter SN, Rigamonti D. Dynamic nature of cavernous malformations: a prospective magnetic resonance imaging study with volumetric analysis, 981
_____. *See* DiMeco F, 693
Clifton G. Hypothermia and severe brain injury. Letters, 718
Clutton RE. *See* Yau YH, 1072
Coakham H. *See* Patel N, 514
Coiteiro D. *See* Villablanca JP, 254
Cornu P. *See* Bejjani BP, 1091
Cosgrove GR. *See* Rauch SL, 1019
Cosottini M. *See* Mascalchi M, 155
Coubes P. *See* Vayssiere N, 784
Cox TCS. *See* Hill DLG, 214
Cruz J. Cerebral perfusion pressure and clinical outcome. Letters, 158
_____. Cerebral perfusion pressure and contusion volume. Letters, 161
Cunningham MJ. *See* Chapman PH, 480
Curtin HD. *See* Chapman PH, 480
Czech T. *See* Dietrich W, 1062

Dacey RG Jr. *See* Grady MS, 282
Daspit CP. *See* Vishteh AG, 515
David KM, de Sanctis S, Lewis PD, Noury AMS, Edwards JMR. Neuroblastomatous recurrence of ganglioglioma. Case report, 698
David P. *See* Massager N, 951
de Sanctis S. *See* David KM, 698
Debrun GM. *See* Aletich VA, 388
Decq P, Le Guerinel C, Palfi S, Djindjian M, Kéravel Y, Nguyen JP. A new device for endoscopic third ventriculostomy. Technical note, 509
Delashaw JB. *See* Horgan MA, 108
DeMonte F. *See* Lang FF, 940
Desai K. *See* Goel A, 895
Dessl A. *See* Bale RJ, 208
Destrieux C. *See* Kakou M, 667
Dietrich W, Reinprecht A, Gruber A, Czech T. De novo formation and rupture of an azygos pericallosal artery aneurysm. Case report, 1062
DiMeco F, Clatterbuck RE, Li KW, McCarthy EF, Olivi A. Synovitis, acne, pustulosis, hyperostosis, and osteitis syndrome presenting as a primary calvarial lesion. Case report and review of the literature, 693
Dinapoli R. *See* Galanis E, 201
Dirnagl U. *See* Dreier JP, 658
Dixon CE. *See* Maesawa S, 1033
Djindjian M. *See* Decq P, 509
Dodson WE. *See* Robinson S, 402
Dogulu CF. *See* Yemisci M, 146
Doppenberg E. *See* Reinert M, 800
Dormont D. *See* Bejjani BP, 1091
Dreier JP, Ebert N, Priller J, Megow D, Lindauer U, Klee R, Reuter U, Imai Y, Einhäupl KM, Victorov I, Dirnagl U. Products of hemolysis in the subarachnoid space inducing spreading ischemia in the cortex and focal necrosis in rats: a model for delayed ischemic neurological deficits after subarachnoid hemorrhage? 658
Dronen SC. *See* Stern SA, 305
Du Zhang Z. *See* Stoodley M, 463

Index

DUCKWILER G. *See* Villablanca JP, 254
DUCKWILER GR. *See* Hayakawa M, 561
DUHAIME AC, MARGULIES SS, DURHAM SR, O'ROURKE MM, GOLDEN JA, MARWAHA S, RAGHUPATHI R. Maturation-dependent response of the piglet brain to scaled cortical impact, 455
DURHAM SR. *See* Duhaime AC, 455

EBERT N. *See* Dreier JP, 658
EDWARDS JMR. *See* David KM, 698
EINHÄUPL KM. *See* Dreier JP, 658
EISNER W. *See* Bale RJ, 208
ELLEGALA DB. *See* Sheehan JM, 738
ELMACI I. *See* Clatterbuck RE, 981
ELWES R. *See* Hill DLG, 214
ENDO K. *See* Kitahara AK, 113
ENGELBRECHT V. *See* Boström J, 335
EOH W. *See* Hong SC, 766
_____. *See* Lee JI, 715
ERDOĞAN B. *See* Altinörs N, 1

FAHLBUSCH R. *See* Romstöck J, 586
FARACE E, ALVES WM. Do women fare worse: a metaanalysis of gender differences in traumatic brain injury outcome, 539
FATOUROS PP. *See* Marmarou A, 183
FEI Z. *See* He X, 626
FELLOWS W. *See* Maesawa S, 1033
FELSBERG JU. *See* Boström J, 335
FENSTERMAKER RA. *See* McKinley BP, 932
FERNANDEZ K. *See* Cho H, 351
FERROLI P. *See* Franzini A, 873
FEWINGS PE, BATTERSBY RDE, TIMPERLEY WR. Progesterone regulators. Letters, 529
FIGARELLA-BRANGER D. Ependymomas in children. Letters, 722
_____, CIVATTE M, BOUVIER-LABIT C, GOUVERNET J, GAMBARELLI D, GENTET JC, LENA G, CHOUX M, PELLISSIER JF. Prognostic factors in intracranial ependymomas in children, 605
FIRLIK KS. Book review, 717
FIRSCHING R, SCHÜTZE M, MOTSCHMANN M, BEHRENS-BAUMANN W. Venous ophthalmodynamometry: a noninvasive method for assessment of intracranial pressure, 33
FOOTE RL. *See* Pollock BE, 987
FRANZINI A, FERROLI P, SERVELLO D, BROGGI G. Reversal of thalamic hand syndrome by long-term motor cortex stimulation. Case report, 873
FRAZEE J. *See* Villablanca JP, 254
FREREBEAU P. *See* Vayssiere N, 784
FRERICHS KU, STIEG PE, FRIEDLANDER RM. Prediction of aneurysm rupture site by an angiographically identified bleb at the aneurysm neck. Case illustration, 517
FRICKE B. *See* Scholz M, 342
FRIDRIKSSON S. *See* Gunnarsson T, 432
FRIEDLANDER RM. *See* Frerichs KU, 517
FRIEDMAN JA, POLLOCK BE, NICHOLS DA. Development of a cerebral arteriovenous malformation documented in an adult by serial angiography. Case report, 1058
FUJII Y. *See* Inagawa T, 958
FUJIMAKI T, TAMURA A. Progesterone regulators. Letters, 528
FUJIMOTO K, OHNISHI H, TSUJIMOTO M, HOSHIDA T, NAKAZATO Y. Dysembryoplastic neuroepithelial tumor of the cerebellum and brainstem. Case report, 487
FUKUI M. *See* Suehiro T, 326
FULLER GN. *See* Lang FF, 940
FUTAMI K. *See* Nakada M, 900

GAAB MR. *See* Schroeder HWS, 237
GALANIS E, BUCKNER JC, NOVOTNY P, MORTON RF, MCGINNIS WL, DINAPOLI R, SCHOMBERG P, O'FALLON JR. Efficacy of neuroradiological imaging, neurological examination, symptom status in follow-up assessment of patients with high-grade gliomas, 201
GAMBARELLI D. *See* Figarella-Branger D, 605
GARCES YI. *See* Pollock BE, 987
GARRÈ ML. *See* Giangaspero F, 724
GEIST-BARTH B. *See* Bitzer M, 594
GENTET JC. *See* Figarella-Branger D, 605
GHAJAR J. Ventriculostomy. Letters, 1092
GHIZONI MF. *See* Bertelli JA, 26
GIACOMUZZI SM. *See* Bale RJ, 208
GIANGASPERO F, PERILONGO G, GARRÈ ML. Nodular medulloblastoma. Letters, 724
GIBO H. *See* Koyama T, 369
GILDENBERG PL. Acquired immunodeficiency syndrome and central nervous system tumors. Letters, 156
GILLER CA, JOHNS M, LIU H. Use of an intracranial near-infrared probe for localization during stereotactic surgery for movement disorders. Technical note, 498
GIOVANELLI M. *See* Losa M, 121
GIULIANI S. *See* Santoro A, 1082
GJEDDE A. *See* Sakoh M, 647
GLEN J. *See* Bampoe J, 917
GO Y. *See* Oka K, 152
GOBIN YP. *See* Hayakawa M, 561
_____. *See* Villablanca JP, 254
GÖCER Aİ. *See* İldan F, 160
GOEL A, DESAI K, PATIL S. Unusual intradiploic hematoma. Case report, 895
GOETZ C. *See* Stummer W, 1003
GOLDEN JA. *See* Duhaime AC, 455
GOLDMAN S. *See* Massager N, 951
GONZÁLEZ-DARDER JM. Segmental neurofibromatosis. Letters, 532
GONZÁLES-PORTILLO G, HEROS RC. Contralateral subdural hematoma resulting from intraoperative aneurysm rupture. Case illustration, 147
GONZALO ITG. *See* Kelly DF, 743
GOUVERNET J. *See* Figarella-Branger D, 605
GRADY MS, HOWARD MA III, DACEY RG JR, BLUME W, LAWSON M, WERP P, RITTER RC. Experimental study of the magnetic stereotaxis system for catheter manipulation within the brain, 282
GRASSO G. *See* Alafaci C, 367
GRÖNEWÄLLER E. *See* Bitzer M, 594
GROSS MW. *See* Kraus A, 863
GRUBER A. *See* Dietrich W, 1062
GUGLIELMI G. *See* Hayakawa M, 561
GUMPRECHT H. *See* Nowak DA, 897
GUNEL M. *See* Ng PY, 554
GUNNARSSON T, THEODORSSON A, KARLSSON P, FRIDRIKSSON S, BOSTRÖM S, PERSLIDEN J, JOHANSSON I, HILLMAN J. Mobile computerized tomography scanning in the neurosurgery intensive care unit: increase in patient safety and reduction of staff workload, 432
GUPTA AK. *See* Hutchinson PJ, 37
GURIDI J, RAMOS E, LINAZASORO G, OBESO JA. Excitotoxic ablation. Letters, 364
GUYOT LL, KAZMIERCZAK CD, MICHAEL DB. Adult rhombencephalosynapsis. Case report, 323
GYLDENSTED C. *See* Sakoh M, 647

HAERLE M. *See* Wiech K, 876
HAGLUND MM. *See* McKhann GM II, 44
HANTSON P. *See* Raftopoulos C, 175
HARADA K, KURISU K, TAHARA H, TAHARA E, IDE T, TAHARA E. Telomerase activity in primary and secondary glioblastomas multiforme as a novel molecular tumor marker, 618
HARBAUGH RE. Endarterectomy and anesthesia. Letters, 363
HARDART M. *See* Villablanca JP, 254

HARDENACK M. *See* Scholz M, 342
HARDERS A. *See* Scholz M, 342
HARDY J. Nasal speculum. Letters, 1091
HAROUN RI, RIGAMONTI D, TAMARGO RJ. Recurrent artery of Heubner: Otto Heubner's description of the artery and his influence on pediatrics in Germany, 1084
HARTIG GK. *See* Badie B, 711
HASHIMOTO M, YOKOTA A, OHTA H, URASAKI E. Intratumoral injection of plastic adhesive material for removal of cavernous sinus hemangioma. Technical note, 1078
HATAYAMA T. *See* Sekiya T, 90
HATAZAWA J. *See* Hayashi T, 1014
HAWKES DJ. *See* Hill DLG, 214
HAYAKAWA M, MURAYAMA Y, DUCKWILER GR, GOBIN YP, GUGLIELMI G, VIÑUELA F. Natural history of the neck remnant of a cerebral aneurysm treated with the Guglielmi detachable coil system, 561
HAYASHI T, SUZUKI A, HATAZAWA J, KANNO I, SHIRANE R, YOSHIMOTO T, YASUI N. Cerebral circulation and metabolism in the acute stage of subarachnoid hemorrhage, 1014
HE X, YI S, ZHANG X, FEI Z, ZHANG J, YANG L. Diffuse axonal injury due to lateral head rotation in a rat model, 626
HEINEL LA. *See* Vinall PE, 82
HEISS E. *See* Bitzer M, 594
HEMM S. *See* Vayssiere N, 784
HEMPELMANN RG, SEEBECK J, ZIEGLER A, MEHDORN HM. Effects of potassium channel inhibitors on the relaxation induced by the nitric oxide donor diethylamine/nitric oxide in isolated human cerebral arteries, 1048
HERMANN C. *See* Stoodley MA, 899
HEROS RC. *See* Gonzales-Portillo G, 147
HESCHELER J. *See* Arnhold S, 1026
HETH JA, HOWARD MA III, ROSSI N. Paraparesis induced by inflammatory contents of a pneumonectomy cavity. Case report, 1065
HILL DLG, SMITH ADC, SIMMONS A, MAURER CR JR, COX TCS, ELWES R, BRAMMER M, HAWKES DJ, POLKEY CE. Sources of error in comparing functional magnetic resonance imaging and invasive electrophysiological recordings, 214
HILLMAN J. *See* Gunnarsson T, 432
HIRAI S. *See* Kobayashi E, 976
HIRAKAWA K. *See* Oka K, 152
HIRASAWA K, KASUYA H, HORI T. Change in circulating blood volume following craniotomy, 581
HISHII M. *See* Miyajima M, 62
HODGE CJ JR. *See* Boakye M, 774
HÖLLERHAGE HG. *See* Carvi y Nievas MN, 372
HONDA Y. *See* Oi S, 245
HONG SB. *See* Hong SC, 766
HONG SC, KANG KS, SEO DW, HONG SB, LEE M, NAM DH, LEE JI, KIM JS, SHIN HJ, PARK K, EOH W, SUH YL, KIM JH. Surgical treatment of intractable epilepsy accompanying cortical dysplasia, 766
_____. *See* Lee JI, 715
HONGO K, AKAISHI K, KOBAYASHI S. Pneumoangiography. Letters, 912
HONGO K, TANAKA Y, KOBAYASHI S. Wide-necked basilar artery bifurcation aneurysm. Letters, 373
_____. *See* Koyama JI, 506
_____. *See* Koyama T, 355
_____. *See* Miyairi Y, 716
_____. *See* Tanaka Y, 169
HORGAN MA, ANDERSON GJ, KELLOGG JX, SCHWARTZ MS, SPEKTOR S, MCMENOMEY SO, DELASHAW JB. Classification and quantification of the petrosal approach to the petroclival region, 108
HORI T. *See* Hirasawa K, 581
HORN P. *See* Vajkoczy P, 265
HOSHIDA T. *See* Fujimoto K, 487
HOWARD MA III. *See* Grady MS, 282
_____. *See* Heth JA, 1065
HUBNER U. *See* Vajkoczy P, 265
HUCKINS SC. *See* Boakye M, 774
HUDDLE D. *See* Ng PY, 554
HUG EB. Radiation therapy for chordomas. Letters, 157
HUI ABY. *See* Yin XL, 77
HUSSEIN S. *See* Rosahl SK, 724
HUTCHINSON DB. *See* Hutchinson PJ, 37
HUTCHINSON PJ, O'CONNELL MT, AL-RAWI PG, MASKELL LB, KETT-WHITE R, GUPTA AK, RICHARDS HK, HUTCHINSON DB, KIRKPATRICK PJ, PICKARD JD. Clinical cerebral microdialysis: a methodological study, 37
_____. *See* Mavaddat N, 160
IDE T. *See* Harada K, 618
IDEGUCHI M. *See* Okamura T, 421
IKEDA N. *See* Okamura T, 421
İLDAN F, TUNA M, GÖCER Aİ. Meningioma cleavage. Letters, 160
IMAI Y. *See* Dreier JP, 658
INAGAWA T, SHIBUKAWA M, INOKUCHI F, TOKUDA Y, OKADA Y, OKADA K. Primary intracerebral and aneurysmal subarachnoid hemorrhage in Izumo City, Japan. Part II: Management and surgical outcome, 967
_____, TAKECHI A, YAHARA K, SAITO J, MORITAKE K, KOBAYASHI S, FUJII Y, SUGIMURA C. Primary intracerebral and aneurysmal subarachnoid hemorrhage in Izumo City, Japan. Part I: Incidence and seasonal and diurnal variations, 958
INAMURA T. *See* Suehiro T, 326
INOKUCHI F. *See* Inagawa T, 967
INOUE T. *See* Oka K, 152
IVANKOVICH AD. *See* Kroin JS, 852
IWASHITA T. *See* Koyama JI, 506
JACOBSEN G. *See* Thomas AJ, 927
JACQUES S. *See* Ulirsch R, 163
JAGGI J. *See* Telfeian AE, 127
JAHAN R. *See* Villablanca JP, 254
JAMES EM. *See* Atkinson JLD, 129
JANNIN P. *See* Le Rumeur E, 427
JANßEN G. *See* Boström J, 335
JASCHKE W. *See* Bale RJ, 208
JAY V. *See* Bayani J, 437
JENIKE MA. *See* Rauch SL, 1019
JEUKEN JWM. *See* Bernsen HJJA, 449
JIANG JY. Hypothermia and severe brain injury. Letters, 718
_____, YU MK, ZHU C. Effect of long-term mild hypothermia therapy in patients with severe traumatic brain injury: 1-year follow-up review of 87 cases, 546
JOHANSSON I. *See* Gunnarsson T, 432
JOHNS L. *See* Stoodley M, 463
JOHNS M. *See* Giller CA, 498
JOHNSON CC. *See* Thomas AJ, 927
JOHNSON W. Book review, 1090
JULIEN J. *See* Vital C, 155
JUVELA S, PORRAS M, POUSSA K. Natural history of unruptured intracranial aneurysms: probability of and risk factors for aneurysm rupture, 379
KAJIMOTO Y, OHTA T, MIYAKE H, MATSUKAWA M, OGAWA D, NAGAO K, KUROIWA T. Posture-related changes in the pressure environment of the ventriculoperitoneal shunt system, 614
KAKIZAWA Y. *See* Tanaka Y, 169
KAKOU M, DESTRIEUX C, VELUT S. Microanatomy of the pericallosal arterial complex, 667
KANAT A, YILMAZ A, AYDIN Y. Optimal treatment for meningiomas. Letters, 153
KANAZAWA R, KOGURE K, KOMINAMI S, KOBAYASHI S, TERAMOTO A, MORI O. Ependymal cyst producing alpha-fetoprotein. Case report, 682
KANG KS. *See* Hong SC, 766

Index

KANNER AA, MAIMON S, RAPPAPORT ZH. Treatment of spontaneous carotid–cavernous fistula in Ehlers–Danlos syndrome by transvenous occlusion with Guglielmi detachable coils. Case report and review of the literature, 689
KANNO I. *See* Hayashi T, 1014
KANSU T. *See* Yemisci M, 146
KAPTAIN GJ, VINCENT DA, SHEEHAN JP, LAWS ER JR. Clival encephalocele. Case illustration, 513
KARASAWA J. *See* Nakagawa K, 19
KARLSSON P. *See* Gunnarsson T, 432
KARS HZ, ŞİMŞEK S, KESKİN T. Thalamic venous angiomas draining into a vein-of-Galen varix. Case illustration, 1083
KASPERBAUER JL. *See* Atkinson JLD, 129
KASUYA H. *See* Hirasawa K, 581
KAVANAGH BD. *See* Manning MA, 494
KAWAGUCHI S, OKUNO S, SAKAKI T. Effect of direct arterial bypass on the prevention of future stroke in patients with the hemorrhagic variety of moyamoya disease, 397
KAWAMOTO S. *See* Kurita H, 224
KAYNAR M. *See* Sturaitis MK, 569
KAZMIERCZAK CD. *See* Guyot LL, 323
KELLOGG JX. *See* Horgan MA, 108
KELLY DF, GONZALO ITG, COHAN P, BERMAN PCN, SWERDLOFF R, WANG C. Hypopituitarism following traumatic brain injury and aneurysmal subarachnoid hemorrhage: a preliminary report, 743
KEMPSKI O. *See* Otsuka H, 298
KENNEDY DN. *See* Rauch SL, 1019
KÉRAVEL Y. *See* Decq P, 509
KESKİN T. *See* Kars HZ, 1083
KETT-WHITE R. *See* Hutchinson PJ, 37
KHALDI A. *See* Reinert M, 800
KIDA S. *See* Nomura M, 998
KIDO T. *See* Okamura T, 421
KIEFER RT. *See* Wiech K, 876
KIM DG. *See* Lee JH, 477
KIM H. *See* Rauch SL, 1019
KIM JH. *See* Hong SC, 766
_____. *See* Lee JI, 715
KIM JS. *See* Hong SC, 766
_____. *See* Lee JI, 715
KIN Y. *See* Oka K, 152
KINOUCHI H. *See* Sasajima T, 145
KIRINO T. *See* Kurita H, 224
_____. *See* Tsutsumi K, 550
KIRKPATRICK PJ. *See* Hutchinson PJ, 37
_____. *See* Mavaddat N, 160
KITAHARA AK, NISHIMURA Y, SHIMIZU Y, ENDO K. Facial nerve repair accomplished by the interposition of a collagen nerve guide, 113
KLAR E. *See* Vajkoczy P, 265
KLEE R. *See* Dreier JP, 658
KLETT CPR. *See* Meguro T, 640
KLINE DG. *See* Spinner RJ, 516
KLINZ FJ. *See* Arnhold S, 1026
KLOSE U. *See* Bitzer M, 594
KNUECHEL R. *See* Kraus A, 863
KOBAYASHI E, SAEKI N, OISHI H, HIRAI S, YAMAURA A. Long-term natural history of hemorrhagic moyamoya disease in 42 patients, 976
KOBAYASHI SHIG. *See* Hongo K, 373, 912
_____. *See* Koyama JI, 506
_____. *See* Koyama T, 355, 369
_____. *See* Miyairi Y, 716
_____. *See* Tanaka Y, 169
KOBAYASHI SHIR. *See* Kanazawa R, 682
_____. *See* Murai Y, 884
KOBAYASHI SHO. *See* Inagawa T, 958
KODAMA N. *See* Oikawa T, 68
KOGURE K. *See* Kanazawa R, 682
KOJIMA H. *See* Mizutani T, 859
KOKAWA Y. *See* Oura S, 132
KOKUNAI T. *See* Yin D, 289
KOLOSSOV E. *See* Arnhold S, 1026
KOMINAMI S. *See* Kanazawa R, 682
KONDZIOLKA D, LUNSFORD LD. Optimal treatment for meningiomas. Letters, 154
_____. *See* Maesawa S, 1033
KONEN W. *See* Scholz M, 342
KOPYOV O. *See* Ulirsch R, 163
KOWALCZUK A. *See* Stoodley M, 463
KOYAMA JI, HONGO K, IWASHITA T, KOBAYASHI S. A newly designed key-hole button. Technical note, 506
KOYAMA T, HONGO K, TANAKA Y, KOBAYASHI S. Simulation of the surgical manipulation involved in clipping a basilar artery aneurysm: concepts of virtual clipping. Technical note, 355
KOYAMA T, OKUDERA H, GIBO H, KOBAYASHI S. Basilar artery anatomy. Letters, 369
KRAMER MS. *See* Vinall PE, 82
KRANZLER L. *See* Citow JS, 701
KRAUS A, GROSS MW, KNUECHEL R, MÜNKEL K, NEFF F, SCHLEGEL J. Aberrant p21 regulation in radioresistant primary glioblastoma multiforme cells bearing wild-type *p53*, 863
KRISHNAN KG. *See* Winkler PA, 53
KROIN JS, MCCARTHY RJ, STYLOS L, MIESEL K, IVANKOVICH AD, PENN RD. Long-term testing of an intracranial pressure monitoring device, 852
KROPPENSTEDT SN, UNTERBERG AW. Cerebral perfusion pressure and contusion volume. Letters, 161
KRUTTWIG K. *See* Arnhold S, 1026
KUNTZ C IV, SHAFFREY CI. Book review, 151
KURISU K. *See* Harada K, 618
KURITA H, UEKI K, SHIN M, KAWAMOTO S, SASAKI T, TAGO M, KIRINO T. Headaches in patients with radiosurgically treated occipital arteriovenous malformations, 224
KUROIWA T. *See* Kajimoto Y, 614
KUROKAWA Y. *See* Okamura T, 421
KWON TH, PARK YK, LIM DJ, CHO TH, CHUNG YG, CHUNG HS, SUH JK. Chronic subdural hematoma: evaluation of the clinical significance of postoperative drainage volume, 796

LAINE F. *See* Marmarou A, 183
LAM AM. Endarterectomy and anesthesia. Letters, 363
LANE JI. *See* Atkinson JLD, 129
LANG FF, MACDONALD OK, FULLER GN, DEMONTE F. Primary extradural meningiomas: a report on nine cases and review of the literature from the era of computerized tomography scanning, 940
LAPERRIERE N. *See* Bampoe J, 917
LAWS ER JR. *See* Sheehan JM, 738
_____. Multiple pituitary adenomas. Letters, 909
_____, VANCE ML, SHEEHAN J. Radiosurgery and Cushing's disease. Letters, 908
_____. *See* Kaptain GJ, 513
LAWSON M. *See* Grady MS, 282
LE GUERINEL C. *See* Decq P, 509
LE RUMEUR E, ALLARD M, POISEAU E, JANNIN P. Role of the mode of sensory stimulation in presurgical brain mapping in which functional magnetic resonance imaging is used, 427
LEE CP. *See* Verweij BH, 815, 829
LEE JH, KIM DG. Brain abscess related to metal fragments 47 years after head injury. Case report, 477
LEE JI, NAM DH, KIM JS, HONG SC, SHIN HJ, PARK K, EOH W, SUH YL, KIM JH. Intracranial oculomotor nerve rhabdomyoma. Case illustration, 715
SEE HONG SC, 766
LEE KS. *See* Nishio S, 845
LEE M. *See* Hong SC, 766
LEE RR. *See* Clatterbuck RE, 981
LEHMAN RM. Subthalamic nucleus. Letters, 1091
LENA G. *See* Figarella-Branger D, 605
LENARD HG. *See* Boström J, 335
LENARTZ D. *See* Arnhold S, 1026
LEONI M. *See* Smith DH, 315
LEVIVIER M. *See* Massager N, 951
LEWIS PD. *See* David KM, 698

Li KW. *See* DiMeco F, 693
Lim DJ. *See* Kwon TH, 796
Lin Z. *See* Sturaitis MK, 569
Linazasoro G. *See* Guridi J, 364
Lindauer U. *See* Dreier JP, 658
Link MJ. *See* Pollock BE, 987
Linke R. *See* Winkler PA, 53
Liu H. *See* Giller CA, 498
Lonser RR, Oldfield EH. Excitotoxic ablation. Letters, 365
Lorenzana-Honrado L, Cabezudo-Artero JM. Pneumoangiography. Letters, 911
Losa M. Growth hormone–releasing peptide and growth hormone secretion. Letters, 1092
_____, Saeger W, Mortini P, Pandolfi C, Terreni MR, Taccagni G, Giovanelli M. Acromegaly associated with a granular cell tumor of the neurohypophysis: a clinical and histological study. Case report, 121
Lucas JA. *See* Obwegeser AA, 410
Lucerna S. *See* Alafaci C, 367
Lucke T. *See* Vajkoczy P, 265
Lumenta CB. *See* Nowak DA, 897
Lunsford LD. *See* Kondziolka D, 154
_____. *See* Maesawa S, 1033
Lutzenberger W. *See* Wiech K, 876

Macdonald OK. *See* Lang FF, 940
Macdonald RL. *See* Stoodley M, 463
Madison RD. *See* Robinson GA, 275
Maesawa S, Kondziolka D, Dixon CE, Balzer J, Fellows W, Lunsford LD. Subnecrotic stereotactic radiosurgery controlling epilepsy produced by kainic acid injection in rats, 1033
Mafra M. *See* Cai DX, 330
Maguire J. *See* Sun JCL, 1069
Maimon S. *See* Kanner AA, 689
Makris N. *See* Rauch SL, 1019
Mamelak AN. Neural transplantation. Letters, 164
Mandai S, Sakurai M, Matsumoto Y. Middle meningeal artery embolization for refractory chronic subdural hematoma. Case report, 686
Manning MA, Cardinale RM, Schmidt-Ullrich RK, Kavanagh BD, Wornom IL III, Broaddus WC. Extracorporeal irradiation of tumorous calvaria. Case report, 494
Margulies SS. *See* Duhaime AC, 455
Mariani L. *See* Seiler RW, 808
Marmarou A, Fatouros PP, Barzó P, Portella G, Yoshihara M, Tsuji O, Yamamoto T, Laine F, Signoretti S, Ward JD, Bullock MR, Young HF. Contribution of edema and cerebral blood volume to traumatic brain swelling in head-injured patients, 183
Marrano P. *See* Bayani J, 437
Marshall LF. Cerebral perfusion pressure and clinical outcome. Letters, 159
_____. Effect of Guglielmi detachable coils on aneurysm management. Letters, 719
_____, Tung H. Pallidotomy and neuropsychological outcome. Letters, 527
Martin GT. *See* Vajkoczy P, 265
Martin N. *See* Villablanca JP, 254
Marton LS. *See* Stoodley M, 463
Marwaha S. *See* Duhaime AC, 455
Mascalchi M, Cosottini M, Salvi F. Expanding lacunae causing triventricular hydrocephalus. Letters, 155
Maskell LB. *See* Hutchinson PJ, 37
Mason RB, Pluta RM, Walbridge S, Wink DA, Oldfield EH, Boock RJ. Production of reactive oxygen species after reperfusion in vitro and in vivo: protective effect of nitric oxide, 99
Massager N, David P, Goldman S, Pirotte B, Wikler D, Salmon I, Nagy N, Brotchi J, Levivier M. Combined magnetic resonance imaging– and positron emission tomography–guided stereotactic biopsy in brainstem mass lesions: diagnostic yield in a series of 30 patients, 951
Masuo O. *See* Oura S, 132
Mathurin P. *See* Raftopoulos C, 175
Matsuda K. *See* Nakagawa K, 19
Matsuda M. *See* Nakasu S, 528
Matsui O. *See* Nomura M, 998
Matsukawa M. *See* Kajimoto Y, 614
Matsumoto M. *See* Oikawa T, 68
Matsumoto Y. *See* Mandai S, 686
Matsuno A, Nagashima T. Radiation therapy for chordomas. Letters, 157
Matsuzawa K. *See* Oi S, 245
Matthies C. *See* Rosahl SK, 724
Maugans TA. Book review, 361
Maurer CR Jr. *See* Hill DLG, 214
Mavaddat N, Sahakian B, Hutchinson PJ, Kirkpatrick PJ. Cognition after subarachnoid hemorrhage. Letters, 160
McCarthy EF. *See* DiMeco F, 693
McCarthy RJ. *See* Kroin JS, 852
McCutcheon IE. Meningioma model. Letters, 163
McGinnis WL. *See* Galanis E, 201
McKhann GM II, Schoenfeld-McNeill J, Born DE, Haglund MM, Ojemann GA. Intraoperative hippocampal electrocorticography to predict the extent of hippocampal resection in temporal lobe epilepsy surgery, 44
McKinley BP, Michalek AM, Fenstermaker RA, Plunkett RJ. The impact of age and sex on the incidence of glial tumors in New York state from 1976 to 1995, 932
McMenomey SO. *See* Horgan MA, 108
Meaney DF. *See* Smith DH, 315
Megow D. *See* Dreier JP, 658
Meguro T, Klett CPR, Chen B, Parent AD, Zhang JH. Role of calcium channels in oxyhemoglobin-induced apoptosis in endothelial cells, 640
_____. *See* Miyagi Y, 471
_____. *See* Tibbs R, 1041
Mehdorn HM. *See* Hempelmann RG, 1048
Mercier P. *See* Brassier G, 368
Mertz M. *See* Stern SA, 305
Messing-Jünger M. *See* Boström J, 335
Micallef J. *See* Bampoe J, 917
Michael DB. *See* Guyot LL, 323
Michalek AM. *See* McKinley BP, 932
Michels A. *See* Bertelli JA, 26
Miesel K. *See* Kroin JS, 852
Miki Y. *See* Mizutani T, 859
Miller R. *See* Smith DH, 315
Misra M. *See* Aletich VA, 388
Miura FK, Cekic O, Moriuchi S, Aguiar PH. Meningioma model. Letters, 162
Miyagi Y, Carpenter RC, Meguro T, Parent AD, Zhang JH. Upregulation of rho A and rho kinase messenger RNAs in the basilar artery of a rat model of subarachnoid hemorrhage, 471
Miyairi Y, Tada T, Tanaka Y, Hongo K, Kobayashi S. Anaplastic astrocytoma invading the optic chiasm through the optic pathway. Case illustration, 716
Miyajima M, Arai H, Okuda O, Hishii M, Nakanishi H, Sato K. Possible origin of suprasellar arachnoid cysts: neuroimaging and neurosurgical observations in nine cases, 62
Miyake H, Ohta T. Nasal speculum. Letters, 1091
_____. *See* Kajimoto Y, 614
Mizoi K. *See* Sasajima T, 145
Mizunari T. *See* Murai Y, 884
Mizutani T, Kojima H, Miki Y. Arterial dissections of penetrating cerebral arteries causing hypertension-induced cerebral hemorrhage, 859
Morabito A. *See* Alafaci C, 367
Morandi X. *See* Brassier G, 368
Morgalla M. *See* Bitzer M, 594
Mori O. *See* Kanazawa R, 682
Moriarity JL. *See* Clatterbuck RE, 981

Index

MORISAKO T. *See* Nakagawa K, 19
MORITA A. *See* Tsutsumi K, 550
MORITAKE K. *See* Inagawa T, 958
MORIUCHI S. *See* Miura FK, 162
MORLEY TP. Biographical sketch of Kenneth G. McKenzie (1892–1964), 518
MORONE MA. Book review, 526
MORTINI P. *See* Losa M, 121
MORTON RF. *See* Galanis E, 201
MOSNIER JF. *See* Beauchesne P, 887
MOSS T. *See* Patel N, 514
MOTSCHMANN M. *See* Firsching R, 33
MUIZELAAR JP. *See* Berman RF, 821
_____. *See* Verweij BH, 815, 829
MÜNKEL K. *See* Kraus A, 863
MURAI Y, KOBAYASHI S, MIZUNARI T, OHAKI Y, ADACHI K, TERAMOTO A. Spontaneous regression of a germinoma in the pineal body after placement of a ventriculoperitoneal shunt. Case report, 884
MURAKI M. *See* Tomida M, 1055
MURAYAMA Y. *See* Hayakawa M, 561
MURRAY GD. *See* Shaw MDM, 992

NAGAO K. *See* Kajimoto Y, 614
NAGASHIMA H. *See* Tanaka Y, 169
NAGASHIMA T. *See* Matsuno A, 157
NAGATA K. *See* Otsuka H, 298
NÄGELE T. *See* Bitzer M, 594
NAGY N. *See* Massager N, 951
NAITO Y. *See* Oura S, 132
NAKADA M, AKAIKE S, FUTAMI K. Rupture of an aneurysm during three-dimensional computerized tomography angiography. Case illustration, 900
NAKAE H. *See* Nakagawa K, 19
NAKAGAWA K, TOUHO H, MORISAKO T, OSAKA Y, TATSUZAWA K, NAKAE H, OWADA K, MATSUDA K, KARASAWA J. Long-term follow-up study of unruptured vertebral artery dissection: clinical outcomes and serial angiographic findings, 19
NAKAGUCHI H, TANISHIMA T, YOSHIMASU N. Relationship between drainage catheter location and postoperative recurrence of chronic subdural hematoma after burr-hole irrigation and closed-system drainage, 791
NAKAJIMA M. *See* Nakasu S, 528
NAKANISHI H. *See* Miyajima M, 62
NAKASE H. *See* Otsuka H, 298
NAKASU S, NAKASU Y, NAKAJIMA M, MATSUDA M. Tumor shape and recurrence. Letters, 528
NAKASU Y. *See* Nakasu S, 528
NAKAZATO Y. *See* Fujimoto K, 487
NAM DH. *See* Hong SC, 766
_____. *See* Lee JI, 715
NANDA A. *See* Vannemreddy PSSV, 156
NATORI Y. *See* Suehiro T, 326
NAWASHIRO H. Tumor shape and recurrence. Letters, 528
NEFF F. *See* Kraus A, 863
NEMOTO EM. *See* Cho H, 351
NEUEN-JACOB E. *See* Boström J, 335
NG HK, CHOI PCL, WONG CW, TO KF, POON WS. Metastatic solitary fibrous tumor of the meninges. Case report, 490
_____. *See* Yin XL, 77
NG PY, HUDDLE D, GUNEL M, AWAD IA. Intraoperative endovascular treatment as an adjunct to microsurgical clipping of paraclinoid aneurysms, 554
NG YK. *See* Bayani J, 437
NGUYEN JP. *See* Decq P, 509
NICHOLS DA. *See* Friedman JA, 1058
NIERENBERG AA. *See* Rauch SL, 1019
NIPPOLDT TB. *See* Atkinson JLD, 129
NISHIMURA Y. *See* Kitahara AK, 113
NISHIO S, YUNOKI M, CHEN ZF, ANZIVINO MJ, LEE KS. Ischemic tolerance in the rat neocortex following hypothermic preconditioning, 845
NOMURA M, KIDA S, UCHIYAMA N, YAMASHIMA T, YOSHIKAWA J, YAMASHITA J, MATSUI O. Ruptured irregularly shaped aneurysms: pseudoaneurysm formation in a thrombus located at the rupture site, 998
NONAKA M. *See* Smith DH, 315
NOURY AMS. *See* David KM, 698
NOVOTNY A. *See* Stummer W, 1003
NOVOTNY P. *See* Galanis E, 201
NOWAK DA, GUMPRECHT H, WIDENKA DC, STÖLZLE A, LUMENTA CB. Solitary sarcoid granulomatosis mimicking meningioma. Case illustration, 897

OAKES WJ. *See* Tubbs RS, 279
OBESO JA. *See* Guridi J, 364
OBWEGESER AA, UITTI RJ, LUCAS JA, WITTE RJ, TURK MF, WHAREN RE JR. Predictors of neuropsychological outcome in patients following microelectrode-guided pallidotomy for Parkinson's disease, 410
_____. *See* Bale RJ, 208
O'CONNELL MT. *See* Hutchinson PJ, 37
O'FALLON JR. *See* Galanis E, 201
O'FARRELL AM. *See* Pouratian N, 676
OGAWA D. *See* Kajimoto Y, 614
OHAKI Y. *See* Murai Y, 884
OHMOTO T. *See* Yamamoto Y, 723
OHNISHI H. *See* Fujimoto K, 487
OHTA H. *See* Hashimoto M, 1078
OHTA T. *See* Kajimoto Y, 614
_____. *See* Miyake H, 1091
OI S, SHIBATA M, TOMINAGA J, HONDA Y, SHINODA M, TAKEI F, TSUGANE R, MATSUZAWA K, SATO O. Efficacy of neuroendoscopic procedures in minimally invasive preferential management of pineal region tumors: a prospective study, 245
OIKAWA T, MATSUMOTO M, SASAKI T, KODAMA N. Experimental study of medullary trigeminal evoked potentials: development of a new method of intraoperative monitoring of the medulla oblongata, 68
OISHI H. *See* Kobayashi E, 976
OJEMANN GA. *See* McKhann GM II, 44
OKA K, KIN Y, GO Y, UENO Y, HIRAKAWA K, TOMONAGA M, INOUE T, YOSHIOKA S. Endoscopic approach to tectal tumors. Letters, 152
OKADA K. *See* Inagawa T, 967
OKADA Y. *See* Inagawa T, 967
OKAMURA T, KUROKAWA Y, IKEDA N, ABIKO S, IDEGUCHI M, WATANABE K, KIDO T. Microvascular decompression for cochlear symptoms, 421
OKUDA O. *See* Miyajima M, 62
OKUDERA H. *See* Koyama T, 369
OKUNO S. *See* Kawaguchi S, 397
OLDFIELD EH. Multiple pituitary adenomas. Letters, 910
_____. *See* Lonser RR, 365
_____. *See* Mason RB, 99
_____. *See* Ratliff JK, 753
OLIVI A. *See* DiMeco F, 693
O'ROURKE MM. *See* Duhaime AC, 455
OSAKA Y. *See* Nakagawa K, 19
OSAMURA RY. *See* Sanno N, 194
ØSTERGAARD L. *See* Sakoh M, 647
OTSUKA H, NAKASE H, NAGATA K, UEDA K, KEMPSKI O, SAKAKI T. Effect of age on cerebral venous circulation disturbances in the rat, 298
OURA S, SAKURAI T, YOSHIMURA G, TAMAKI T, UMEMURA T, KOKAWA Y, MASUO O, NAITO Y. Regression of a presumed meningioma with the antiestrogen agent mepitiostane. Case report, 132

OWADA K. *See* Nakagawa K, 19
OZGEN T. *See* Yemisci M, 146

PACKER RJ. Ependymomas in children. Letters, 721
PALFI S. *See* Decq P, 509
PANDOLFI C. *See* Losa M, 121
PANG JCS. *See* Yin XL, 77
PAOLINI S. *See* Santoro A, 1082
PARENT A. *See* Tibbs R, 1041
PARENT AD. *See* Meguro T, 640
_____. *See* Miyagi Y, 471
PARENT AG. Endoscopically guided fenestration of the choroidal fissure for treatment of trapped temporal horn, 891
PARK K. *See* Hong SC, 766
_____. *See* Lee JI, 715
PARK TS. *See* Cai DX, 330
_____. *See* Robinson S, 402
PARK YK. *See* Kwon TH, 796
PARNEY IF, STEINKE DE. Heparin-induced thrombocytopenia and thrombosis following subarachnoid hemorrhage. Case report, 136
PARRENT AG. Endoscopically-guided fenestration of the choroidal fissure for treatment of trapped temporal horn. Case report, 891
PATEL AC. *See* Vishteh AG, 515
PATEL N, MOSS T, COAKHAM H. Neuronal hamartoma of the trigeminal sensory root associated with trigeminal neuralgia. Case illustration, 514
PATIL S. *See* Goel A, 895
PAUL J. *See* Badie B, 634
PAYNE BR, PRASAD D, STEINER M, BUNGE H, STEINER L. Gamma surgery for vein of Galen malformations, 229
PELLISSIER JF. *See* Figarella-Branger D, 605
PENN RD. *See* Kroin JS, 852
PERILONGO G. *See* Giangaspero F, 724
PERRY A. *See* Cai DX, 330
PERSLIDEN J. *See* Gunnarsson T, 432
PETERS H. *See* Bernsen HJJA, 449
PETERSON PL. *See* Verweij BH, 815, 829
PICKARD JD. *See* Hutchinson PJ, 37
_____. *See* Shaw MDM, 992
PICOT MC. *See* Vayssiere N, 784
PIDOUX B. *See* Bejjani BP, 1091
PINTILIE M. *See* Bampoe J, 917
PIPER IR. *See* Yau YH, 1072
PIROTTE B. *See* Massager N, 951
PLUNKETT RJ. *See* McKinley BP, 932
PLUTA RM. *See* Mason RB, 99
POISEAU E. *See* Le Rumeur E, 427
POLIN RS. *See* Vannemreddy PSSV, 156
POLIZZI A. *See* Ruggieri M, 530
POLKEY CE. *See* Hill DLG, 214
POLLOCK BE, GARCES YI, STAFFORD SL, FOOTE RL, SCHOMBERG PJ, LINK MJ. Stereotactic radiosurgery for cavernous malformations, 987
_____. *See* Friedman JA, 1058
POON WS. *See* Ng HK, 490
PORRAS M. *See* Juvela S, 379
PORTELLA G. *See* Marmarou A, 183
POST KD. Radiosurgery and Cushing's disease. Letters, 907
POULSEN PV. *See* Sakoh M, 647
POURATIAN N, BOOKHEIMER SY, O'FARRELL AM, SICOTTE NL, CANNESTRA AF, BECKER D, TOGA AW. Optical imaging of bilingual cortical representations. Case report, 676
POUSSA K. *See* Juvela S, 379
PRASAD D. *See* Payne BR, 229
PREIßL H. *See* WIECH K, 876
PRESTON JK. *See* Badie B, 634, 711
PRICE BH. *See* Rauch SL, 1019
PRILLER J. *See* Dreier JP, 658

QUESTER R, SCHRÖDER R. Cochlear region of the brainstem. Letters, 727

RAFTOPOULOS C, MATHURIN P, BOSCHERINI D, BILLA RF, VAN BOVEN M, HANTSON P. Prospective analysis of aneurysm treatment in a series of 103 consecutive patients when endovascular embolization is considered the first option, 175
RAGHUPATHI R. *See* Duhaime AC, 455
RALEIGH JA. *See* Bernsen HJJA, 449
RAMOS E. *See* Guridi J, 364
RAPPAPORT ZH. *See* Kanner AA, 689
RATLIFF JK, OLDFIELD EH. Multiple pituitary adenomas in Cushing 's disease, 753
RAUCH SL, KIM H, MAKRIS N, COSGROVE GR, CASSEM EH, SAVAGE CR, PRICE BH, NIERENBERG AA, SHERA D, BAER L, BUCHBINDER B, CAVINESS VS JR, JENIKE MA, KENNEDY DN. Volume reduction in the caudate nucleus following stereotactic placement of lesions in the anterior cingulate cortex in humans: a morphometric magnetic resonance imaging study, 1019
REIFENBERGER G. *See* Boström J, 335
REINERT M, KHALDI A, ZAUNER A, DOPPENBERG E, CHOI S, BULLOCK R. High level of extracellular potassium and its correlates after severe head injury: relationship to high intracranial pressure, 800
REINPRECHT A. *See* Dietrich W, 1062
REULEN HJ. *See* Stummer W, 1003
REUTER U. *See* Dreier JP, 658
RICHARDS HK. *See* Hutchinson PJ, 37
RIEGER M. *See* Bale RJ, 208
RIFFAUD L. *See* Brassier G, 368
RIGAMONTI D. *See* Clatterbuck RE, 981
_____. *See* Haroun RI, 1084
RIJKEN PFJW. *See* Bernsen HJJA, 449
RINNE J. *See* Sturaitis MK, 569
RITTER RC. *See* Grady MS, 282
ROBERTSON I. *See* Buxton N, 152
ROBINSON GA, MADISON RD. Survival of adult rat retinal ganglion cells with regrown axons in peripheral nerve grafts: a comparison of graft attachment with suture or fibrin glue, 275
ROBINSON S, PARK TS, BLACKBURN LB, BOURGEOIS BFD, ARNOLD ST, DODSON WE. Transparahippocampal selective amygdalohippocampectomy in children and adolescents: efficacy of the procedure and cognitive morbidity in patients, 402
ROCK JP. *See* Thomas AJ, 927
RØHL L. *See* Sakoh M, 647
ROMSTÖCK J, STRAUSS C, FAHLBUSCH R. Continuous electromyography monitoring of motor cranial nerves during cerebellopontine angle surgery, 586
ROSAHL S. *See* Rosahl SK, 724
ROSAHL SK, ROSAHL S, WALTER GF, HUSSEIN S, MATTHIES C, SAMII M. Cochlear region of the brainstem. Letters, 724
ROSENBLUM ML. *See* Thomas AJ, 927
ROSENWASSER RH. *See* Vinall PE, 82
ROSSI N. *See* Heth JA, 1065
ROTH H. *See* Vajkoczy P, 265
RUGGIERI M, POLIZZI A. Segmental neurofibromatosis. Letters, 530
RUTKA JT. *See* Bayani J, 437

SAATCI I. *See* Yemisci M, 146
SAEGER W. *See* Losa M, 121
SAEKI N. *See* Kobayashi E, 976
SAHAKIAN B. *See* Mavaddat N, 160
SAITO J. *See* Inagawa T, 958
SAKAKI S. *See* Sakoh M, 647
SAKAKI T. *See* Kawaguchi S, 397
_____. *See* Otsuka H, 298

Index

SAKOH M, ØSTERGAARD L, RØHL L, SMITH DF, SIMONSEN CZ, SØRENSEN JC, POULSEN PV, GYLDENSTED C, SAKAKI S, GJEDDE A. Relationship between residual cerebral blood flow and oxygen metabolism as predictive of ischemic tissue viability: sequential multitracer positron emission tomography scanning of middle cerebral artery occlusion during the critical first 6 hours after stroke in pigs, 647

SAKURAI M. *See* Mandai S, 686

SAKURAI T. *See* Oura S, 132

SALAMAT MS. Hemorrhagic colloid cyst. Letters, 370

SALMON I. *See* Massager N, 951

SALPIETRO FM, ALAFACI C, TOMASELLO F. Meningioma cleavage. Letters, 159

_____. *See* Alafaci C, 367

SALTER G. *See* Tubbs RS, 279

SALVI F. *See* Mascalchi M, 155

SAMII M. *See* Rosahl SK, 724

SANDERS M. *See* Cho H, 351

SANNO N, TERAMOTO A, OSAMURA RY. Long-term surgical outcome in 16 patients with thyrotropin pituitary adenoma, 194

SANTORO A, GIULIANI S, PAOLINI S. Recurrent arteriovenous malformation in an adult. Case illustration, 1082

SASAJIMA T, KINOUCHI H, TOMURA N, WATARAI J, MIZOI K. Innovative approach in the diagnosis of medulloblastoma in which the ^{123}I-metaiodobenzylguanidine single-photon emission computerized tomography is used. Case illustration, 145

SASAKI M. *See* Suehiro T, 326

SASAKI T. *See* Kurita H, 224

_____. *See* Oikawa T, 68

SATO K. *See* Miyajima M, 62

SATO O. *See* Oi S, 245

SAVAGE CR. *See* Rauch SL, 1019

SAYRE J. *See* Villablanca JP, 254

SCHALLER HE. *See* Wiech K, 876

SCHARTNER JM. *See* Badie B, 634

SCHEITHAUER BW. *See* Cai DX, 330

SCHILLING L. *See* Vajkoczy P, 265

SCHLEGEL J. *See* Kraus A, 863

SCHMID-ELSAESSER R, STEIGER HJ. Aneurysm clip slippage. Letters, 371

_____. *See* Westermaier T, 835

SCHMIDT ML. *See* Boockvar JA, 140

SCHMIDT RE. *See* Cai DX, 330

SCHMIDT-ULLRICH RK. *See* Manning MA, 494

SCHMIEDEK P. *See* Vajkoczy P, 265

SCHMIEDER K. *See* Scholz M, 342

SCHOENFELD-MCNEILL J. *See* McKhann GM II, 44

SCHOLZ M, FRICKE B, TOMBROCK S, HARDENACK M, SCHMIEDER K, VON DÜRING M, KONEN W, HARDERS A. Virtual image navigation: a new method to control intraoperative bleeding in neuroendoscopic surgery. Technical note, 342

SCHOMBERG P. *See* Galanis E, 201

SCHOMBERG PJ. *See* Pollock BE, 987

SCHRÖDER R. *See* Quester R, 727

SCHROEDER HWS, SCHWEIM C, SCHWEIM KH, GAAB MR. Analysis of aqueductal cerebrospinal fluid flow after endoscopic aqueductoplasty by using cine phase-contrast magnetic resonance imaging, 237

SCHULZ MK, WANG LP, TANGE M, BJERRE P. Cerebral microdialysis monitoring: determination of normal and ischemic cerebral metabolisms in patients with aneurysmal subarachnoid hemorrhage, 808

SCHÜTZE M. *See* Firsching R, 33

SCHWARTZ HG. Henry Schwartz's address to the Society of Neurological Surgeons, May 1998, 148

SCHWARTZ MS. *See* Horgan MA, 108

SCHWARZ J, BELZBERG AJ. Segmental neurofibromatosis. Letters, 531

SCHWEIM C. *See* Schroeder HWS, 237

SCHWEIM KH. *See* Schroeder HWS, 237

SEEBECK J. *See* Hempelmann RG, 1048

SEILER RW, MARIANI L. Sellar reconstruction with resorbable vicryl patches, gelatin foam, and fibrin glue in transsphenoidal surgery: a 10-year experience with 376 patients, 762

SEKIYA T, SHIMAMURA N, HATAYAMA T, SUZUKI S. Effectiveness of preoperative administration of an *N*-methyl-D-aspartate antagonist to enhance cochlear neuron resistance to intraoperative traumatic stress: an experimental study, 90

SEO DW. *See* Hong SC, 766

SERVELLO D. *See* Franzini A, 873

SHAFFREY CI. *See* Kuntz C IV, 151

SHAW MDM, VERMEULEN M, MURRAY GD, PICKARD JD, BELL BA, TEASDALE GM. Efficacy and safety of the endothelin$_{A/B}$ receptor antagonist TAK-044 in treating subarachnoid hemorrhage: a report by the Steering Committee on behalf of the UK/Netherlands/Eire TAK-044 Subarachnoid Haemorrhage Study Group, 992

SHEEHAN JM, VANCE ML, SHEEHAN JP, ELLEGALA DB, LAWS ER JR. Radiosurgery for Cushing's disease after failed transsphenoidal surgery, 738

SHEEHAN JP. *See* Kaptain GJ, 513

_____. *See* Sheehan JM, 738

SHERA D. *See* Rauch SL, 1019

SHIBATA M. *See* Oi S, 245

SHIBUKAWA M. *See* Inagawa T, 967

SHIMAMURA N. *See* Sekiya T, 90

SHIMIZU Y. *See* Kitahara AK, 113

SHIN HJ. *See* Hong SC, 766

_____. *See* Lee JI, 715

SHIN M. *See* Kurita H, 224

SHINODA M. *See* Oi S, 245

SHIRANE R. *See* Hayashi T, 1014

SHUANGSHOTI S. Hemorrhagic colloid cyst. Letters, 369

SICOTTE NL. *See* Pouratian N, 676

SIGNORETTI S. *See* Marmarou A, 183

SIMMONS A. *See* Hill DLG, 214

SIMONSEN CZ. *See* Sakoh M, 647

ŞIMŞEK S. *See* Kars HZ, 1083

SIMUNI T. *See* Boockvar JA, 140

_____. *See* Telfeian AE, 127

SKOLNICK B. *See* Boockvar JA, 140

_____. *See* Telfeian AE, 127

SMITH ADC. *See* Hill DLG, 214

SMITH DF. *See* Sakoh M, 647

SMITH DH, NONAKA M, MILLER R, LEONI M, CHEN XH, ALSOP D, MEANEY DF. Immediate coma following inertial brain injury dependent on axonal damage in the brainstem, 315

SOLER C. *See* Beauchesne P, 887

SØRENSEN JC. *See* Sakoh M, 647

SPEKTOR S. *See* Horgan MA, 108

SPETZLER RF. *See* Vishteh AG, 515

SPINNER RJ, TIEL RL, KLINE DG. Predominant infraspinatus muscle weakness in suprascapular nerve compression. Case illustration, 516

SQUIRE JA. *See* Bayani J, 437

STAFFORD SL. *See* Pollock BE, 987

STARR PA, SUBRAMANIAN T, BAKAY RAE, WICHMANN T. Electrophysiological localization of the substantia nigra in the parkinsonian nonhuman primate. Technical note, 704

STEIGER HJ. *See* Schmid-Elsaesser R, 371

_____. *See* Westermaier T, 835

STEINER L. *See* Payne BR, 229

STEINER M. *See* Payne BR, 229

STEINKE DE. *See* Parney IF, 136

STEPP H. *See* Stummer W, 1003

STERN M. *See* Boockvar JA, 140

STERN SA, ZINK BJ, MERTZ M, WANG X, DRONEN SC. Effect of initially limited resuscitation in a combined model of fluid-percussion brain injury and severe uncontrolled hemorrhagic shock, 305

STIEG PE. *See* Frerichs KU, 517

STÖLZLE A. *See* Nowak DA, 897

STOODLEY M, MACDONALD RL, WEIR B, MARTON LS, JOHNS L, DU ZHANG Z, KOWALCZUK A. Subarachnoid hemorrhage as a cause of an adaptive response in cerebral arteries, 463

STOODLEY MA, HERMANN C, WEIR B. Extradural posterior inferior cerebellar artery aneurysm, 899

STRAUSS C. *See* Romstöck J, 586

STUMMER W, NOVOTNY A, STEPP H, GOETZ C, BISE K, REULEN HJ. Fluorescence-guided resection of glioblastoma multiforme by using 5-aminolevulinic acid–induced porphyrins. A prospective study in 52 consecutive patients, 1003
_____. *See* Winkler PA, 53
STURAITIS MK, RINNE J, CHALOUPKA JC, KAYNAR M, LIN Z, AWAD IA. Impact of Guglielmi detachable coils on outcomes of patients with intracranial aneurysms treated by a multidisciplinary team at a single institution, 569
STURM V. *See* Arnhold S, 1026
STYLOS L. *See* Kroin JS, 852
SUBRAMANIAN T. *See* Starr PA, 704
SUEHIRO T, INAMURA T, NATORI Y, SASAKI M, FUKUI M. Successful neuroendoscopic third ventriculostomy for hydrocephalus and syringomyelia associated with fourth ventricle outlet obstruction. Case report, 326
SUGIMURA C. *See* Inagawa T, 958
SUH JK. *See* Kwon TH, 796
SUH YL. *See* Hong SC, 766
_____. *See* Lee JI, 715
SUHARDJA A. Growth hormone–releasing peptide and growth hormone secretion. Letters, 1092
SUN JCL, MAGUIRE J, ZWIMPFER TJ. Traumatically induced lymphangioma of the ulnar nerve. Case report, 1069
SUZUKI A. *See* Hayashi T, 1014
SUZUKI S. *See* Sekiya T, 90
SWEENEY RA. *See* Bale RJ, 208
SWERDLOFF R. *See* Kelly DF, 743
SZEVERENYI NM. *See* Boakye M, 774

TACCAGNI G. *See* Losa M, 121
TADA T. *See* Miyairi Y, 716
_____. *See* Tanaka Y, 169
TAGO M. *See* Kurita H, 224
TAHARA EII. *SEE* HARADA K, 618
TAHARA EIJ. *See* Harada K, 618
TAHARA H. *See* Harada K, 618
TAKECHI A. *See* Inagawa T, 958
TAKEI F. *See* Oi S, 245
TAMAKI N. *See* Yin D, 289
TAMAKI T. *See* Oura S, 132
TAMARGO RJ. *See* Haroun RI, 1084
TAMASELLO F. *See* Alafaci C, 367
TAMURA A. *See* Fujimaki T, 528
TANAKA Y, KOBAYASHI S, HONGO K, TADA T, NAGASHIMA H, KAKIZAWA Y. Intentional body clipping of wide-necked basilar artery bifurcation aneurysms, 169
_____. *See* Hongo K, 373
_____. *See* Koyama T, 355
_____. *See* Miyairi Y, 716
TANGE M. *See* Schulz MK, 808
TANISHIMA T. *See* Nakaguchi H, 791
TASKEY BI. *See* Boakye M, 774
TATSCH K. *See* Winkler PA, 53
TATSUZAWA K. *See* Nakagawa K, 19
TAYLOR MD. *See* Bayani J, 437
TEASDALE GM. *See* Shaw MDM, 992
TELFEIAN A. *See* Boockvar JA, 140
TELFEIAN AE, BOOCKVAR JA, SIMUNI T, JAGGI J, SKOLNICK B, BALTUCH GH. Efficacy of unilateral deep brain stimulation of the thalamic ventralis intermedius nucleus in a patient with bipolar disorder associated with Klinefelter syndrome and essential tremor. Case report, 127
TERAMOTO A. *See* Kanazawa R, 682
_____. *See* Murai Y, 884
_____. *See* Sanno N, 194
TERRENI MR. *See* Losa M, 121
THEODORSSON A. *See* Gunnarsson T, 432
THOMÉ C. *See* Vajkoczy P, 265
THOMAS AJ, ROCK JP, JOHNSON CC, WEISS L, JACOBSEN G, ROSENBLUM ML. Survival of patients with synchronous brain metastases: an epidemiological study in southeastern Michigan, 927
TIBBS R, ZUBKOV A, AOKI K, MEGURO T, BADR A, PARENT A, ZHANG J. Effects of mitogen-activated protein kinase inhibitors on cerebral vasospasm in a double-hemorrhage model in dogs, 1041
TIEL RL. *See* Spinner RJ, 516
TIMPERLEY WR. *See* Fewings PE, 529
TO KF. *See* Ng HK, 490
TOGA AW. *See* Pouratian N, 676
TOKUDA Y. *See* Inagawa T, 967
TOMASELLO F. *See* Alafaci C, 367
_____. *See* Salpietro FM, 159
TOMBROCK S. *See* Scholz M, 342
TOMIDA M, MURAKI M, YAMASAKI K. Angiographically verified progression of moyamoya disease in an adult. Case report, 1055
TOMINAGA J. *See* Oi S, 245
TOMONAGA M. *See* Oka K, 152
TOMURA N. *See* Sasajima T, 145
TONG KA. Book review, 905
TÖPFNER S. *See* Wiech K, 876
TOUHO H. *See* Nakagawa K, 19
TROJANOWSKI JQ. *See* Boockvar JA, 140
TSUGANE R. *See* Oi S, 245
TSUJI O. *See* Marmarou A, 183
TSUJIMOTO M. *See* Fujimoto K, 487
TSUTSUMI K, UEKI K, MORITA A, KIRINO T. Risk of rupture from incidental cerebral aneurysms, 550
TUBBS RS, SALTER G, OAKES WJ. Superficial surgical landmarks for the transverse sinus and torcular herophili, 279
TUNA M. *See* İldan F, 160
TUNG H. *See* Marshall LF, 527
TURK MF. *See* Obwegeser AA, 410
TWERDY K. *See* Bale RJ, 208

UCHIYAMA N. *See* Nomura M, 998
UEDA K. *See* Otsuka H, 298
UEKI K. *See* Kurita H, 224
_____. *See* Tsutsumi K, 550
UENO Y. *See* Oka K, 152
UITTI RJ. *See* Obwegeser AA, 410
ULIRSCH R, JACQUES S, KOPYOV O. Neural transplantation. Letters, 163
UMEMURA T. *See* Oura S, 132
UNTERBERG AW. *See* Kroppenstedt SN, 161
URASAKI E. *See* Hashimoto M, 1078

VAJKOCZY P, ROTH H, HORN P, LUCKE T, THOMÉ C, HUBNER U, MARTIN GT, ZAPPLETAL C, KLAR E, SCHILLING L, SCHMIEDEK P. Continuous monitoring of regional cerebral blood flow: experimental and clinical validation of a novel thermal diffusion microprobe, 265
VAN BOVEN M. *See* Raftopoulos C, 175
VAN DER KOGEL AJ. *See* Bernsen HJJA, 449
VANCE ML. *See* Laws ER Jr, 908
_____. *See* Sheehan JM, 738
VANNEMREDDY PSSV, POLIN RS, NANDA A. Acquired immunodeficiency syndrome and central nervous system tumors. Letters, 156
VAYSSIERE N, HEMM S, ZANCA M, PICOT MC, BONAFE A, CIF L, FREREBEAU P, COUBES P. Magnetic resonance imaging stereotactic target localization for deep brain stimulation in dystonic children, 784
VELUT S. *See* Kakou M, 667
VERMEULEN M. *See* Shaw MDM, 992
VERWEIJ BH, MUIZELAAR JP, VINAS FC, PETERSON PL, XIONG Y, LEE CP. Impaired cerebral mitochondrial function after traumatic brain injury in humans, 815

_____, _____, _____, _____, _____, _____. Improvement in mitochondrial dysfunction as a new surrogate efficiency measure for preclinical trials: dose–response and time-window profiles for administration of the calcium channel blocker Ziconotide in experimental brain injury, 829
_____. *See* Berman RF, 821
VICTOROV I. *See* Dreier JP, 658
VILLABLANCA JP, MARTIN N, JAHAN R, GOBIN YP, FRAZEE J, DUCKWILER G, BENTSON J, HARDART M, COITEIRO D, SAYRE J, VINUELA F. Volume-rendered helical computerized tomography angiography in the detection and characterization of intracranial aneurysms, 254
VINALL PE, KRAMER MS, HEINEL LA, ROSENWASSER RH. Temporal changes in sensitivity of rats to cerebral ischemic insult, 82
VINAS FC. *See* Verweij BH, 815, 829
VINCENT DA. *See* Kaptain GJ, 513
VIÑUELA F. *See* Hayakawa M, 561
_____. *See* Villablanca JP, 254
VISHTEH AG, PATEL AC, SPETZLER RF, WALLACE RC, DASPIT CP. Superior petrosal vein varicosity presenting as an enhancing cerebellopontine angle lesion. Case illustration, 515
VITAL C, JULIEN J. Expanding lacunae causing triventricular hydrocephalus. Letters, 155
VOIGT K. *See* Bitzer M, 594
VON DÜRING M. *See* Scholz M, 342
VORPAHL J. *See* Badie B, 634

WALBRIDGE S. *See* Mason RB, 99
WALLACE RC. *See* Vishteh AG, 515
WALTER GF. *See* Rosahl SK, 724
WANG C. *See* Kelly DF, 743
WANG LP. *See* Schulz MK, 808
WANG X. *See* Stern SA, 305
WARD JD. *See* Marmarou A, 183
WATANABE K. *See* Okamura T, 421
WATARAI J. *See* Sasajima T, 145
WEIR B. *See* Stoodley M, 463
_____. *See* Stoodley MA, 899
WEISS L. *See* Thomas AJ, 927
WEISS MH. Neurosurgery: a historical prologue to the future. 2000 Presidential address, 733
WERP P. *See* Grady MS, 282
WESSELING P. *See* Bernsen HJJA, 449
WESTERMAIER T, ZAUSINGER S, BAETHMANN A, STEIGER HJ, SCHMID-ELSAESSER R. No additional neuroprotection provided by barbiturate-induced burst suppression under mild hypothermic conditions in rats subjected to reversible focal ischemia, 835
WHAREN RE JR. Pallidotomy and neuropsychological outcome. Letters, 527
_____. *See* Obwegeser AA, 410
WHITTLE IR. *See* Yau YH, 1072
WICHMANN T. *See* Starr PA, 704
WIDENKA DC. *See* Nowak DA, 897
WIECH K, PREIßL H, LUTZENBERGER W, KEIFER RT, TÖPFNER S, HAERLE M, SCHALLER HE, BIRBAUMER N. Cortical reorganization after digit-to-hand replantation. Case report, 876
WIKLER D. *See* Massager N, 951
WINK DA. *See* Mason RB, 99
WINKLER PA, STUMMER W, LINKE R, KRISHNAN KG, TATSCH K. Influence of cranioplasty on postural blood flow regulation, cerebrovascular reserve capacity, and cerebral glucose metabolism, 53
WITTE RJ. *See* Obwegeser AA, 410
WONG CW. *See* Ng HK, 490
WORNOM IL III. *See* Manning MA, 494
WROŃSKI M, ARBIT E. Surgical treatment of brain metastases from melanoma: a retrospective study of 91 patients, 9

XIONG Y. *See* Verweij BH, 815, 829

YAHARA K. *See* Inagawa T, 958
YAMAMOTO T. *See* Marmarou A, 183
YAMAMOTO Y, OHMOTO T. Nodular medulloblastoma. Letters, 723
YAMASAKI K. *See* Tomida M, 1055
YAMASHIMA T. *See* Nomura M, 998
YAMASHITA J. *See* Nomura M, 998
YAMAURA A. *See* Kobayashi E, 976
YANG L. *See* He X, 626
YASUI N. *See* Hayashi T, 1014
YAU YH, PIPER IR, CLUTTON RE, WHITTLE IR. Experimental evaluation of the Spiegelberg intracranial pressure and intracranial compliance monitor. Technical note, 1072
YELNICK J. *See* Bejjani BP, 1091
YEMISCI M, DOGULU CF, KANSU T, SAATCI I, OZGEN T. Tethered brain. Case illustration, 146
YI S. *See* He X, 626
YILMAZ A. *See* Kanat A, 153
YIN D, TAMAKI N, KOKUNAI T. Wild-type p53–dependent etoposide-induced apoptosis mediated by caspase-3 activation in human glioma cells, 289
YIN XL, PANG JCS, HUI ABY, NG HK. Detection of chromosomal imbalances in central neurocytomas by using comparative genomic hybridization, 77
YOKOTA A. *See* Hashimoto M, 1078
YONAS H. *See* Cho H, 351
YOSHIHARA M. *See* Marmarou A, 183
YOSHIKAWA J. *See* Nomura M, 998
YOSHIMASU N. *See* Nakaguchi H, 791
YOSHIMOTO T. *See* Hayashi T, 1014
YOSHIMURA G. *See* Oura S, 132
YOSHIOKA S. *See* Oka K, 152
YOUNG HF. *See* Marmarou A, 183
YU MK. *See* Jiang JY, 546
YUNOKI M. *See* Nishio S, 845

ZANCA M. *See* Vayssiere N, 784
ZAPPLETAL C. *See* Vajkoczy P, 265
ZAUNER A. *See* Reinert M, 800
ZAUSINGER S. *See* Westermaier T, 835
ZHANG JI. *See* He X, 626
ZHANG JO. Oxyhemoglobin and intracellular calcium. Letters, 370
_____. *See* Tibbs R, 1041
ZHANG JH. *See* Meguro T, 640
_____. *See* Miyagi Y, 471
ZHANG X. *See* He X, 626
ZHU C. *See* Jiang JY, 546
ZIEGLER A. *See* Hempelmann RG, 1048
ZIELENSKA M. *See* Bayani J, 437
ZINK BJ. *See* Stern SA, 305
ZUBKOV A. *See* Tibbs R, 1048
ZWIMPFER TJ. *See* Sun JCL, 1069

Subject Index

Acoustic Neurinoma
  Effectiveness of preoperative administration of an *N*-methyl-D-aspartate antagonist to enhance cochlear neuron resistance to intraoperative traumatic stress: an experimental study, 90
Acquired immunodeficiency syndrome
  Acquired immunodeficiency syndrome and central nervous system tumors. Letters, 156
  Multicentric intracranial smooth-muscle tumor in a woman with human immunodeficiency virus. Case report, 701
Acromegaly
  Acromegaly associated with a granular cell tumor of the neurohypophysis: a clinical and histological study. Case report, 121
Activation index
  Role of the mode of sensory stimulation in presurgical brain mapping in which functional magnetic resonance imaging is used, 427
Adenoma
  Multiple pituitary adenomas in Cushing's disease, 753
  Paraparesis induced by inflammatory contents of a pneumonectomy cavity, 1065
Adenosine triphosphate
  Subarachnoid hemorrhage as a cause of an adaptive response in cerebral arteries, 463
Adrenocorticotropic hormone
  Multiple pituitary adenomas. Letters, 909, 910
  Radiosurgery and Cushing's disease. Letters, 907, 908
Age
  The impact of age and sex on the incidence of glial tumors in New York state from 1976 to 1995, 932
Air embolism
  Pneumoangiography. Letters, 911, 912
Alpha-fetoprotein
  Ependymal cyst producing alpha-fetoprotein. Case report, 682
Alveolar cyst
  Central nervous system hydatidosis in Turkey: a cooperative study and literature survey analysis of 458 cases, 1
American Association of Neurological Surgeons
  Neurosurgery: a historical prologue to the future. 2000 Presidential address, 733
5-Aminolevulinic acid
  Fluorescence-guided resection of glioblastoma multiforme by using 5-aminolevulinic acid–induced porphyrins. A prospective study in 52 consecutive patients, 1003
Amygdala
  Volume reduction in the caudate nucleus following stereotactic placement of lesions in the anterior cingulate cortex in humans: a morphometric magnetic resonance imaging study, 1019
Amygdalohippocampectomy
  Transparahippocampal selective amygdalohippocampectomy in children and adolescents: efficacy of the procedure and cognitive morbidity in patients, 402
Anaplastic astrocytoma
  Anaplastic astrocytoma invading the optic chiasm through the optic pathway. Case illustration, 716
Anatomical study
  Basilar artery anatomy. Letters, 368, 369
  Microanatomy of the pericallosal arterial complex, 667
  Superficial surgical landmarks for the transverse sinus and torcular herophili, 279
Anatomical variation
  Predominant infraspinatus muscle weakness in suprascapular nerve compression. Case illustration, 516
Anatomy
  Recurrent artery of Heubner: Otto Heubner's description of the artery and his influence on pediatrics in Germany, 1084
Aneurysm
  Effect of Guglielmi detachable coils on aneurysm management. Letters, 719, 720
  Extradural posterior inferior cerebellar artery aneurysm. Case illustration, 899
  Prediction of aneurysm rupture site by an angiographically identified bleb at the aneurysm neck. Case illustration, 517
  Prospective analysis of aneurysm treatment in a series of 103 consecutive patients when endovascular embolization is considered the first option, 175
Aneurysm clip
  Aneurysm clip slippage. Letters, 371, 372
  Simulation of the surgical manipulation involved in clipping a basilar artery aneurysm: concepts of virtual clipping. Technical note, 355
Aneurysm rebleeding
  Rupture of an aneurysm during three-dimensional computerized tomography angiography. Case illustration, 900
Aneurysm rest
  Intentional body clipping of wide-necked basilar artery bifurcation aneurysms, 169
Aneurysmal subarachnoid hemorrhage
  Hypopituitarism following traumatic brain injury and aneurysmal subarachnoid hemorrhage: a preliminary report, 743
Angiography
  Long-term follow-up study of unruptured vertebral artery dissection: clinical outcomes and serial angiographic findings, 19
  Recurrent arteriovenous malformation in an adult. Case illustration, 1082
  Wide-necked basilar artery bifurcation aneurysm. Letters, 373
Anoxia
  Development of a cerebral arteriovenous malformation documented in an adult by serial angiography. Case report, 1058
  Production of reactive oxygen species after reperfusion in vitro and in vivo: protective effect of nitric oxide, 99
  Recurrent arteriovenous malformation in an adult. Case illustration, 1082
Anterior fossa
  Use of titanium mesh for reconstruction of large anterior cranial base defects. Technical note, 711
Antiestrogen
  Regression of a presumed meningioma with the antiestrogen agent mepitiostane. Case report, 132
Apoptosis
  Role of calcium channels in oxyhemoglobin-induced apoptosis in endothelial cells, 640
  Wild-type p53–dependent etoposide-induced apoptosis mediated by caspase-3 activation in human glioma cells, 289
Aqueduct
  Analysis of aqueductal cerebrospinal fluid flow after endoscopic aqueductoplasty by using cine phase-contrast magnetic resonance imaging, 237
Arachnoidea
  Role of hydrodynamic processes in the pathogenesis of peritumoral brain edema in meningiomas, 594
Arterial dissection
  Arterial dissections of penetrating cerebral arteries causing hypertension-induced cerebral hemorrhage, 859
  Long-term follow-up study of unruptured vertebral artery dissection: clinical outcomes and serial angiographic findings, 19

Index

Arteriovenous malformation
Development of a cerebral arteriovenous malformation documented in an adult by serial angiography. Case report, 1058
Headaches in patients with radiosurgically treated occipital arteriovenous malformations, 224
Recurrent arteriovenous malformation in an adult. Case illustration, 1082
Astrocytoma
The impact of age and sex on the incidence of glial tumors in New York state from 1976 to 1995, 932
Auditory brainstem response
Microvascular decompression for cochlear symptoms, 421
Autologous bone graft
Extracorporeal irradiation of tumorous calvaria. Case report, 494
Automatic registration
Computer-assisted neurosurgery by using a noninvasive vacuum-affixed dental cast that acts as a reference base: another step toward a unified approach in the treatment of brain tumors, 208
Azygos pericallosal artery
De novo formation and rupture of an azygos pericallosal artery aneurysm. Case report, 1062

Balloon occlusion
Intraoperative endovascular treatment as an adjunct to microsurgical clipping of paraclinoid aneurysms, 554
Barbiturate
No additional neuroprotection provided by barbiturate-induced burst suppression under mild hypothermic conditions in rats subjected to reversible focal ischemia, 835
Basal ganglia
Electrophysiological localization of the substantia nigra in the parkinsonian nonhuman primate. Technical note, 704
Basilar artery
Basilar artery anatomy. Letters, 368, 369
Intentional body clipping of wide-necked basilar artery bifurcation aneurysms, 169
Wide-necked basilar artery bifurcation aneurysm. Letters, 373
Basilar artery aneurysm
Simulation of the surgical manipulation involved in clipping a basilar artery aneurysm: concepts of virtual clipping. Technical note, 355
Benign tumor
Meningioma model. Letters, 162, 163
Biopsy
Acquired immunodeficiency syndrome and central nervous system tumors. Letters, 156
Combined magnetic resonance imaging– and positron emission tomography–guided stereotactic biopsy in brainstem mass lesions: diagnostic yield in a series of 30 patients, 951
Experimental study of the magnetic stereotaxis system for catheter manipulation within the brain, 282
Bleeding risk
Long-term natural history of hemorrhagic moyamoya disease in 42 patients, 976
Bone metastasis
Diffuse vertebral body metastasis from a glioblastoma multiforme: a technetium-99m Sestamibi single-photon emission computerized tomography study, 887
Book review
Barnett HJM, Mohr JP, Stein BM, Yatsu FM. *Stroke. Pathophysiology, Diagnosis, and Management, ed 3*, 1089
Herkowitz HN, Garfin SR, Balderston RA, Eismont FJ, Bell GR, Wiesel SW (eds). *Rothman-Simeone: The Spine, ed 4*, 526
Larson SJ, Maiman DJ (eds). *Surgery of the Lumbar Spine*, 151
Osborn AG. *Diagnostic Cerebral Angiography, ed 2*, 905
Rengachary SR, Benzel EC (eds). *Calvarial and Dural Reconstruction. Neurosurgical Topics*, 361
Vertosick FT Jr. *Why We Hurt: The Natural History of Pain*, 717
Weir B. *Subarachnoid Hemorrhage: Causes and Cures*, 1090
Brachial plexus
Brachial plexus dorsal rhizotomy in the treatment of upper-limb spasticity, 26
Brachytherapy
Quality of life in patients with glioblastoma multiforme participating in a randomized study of brachytherapy as a boost treatment, 917
Brain
Maturation-dependent response of the piglet brain to scaled cortical impact, 455
Brain abscess
Brain abscess related to metal fragments 47 years after head injury. Case report, 477
Brain edema
Role of hydrodynamic processes in the pathogenesis of peritumoral brain edema in meningiomas, 594
Brain injury
Do women fare worse: a metaanalysis of gender differences in traumatic brain injury outcome, 539
Effect of initially limited resuscitation in a combined model of fluid-percussion brain injury and severe uncontrolled hemorrhagic shock, 305
Brain lacunae
Expanding lacunae causing triventricular hydrocephalus. Letters, 155
Brain mapping
Functional magnetic resonance imaging of somatosensory cortex activity produced by electrical stimulation of the median nerve or tactile stimulation of the index finger, 774
Optical imaging of bilingual cortical representations. Case report, 676
Role of the mode of sensory stimulation in presurgical brain mapping in which functional magnetic resonance imaging is used, 427
Brain metabolism
Cerebral microdialysis monitoring: determination of normal and ischemic cerebral metabolisms in patients with aneurysmal subarachnoid hemorrhage, 808
Brain metastasis
Surgical treatment of brain metastases from melanoma: a retrospective study of 91 patients, 9
Brain neoplasm
Computer-assisted neurosurgery by using a noninvasive vacuum-affixed dental cast that acts as a reference base: another step toward a unified approach in the treatment of brain tumors, 208
Dexamethasone-induced abolition of the inflammatory response in an experimental glioma model: a flow cytometry study, 634
Molecular cytogenetic analysis of medulloblastomas and supratentorial primitive neuroectodermal tumors by using conventional banding, comparative genomic hybridization, and spectral karyotyping, 437
Multiple intracranial juvenile xanthogranulomas. Case report, 335
Brain shift
Sources of error in comparing functional magnetic resonance imaging and invasive electrophysiological recordings, 214
Brain swelling
Contribution of edema and cerebral blood volume to traumatic brain swelling in head-injured patients, 183
Temporal changes in sensitivity of rats to cerebral ischemic insult, 82
Brainstem
Combined magnetic resonance imaging– and positron emission tomography–guided stereotactic biopsy in brainstem mass lesions: diagnostic yield in a series of 30 patients, 951
Immediate coma following inertial brain injury dependent on axonal damage in the brainstem, 315
Brainstem neoplasm
Dysembryoplastic neuroepithelial tumor of the cerebellum and brainstem. Case report, 487
Bulk flow
Role of hydrodynamic processes in the pathogenesis of peritumoral brain edema in meningiomas, 594
Burst suppression
No additional neuroprotection provided by barbiturate-induced burst suppression under mild hypothermic conditions in rats subjected to reversible focal ischemia, 835

Calcium
Oxyhemoglobin and intracellular calcium. Letters, 370
Calcium channel
Role of calcium channels in oxyhemoglobin-induced apoptosis in endothelial cells, 640

Index

Calcium channel blocker
Neurobehavioral protection by the neuronal calcium channel blocker Ziconotide in a model of traumatic diffuse brain injury in rats, 821
Calvaria
Extracorporeal irradiation of tumorous calvaria. Case report, 494
Primary extradural meningiomas: a report on nine cases and review of the literature from the era of computerized tomography scanning, 940
Capillary telangiectasia
Dynamic nature of cavernous malformations: a prospective magnetic resonance imaging study with volumetric analysis, 981
Cardiopulmonary resuscitation
Pneumoangiography. Letters, 911, 912
Carotid–cavernous fistula
Treatment of spontaneous carotid–cavernous fistula in Ehlers–Danlos syndrome by transvenous occlusion with Guglielmi detachable coils. Case report and review of the literature, 689
Carotid endarterectomy
Endarterectomy and anesthesia. Letters, 363
Cat
Facial nerve repair accomplished by the interposition of a collagen nerve guide, 113
Caudate nucleus
Volume reduction in the caudate nucleus following stereotactic placement of lesions in the anterior cingulate cortex in humans: a morphometric magnetic resonance imaging study, 1019
Cavernous hemangioma
Intratumoral injection of plastic adhesive material for removal of cavernous sinus hemangioma. Technical note, 1078
Cavernous malformation
Dynamic nature of cavernous malformations: a prospective magnetic resonance imaging study with volumetric analysis, 981
Stereotactic radiosurgery for cavernous malformations, 987
Cavernous sinus
An unusual pterygopalatine meningocele associated with neurofibromatosis Type 1. Case report, 480
Intratumoral injection of plastic adhesive material for removal of cavernous sinus hemangioma. Technical note, 1078
Cell transplantation
Electrophysiological localization of the substantia nigra in the parkinsonian nonhuman primate. Technical note, 704
Central neurocytoma
Detection of chromosomal imbalances in central neurocytomas by using comparative genomic hybridization, 77
Cerebellar tumor
Dysembryoplastic neuroepithelial tumor of the cerebellum and brainstem. Case report, 487
Cerebellopontine angle
Continuous electromyography monitoring of motor cranial nerves during cerebellopontine angle surgery, 586
Cerebellum
Adult rhombencephalosynapsis. Case report, 323
Cerebral aneurysm
Cerebral circulation and metabolism in the acute stage of subarachnoid hemorrhage, 1014
Efficacy and safety of the endothelin$_{A/B}$ receptor antagonist TAK-044 in treating subarachnoid hemorrhage. A report by the Steering Committee on behalf of the UK/Netherlands/Eire TAK-044 Subarachnoid Haemorrhage Study Group, 992
Impact of Guglielmi detachable coils on outcomes of patients with intracranial aneurysms treated by a multidisciplinary team at a single institution, 569
Intentional body clipping of wide-necked basilar artery bifurcation aneurysms, 169
Microanatomy of the pericallosal arterial complex, 667
Natural history of the neck remnant of a cerebral aneurysm treated with the Guglielmi detachable coil system, 561
Primary intracerebral and aneurysmal subarachnoid hemorrhage in Izumo City, Japan. Part I: Incidence and seasonal and diurnal variations, 958
Primary intracerebral and aneurysmal subarachnoid hemorrhage in Izumo City, Japan. Part II: Management and surgical outcome, 967
The remodeling technique of balloon-assisted Guglielmi detachable coil placement in wide-necked aneurysms: experience at the University of Illinois at Chicago, 388
Risk of rupture from incidental cerebral aneurysms, 550
Volume-rendered helical computerized tomography angiography in the detection and characterization of intracranial aneurysms, 254
Cerebral artery
Effects of potassium channel inhibitors on the relaxation induced by the nitric oxide donor diethylamine/nitric oxide in isolated human cerebral arteries, 1048
Cerebral blood flow
Cerebral perfusion pressure and clinical outcome. Letters, 158, 159
Continuous monitoring of regional cerebral blood flow: experimental and clinical validation of a novel thermal diffusion microprobe, 265
Effect of age on cerebral venous circulation disturbances in the rat, 298
Effect of initially limited resuscitation in a combined model of fluid-percussion brain injury and severe uncontrolled hemorrhagic shock, 305
High level of extracellular potassium and its correlates after severe head injury: relationship to high intracranial pressure, 800
Impaired cerebral mitochondrial function after traumatic brain injury in humans, 815
No additional neuroprotection provided by barbiturate-induced burst suppression under mild hypothermic conditions in rats subjected to reversible focal ischemia, 835
Optical imaging of bilingual cortical representations. Case report, 676
Relationship between residual cerebral blood flow and oxygen metabolism as predictive of ischemic tissue viability: sequential multitracer positron emission tomography scanning of middle cerebral artery occlusion during the critical first 6 hours after stroke in pigs, 647
Cerebral energy metabolism
Impaired cerebral mitochondrial function after traumatic brain injury in humans, 815
Cerebral glucose utilization
Influence of cranioplasty on postural blood flow regulation, cerebrovascular reserve capacity, and cerebral glucose metabolism, 53
Cerebral infarction
Temporal changes in sensitivity of rats to cerebral ischemic insult, 82
Cerebral ischemia
Impaired cerebral mitochondrial function after traumatic brain injury in humans, 815
No additional neuroprotection provided by barbiturate-induced burst suppression under mild hypothermic conditions in rats subjected to reversible focal ischemia, 835
Cerebral metabolism
Cerebral circulation and metabolism in the acute stage of subarachnoid hemorrhage, 1014
Clinical cerebral microdialysis: a methodological study, 37
Cerebral mitochondria
Impaired cerebral mitochondrial function after traumatic brain injury in humans, 815
Improvement in mitochondrial dysfunction as a new surrogate efficiency measure for preclinical trials: dose–response and time-window profiles for administration of the calcium channel blocker Ziconotide in experimental brain injury, 829
Cerebral oxygen metabolism
Improvement in mitochondrial dysfunction as a new surrogate efficiency measure for preclinical trials: dose–response and time-window profiles for administration of the calcium channel blocker Ziconotide in experimental brain injury, 829
Cerebral perfusion pressure
Cerebral perfusion pressure and clinical outcome. Letters, 158, 159
Cerebral perfusion pressure and contusion volume, 161
Cerebral swelling
Hypopituitarism following traumatic brain injury and aneurysmal subarachnoid hemorrhage: a preliminary report, 743
Cerebral varix
Thalamic venous angiomas draining into a vein-of-Galen varix. Case illustration, 1083
Cerebral vasospasm
Role of calcium channels in oxyhemoglobin-induced apoptosis in endothelial cells, 640

Cerebral vasospasm (*continued*)
Upregulation of rho A and rho kinase messenger RNAs in the basilar artery of a rat model of subarachnoid hemorrhage, 471
Cerebral vein
Gamma surgery for vein of Galen malformations, 229
Cerebrospinal fluid
Long-term testing of an intracranial pressure monitoring device, 852
Cerebrospinal fluid circulation
Analysis of aqueductal cerebrospinal fluid flow after endoscopic aqueductoplasty by using cine phase-contrast magnetic resonance imaging, 237
Cerebrospinal fluid flow
Analysis of aqueductal cerebrospinal fluid flow after endoscopic aqueductoplasty by using cine phase-contrast magnetic resonance imaging, 237
Cerebrovascular carbon dioxide response
Comparison of two commercially available near-infrared spectroscopy instruments for cerebral oximetry. Technical note, 351
Cerebrovascular disease
Development of a cerebral arteriovenous malformation documented in an adult by serial angiography. Case report, 1058
Cerebrovascular neurosurgery
Recurrent artery of Heubner: Otto Heubner's description of the artery and his influence on pediatrics in Germany, 1084
Cerebrovascular reserve capacity
Influence of cranioplasty on postural blood flow regulation, cerebrovascular reserve capacity, and cerebral glucose metabolism, 53
Chemotherapy
Efficacy of neuroendoscopic procedures in minimally invasive preferential management of pineal region tumors: a prospective study, 245
Chiari malformation
Successful neuroendoscopic third ventriculostomy for hydrocephalus and syringomyelia associated with fourth ventricle outlet obstruction. Case report, 326
Children
Prognostic factors in intracranial ependymomas in children, 605
Transparahippocampal selective amygdalohippocampectomy in children and adolescents: efficacy of the procedure and cognitive morbidity in patients, 402
Chordoma
Radiation therapy for chordomas. Letters, 157
Chromosome
Molecular cytogenetic analysis of medulloblastomas and supratentorial primitive neuroectodermal tumors by using conventional banding, comparative genomic hybridization, and spectral karyotyping, 437
Chronic subdural hematoma
Chronic subdural hematoma: evaluation of the clinical significance of postoperative drainage volume, 796
Cigarette smoking
Natural history of unruptured intracranial aneurysms: probability of and risk factors for aneurysm rupture, 379
Cine phase-contrast magnetic resonance imaging
Analysis of aqueductal cerebrospinal fluid flow after endoscopic aqueductoplasty by using cine phase-contrast magnetic resonance imaging, 237
Cingulotomy
Volume reduction in the caudate nucleus following stereotactic placement of lesions in the anterior cingulate cortex in humans: a morphometric magnetic resonance imaging study, 1019
Circadian rhythm
Temporal changes in sensitivity of rats to cerebral ischemic insult, 82
Circulating blood volume
Change in circulating blood volume following craniotomy, 581
Clinical deterioration
Efficacy of neuroradiological imaging, neurological examination, symptom status in follow-up assessment of patients with high-grade gliomas, 201
Clinical examination
Clinical cerebral microdialysis: a methodological study, 37
Clipping
Intentional body clipping of wide-necked basilar artery bifurcation aneurysms, 169
Prospective analysis of aneurysm treatment in a series of 103 consecutive patients when endovascular embolization is considered the first option, 175
Clipping (*continued*)
Clivus
Clival encephalocele. Case illustration, 513
Closed-system drainage
Relationship between drainage catheter location and postoperative recurrence of chronic subdural hematoma after burr-hole irrigation and closed-system drainage, 791
Coagulation
Virtual image navigation: a new method to control intraoperative bleeding in neuroendoscopic surgery. Technical note, 342
Cochlear nerve
Cochlear region of the brainstem. Letters, 724, 727
Effectiveness of preoperative administration of an *N*-methyl-D-aspartate antagonist to enhance cochlear neuron resistance to intraoperative traumatic stress: an experimental study, 90
Cognition
Transparahippocampal selective amygdalohippocampectomy in children and adolescents: efficacy of the procedure and cognitive morbidity in patients, 402
Cognitive impairment
Cognition after subarachnoid hemorrhage. Letters, 160
Cognitive outcome
Pallidotomy and neuropsychological outcome. Letters, 527
Predictors of neuropsychological outcome in patients following microelectrode-guided pallidotomy for Parkinson's disease, 410
Collagen
Facial nerve repair accomplished by the interposition of a collagen nerve guide, 113
Colloid cyst
Hemorrhagic colloid cyst. Letters, 369, 370
Coma
Immediate coma following inertial brain injury dependent on axonal damage in the brainstem, 315
Comparative genomic hybridization
Detection of chromosomal imbalances in central neurocytomas by using comparative genomic hybridization, 77
Complex partial seizure
Transparahippocampal selective amygdalohippocampectomy in children and adolescents: efficacy of the procedure and cognitive morbidity in patients, 402
Computer-aided surgery
Computer-assisted neurosurgery by using a noninvasive vacuum-affixed dental cast that acts as a reference base: another step toward a unified approach in the treatment of brain tumors, 208
Computerized tomography
Efficacy of neuroradiological imaging, neurological examination, symptom status in follow-up assessment of patients with high-grade gliomas, 201
Hypothermia and severe brain injury. Letters, 718
Meningioma cleavage. Letters, 159, 160
Pneumoangiography. Letters, 911, 912
Relationship between drainage catheter location and postoperative recurrence of chronic subdural hematoma after burr-hole irrigation and closed-system drainage, 791
Volume-rendered helical computerized tomography angiography in the detection and characterization of intracranial aneurysms, 254
Contusion
Maturation-dependent response of the piglet brain to scaled cortical impact, 455
Cortical dysplasia
Surgical treatment of intractable epilepsy accompanying cortical dysplasia, 766
Cortical reorganization
Cortical reorganization after digit-to-hand replantation. Case report, 876
Cortical stimulation
Reversal of thalamic hand syndrome by long-term motor cortex stimulation. Case report, 873
Cosmetic outcome
A newly designed key-hole button. Technical note, 506

Index

Cranial base
Use of titanium mesh for reconstruction of large anterior cranial base defects. Technical note, 711
Cranial nerve
Continuous electromyography monitoring of motor cranial nerves during cerebellopontine angle surgery, 586
Cranial nerve palsy
Facial nerve repair accomplished by the interposition of a collagen nerve guide, 113
Cranioplasty
Influence of cranioplasty on postural blood flow regulation, cerebrovascular reserve capacity, and cerebral glucose metabolism, 53
Craniotomy
Change in circulating blood volume following craniotomy, 581
A newly designed key-hole button. Technical note, 506
Cushing's disease
Multiple pituitary adenomas. Letters, 909, 910
Multiple pituitary adenomas in Cushing's disease, 753
Radiosurgery and Cushing's disease. Letters, 907, 908
Radiosurgery for Cushing's disease after failed transsphenoidal surgery, 738
Cushing's syndrome
Multiple pituitary adenomas. Letters, 909, 910
Radiosurgery and Cushing's disease. Letters, 907, 908
Cynomolgus monkey
Subarachnoid hemorrhage as a cause of an adaptive response in cerebral arteries, 463

Daughter aneurysm
Prediction of aneurysm rupture site by an angiographically identified bleb at the aneurysm neck. Case illustration, 517
De novo aneurysm
De novo formation and rupture of an azygos pericallosal artery aneurysm. Case report, 1062
Deep brain stimulation
Efficacy of unilateral deep brain stimulation of the thalamic ventralis intermedius nucleus in a patient with bipolar disorder associated with Klinefelter syndrome and essential tremor. Case report, 127
Excitotoxic ablation. Letters, 364, 365
Long-term deep brain stimulation in a patient with essential tremor: clinical response and postmortem correlation with stimulator termination sites in ventral thalamus. Case report, 140
Magnetic resonance imaging stereotactic target localization for deep brain stimulation in dystonic children, 784
Use of an intracranial near-infrared probe for localization during stereotactic surgery for movement disorders. Technical note, 498
Delayed cerebral ischemia
Efficacy and safety of the endothelin$_{A/B}$ receptor antagonist TAK-044 in treating subarachnoid hemorrhage. A report by the Steering Committee on behalf of the UK/Netherlands/Eire TAK-044 Subarachnoid Haemorrhage Study Group, 992
Developing aneurysm
De novo formation and rupture of an azygos pericallosal artery aneurysm. Case report, 1062
Development
Maturation-dependent response of the piglet brain to scaled cortical impact, 455
Developmental anomaly
Adult rhombencephalosynapsis. Case report, 323
Dexamethasone
Dexamethasone-induced abolition of the inflammatory response in an experimental glioma model: a flow cytometry study, 634
Diagnostic imaging
Optical imaging of bilingual cortical representations. Case report, 676
Diffuse axonal injury
Diffuse axonal injury due to lateral head rotation in a rat model, 626
Immediate coma following inertial brain injury dependent on axonal damage in the brainstem, 315
Diffuse brain injury
Immediate coma following inertial brain injury dependent on axonal damage in the brainstem, 315
Neurobehavioral protection by the neuronal calcium channel blocker Ziconotide in a model of traumatic diffuse brain injury in rats, 821
Diploic lesion
Unusual intradiploic hematoma. Case report, 895
Disease recurrence
Chronic subdural hematoma: evaluation of the clinical significance of postoperative drainage volume, 796
Recurrent arteriovenous malformation in an adult. Case illustration, 1082
Dog
Effects of mitogen-activated protein kinase inhibitors on cerebral vasospasm in a double-hemorrhage model in dogs, 1041
Experimental study of medullary trigeminal evoked potentials: development of a new method of intraoperative monitoring of the medulla oblongata, 68
Long-term testing of an intracranial pressure monitoring device, 852
Dorsal root section
Brachial plexus dorsal rhizotomy in the treatment of upper-limb spasticity, 26
Dose–response curve
Improvement in mitochondrial dysfunction as a new surrogate efficiency measure for preclinical trials: dose–response and time-window profiles for administration of the calcium channel blocker Ziconotide in experimental brain injury, 829
Drainage volume
Chronic subdural hematoma: evaluation of the clinical significance of postoperative drainage volume, 796
Dysembryoplastic neuroepithelial tumor
Dysembryoplastic neuroepithelial tumor of the cerebellum and brainstem. Case report, 487
Dystonia
Magnetic resonance imaging stereotactic target localization for deep brain stimulation in dystonic children, 784
Reversal of thalamic hand syndrome by long-term motor cortex stimulation. Case report, 873

Echinococcosis
Central nervous system hydatidosis in Turkey: a cooperative study and literature survey analysis of 458 cases, 1
Echinococcus granulosus
Central nervous system hydatidosis in Turkey: a cooperative study and literature survey analysis of 458 cases, 1
Echinococcus multilocularis
Central nervous system hydatidosis in Turkey: a cooperative study and literature survey analysis of 458 cases, 1
Ectopic tumor
Primary extradural meningiomas: a report on nine cases and review of the literature from the era of computerized tomography scanning, 940
Ehlers–Danlos syndrome
Treatment of spontaneous carotid–cavernous fistula in Ehlers–Danlos syndrome by transvenous occlusion with Guglielmi detachable coils. Case report and review of the literature, 689
Eighth cranial nerve
Microvascular decompression for cochlear symptoms, 421
Electrical stimulation
Functional magnetic resonance imaging of somatosensory cortex activity produced by electrical stimulation of the median nerve or tactile stimulation of the index finger, 774
Electrocorticography
Intraoperative hippocampal electrocorticography to predict the extent of hippocampal resection in temporal lobe epilepsy surgery, 44
Electroencephalography
Endarterectomy and anesthesia. Letters, 363
Electromyography
Continuous electromyography monitoring of motor cranial nerves during cerebellopontine angle surgery, 586
Electrophysiological monitoring
Sources of error in comparing functional magnetic resonance imaging and invasive electrophysiological recordings, 214
Embolization
Middle meningeal artery embolization for refractory chronic subdural hematoma. Case report, 686
Natural history of the neck remnant of a cerebral aneurysm treated with the Guglielmi detachable coil system, 561

Embolization (*continued*)
Prospective analysis of aneurysm treatment in a series of 103 consecutive patients when endovascular embolization is considered the first option, 175
Empty sella turcica
Tethered brain. Case illustration, 146
Encephalocele
Clival encephalocele. Case illustration, 513
Endoscopic aqueductoplasty
Analysis of aqueductal cerebrospinal fluid flow after endoscopic aqueductoplasty by using cine phase-contrast magnetic resonance imaging, 237
Endoscopy
Endoscopically guided fenestration of the choroidal fissure for treatment of trapped temporal horn. Case report, 891
A new device for endoscopic third ventriculostomy. Technical note, 509
Possible origin of suprasellar arachnoid cysts: neuroimaging and neurosurgical observations in nine cases, 62
Virtual image navigation: a new method to control intraoperative bleeding in neuroendoscopic surgery. Technical note, 342
Endothelin
Efficacy and safety of the endothelin$_{A/B}$ receptor antagonist TAK-044 in treating subarachnoid hemorrhage. A report by the Steering Committee on behalf of the UK/Netherlands/Eire TAK-044 Subarachnoid Haemorrhage Study Group, 992
Endothelin receptor antagonist
Efficacy and safety of the endothelin$_{A/B}$ receptor antagonist TAK-044 in treating subarachnoid hemorrhage. A report by the Steering Committee on behalf of the UK/Netherlands/Eire TAK-044 Subarachnoid Haemorrhage Study Group, 992
Endothelium
Role of calcium channels in oxyhemoglobin-induced apoptosis in endothelial cells, 640
Endovascular therapy
Treatment of spontaneous carotid–cavernous fistula in Ehlers–Danlos syndrome by transvenous occlusion with Guglielmi detachable coils. Case report and review of the literature, 689
Enhancing lesion
Superior petrosal vein varicosity presenting as an enhancing cerebellopontine angle lesion. Case illustration, 515
Ependymal cyst
Ependymal cyst producing alpha-fetoprotein. Case report, 682
Ependymoma
Ependymomas in children. Letters, 721, 722
Prognostic factors in intracranial ependymomas in children, 605
Epidemiological study
Primary intracerebral and aneurysmal subarachnoid hemorrhage in Izumo City, Japan. Part I: Incidence and seasonal and diurnal variations, 958
Primary intracerebral and aneurysmal subarachnoid hemorrhage in Izumo City, Japan. Part II: Management and surgical outcome, 967
Survival of patients with synchronous brain metastases: an epidemiological study in southeastern Michigan, 927
Epidermal growth factor receptor
Telomerase activity in primary and secondary glioblastomas multiforme as a novel molecular tumor marker, 618
Epilepsy
Subnecrotic stereotactic radiosurgery controlling epilepsy produced by kainic acid injection in rats, 1033
Surgical treatment of intractable epilepsy accompanying cortical dysplasia, 766
Epilepsy surgery
Intraoperative hippocampal electrocorticography to predict the extent of hippocampal resection in temporal lobe epilepsy surgery, 44
Sources of error in comparing functional magnetic resonance imaging and invasive electrophysiological recordings, 214
Essential tremor
Long-term deep brain stimulation in a patient with essential tremor: clinical response and postmortem correlation with stimulator termination sites in ventral thalamus. Case report, 140
Etoposide
Wild-type p53–dependent etoposide-induced apoptosis mediated by caspase-3 activation in human glioma cells, 289
Evoked potential
Experimental study of medullary trigeminal evoked potentials: development of a new method of intraoperative monitoring of the medulla oblongata, 68
Experimental model
Diffuse axonal injury due to lateral head rotation in a rat model, 626
Extracranial metastasis
Diffuse vertebral body metastasis from a glioblastoma multiforme: a technetium-99m Sestamibi single-photon emission computerized tomography study, 887
Extradural aneurysm
Extradural posterior inferior cerebellar artery aneurysm. Case illustration, 899
Extradural tumor
Primary extradural meningiomas: a report on nine cases and review of the literature from the era of computerized tomography scanning, 940
Extraneural metastasis
Diffuse vertebral body metastasis of a glioblastoma multiforme: a technetium-99m Sestamibi single-photon emission computerized tomography study. Case report, 887

Facial nerve
Facial nerve repair accomplished by the interposition of a collagen nerve guide, 113
Fibrin glue
Survival of adult rat retinal ganglion cells with regrown axons in peripheral nerve grafts: a comparison of graft attachment with suture or fibrin glue, 275
Flow cytometry
Dexamethasone-induced abolition of the inflammatory response in an experimental glioma model: a flow cytometry study, 634
Fluorescence in situ hybridization
Molecular cytogenetic analysis of medulloblastomas and supratentorial primitive neuroectodermal tumors by using conventional banding, comparative genomic hybridization, and spectral karyotyping, 437
Fluorescence-guided resection
Fluorescence-guided resection of glioblastoma multiforme by using 5-aminolevulinic acid–induced porphyrins. A prospective study in 52 consecutive patients, 1003
Foramen of Luschka
Cochlear region of the brainstem. Letters, 724, 727
Foreign body
Brain abscess related to metal fragments 47 years after head injury. Case report, 477
Frameless stereotaxis
Computer-assisted neurosurgery by using a noninvasive vacuum-affixed dental cast that acts as a reference base: another step toward a unified approach in the treatment of brain tumors, 208
Frontal bone
Unusual intradiploic hematoma. Case report, 895
Functional magnetic resonance imaging
Functional magnetic resonance imaging of somatosensory cortex activity produced by electrical stimulation of the median nerve or tactile stimulation of the index finger, 774
Role of the mode of sensory stimulation in presurgical brain mapping in which functional magnetic resonance imaging is used, 427
Sources of error in comparing functional magnetic resonance imaging and invasive electrophysiological recordings, 214

Gamma knife
Gamma surgery for vein of Galen malformations, 229
Radiosurgery for Cushing's disease after failed transsphenoidal surgery, 738
Ganglioglioma
Neuroblastomatous recurrence of ganglioglioma. Case report, 698
Gender differences
Do women fare worse: a metaanalysis of gender differences in traumatic brain injury outcome, 539
General anesthesia
Endarterectomy and anesthesia. Letters, 363

Index

Genomic imbalance
Detection of chromosomal imbalances in central neurocytomas by using comparative genomic hybridization, 77
Germinoma
Spontaneous regression of a germinoma in the pineal body after placement of a ventriculoperitoneal shunt. Case report, 884
Glioblastoma
The impact of age and sex on the incidence of glial tumors in New York state from 1976 to 1995, 932
Glioblastoma multiforme
Aberrant p21 regulation in radioresistant primary glioblastoma multiforme cells bearing wild-type *p53*, 863
Diffuse vertebral body metastasis from a glioblastoma multiforme: a technetium-99m Sestamibi single-photon emission computerized tomography study. Case report, 887
Quality of life in patients with glioblastoma multiforme participating in a randomized study of brachytherapy as a boost treatment, 917
Telomerase activity in primary and secondary glioblastomas multiforme as a novel molecular tumor marker, 618
Glioma
Dexamethasone-induced abolition of the inflammatory response in an experimental glioma model: a flow cytometry study, 634
Efficacy of neuroradiological imaging, neurological examination, symptom status in follow-up assessment of patients with high-grade gliomas, 201
Fluorescence-guided resection of glioblastoma multiforme by using 5-aminolevulinic acid–induced porphyrins. A prospective study in 52 consecutive patients, 1003
Hypoxia in a human intracerebral glioma model, 449
Wild-type p53–dependent etoposide-induced apoptosis mediated by caspase-3 activation in human glioma cells, 289
Globus pallidus
Magnetic resonance imaging stereotactic target localization for deep brain stimulation in dystonic children, 784
Globus pallidus internus
Excitotoxic ablation. Letters, 364, 365
Glutamate
High level of extracellular potassium and its correlates after severe head injury: relationship to high intracranial pressure, 800
Graft
Differentiation of green fluorescent protein–labeled embryonic stem cell–derived neural precursor cells into Thy-1 positive neurons and glia after transplantation into adult rat striatum, 1026
Granular cell tumor
Acromegaly associated with a granular cell tumor of the neurohypophysis: a clinical and histological study. Case report, 121
Granuloma
Solitary sarcoid granulomatosis mimicking meningioma. Case illustration, 897
Growth hormone
Growth hormone–releasing peptide and growth hormone secretion. Letters, 1092
Growth hormone deficiency
Hypopituitarism following traumatic brain injury and aneurysmal subarachnoid hemorrhage: a preliminary report, 743
Growth hormone–releasing hormone
Acromegaly associated with a granular cell tumor of the neurohypophysis: a clinical and histological study. Case report, 121
Growth hormone–releasing peptide and growth hormone secretion. Letters, 1092
Guglielmi detachable coil
Effect of Guglielmi detachable coils on aneurysm management. Letters, 719, 720
Impact of Guglielmi detachable coils on outcomes of patients with intracranial aneurysms treated by a multidisciplinary team at a single institution, 569
Natural history of the neck remnant of a cerebral aneurysm treated with the Guglielmi detachable coil system, 561
Prospective analysis of aneurysm treatment in a series of 103 consecutive patients when endovascular embolization is considered the first option, 175
The remodeling technique of balloon-assisted Guglielmi detachable coil placement in wide-necked aneurysms: experience at the University of Illinois at Chicago, 388
Treatment of spontaneous carotid–cavernous fistula in Ehlers–Danlos syndrome by transvenous occlusion with Guglielmi detachable coils. Case report and review of the literature, 689
Gyrus rectus
Tethered brain. Case illustration, 146

Hamartoma
Neuronal hamartoma of the trigeminal sensory root associated with trigeminal neuralgia. Case illustration, 514
Traumatically induced lymphangioma of the ulnar nerve, 1069
Hansen disease
Solitary tuberculoid Hansen lesion of the ulnar nerve. Case illustration, 898
Harvey Cushing
Neurosurgery: a historical prologue to the future. 2000 Presidential address, 733
Head injury
Diffuse axonal injury due to lateral head rotation in a rat model, 626
Long-term testing of an intracranial pressure monitoring device, 852
Maturation-dependent response of the piglet brain to scaled cortical impact, 455
Headache
Headaches in patients with radiosurgically treated occipital arteriovenous malformations, 224
Healthcare
Neurosurgery: a historical prologue to the future. 2000 Presidential address, 733
Hearing
Microvascular decompression for cochlear symptoms, 421
Hearing preservation
Effectiveness of preoperative administration of an *N*-methyl-D-aspartate antagonist to enhance cochlear neuron resistance to intraoperative traumatic stress: an experimental study, 90
Heart
Diffuse vertebral body metastasis of a glioblastoma multiforme: a technetium-99m Sestamibi single-photon emission computerized tomography study. Case report, 887
Hemoglobin
Products of hemolysis in the subarachnoid space inducing spreading ischemia in the cortex and focal necrosis in rats: a model for delayed ischemic neurological deficits after subarachnoid hemorrhage? 658
Subarachnoid hemorrhage as a cause of an adaptive response in cerebral arteries, 463
Hemorrhage
Effect of initially limited resuscitation in a combined model of fluid-percussion brain injury and severe uncontrolled hemorrhagic shock, 305
Hemorrhagic colloid cyst. Letters, 369, 370
Long-term natural history of hemorrhagic moyamoya disease in 42 patients, 976
Stereotactic radiosurgery for cavernous malformations, 987
Henry G. Schwartz
Henry Schwartz's address to the Society of Neurological Surgeons, May 1998, 148
Heparin
Heparin-induced thrombocytopenia and thrombosis following subarachnoid hemorrhage. Case report, 136
Herniation
Tethered brain. Case illustration, 146
Heubner
Recurrent artery of Heubner: Otto Heubner's description of the artery and his influence on pediatrics in Germany, 1084
Hippocampus
Intraoperative hippocampal electrocorticography to predict the extent of hippocampal resection in temporal lobe epilepsy surgery, 44
Subnecrotic stereotactic radiosurgery controlling epilepsy produced by kainic acid injection in rats, 1033
Hormone therapy
Regression of a presumed meningioma with the antiestrogen agent mepitiostane. Case report, 132

Hospital charge
Impact of Guglielmi detachable coils on outcomes of patients with intracranial aneurysms treated by a multidisciplinary team at a single institution, 569
Human immunodeficiency virus
Multicentric intracranial smooth-muscle tumor in a woman with human immunodeficiency virus. Case report, 701
Hydatid cyst
Central nervous system hydatidosis in Turkey: a cooperative study and literature survey analysis of 458 cases, 1
Hydatidosis
Central nervous system hydatidosis in Turkey: a cooperative study and literature survey analysis of 458 cases, 1
Hydrocephalus
Endoscopic approach to tectal tumors. Letters, 152
Endoscopically guided fenestration of the choroidal fissure for treatment of trapped temporal horn. Case report, 891
Expanding lacunae causing triventricular hydrocephalus. Letters, 155
Long-term testing of an intracranial pressure monitoring device, 852
A new device for endoscopic third ventriculostomy. Technical note, 509
Posture-related changes in the pressure environment of the ventriculoperitoneal shunt system, 614
Successful neuroendoscopic third ventriculostomy for hydrocephalus and syringomyelia associated with fourth ventricle outlet obstruction. Case report, 326
Hydroxyapatite ceramic button
A newly designed key-hole button. Technical note, 506
Hypercapnia
Comparison of two commercially available near-infrared spectroscopy instruments for cerebral oximetry. Technical note, 351
Hyperostosis
Synovitis, acne, pustulosis, hyperostosis, and osteitis syndrome presenting as a primary calvarial lesion. Case report and review of the literature, 693
Hypertension-induced cerebral hemorrhage
Arterial dissections of penetrating cerebral arteries causing hypertension-induced cerebral hemorrhage, 859
Hypopituitarism
Hypopituitarism following traumatic brain injury and aneurysmal subarachnoid hemorrhage: a preliminary report, 743
Hypothermia
Effect of long-term mild hypothermia therapy in patients with severe traumatic brain injury: 1-year follow-up review of 87 cases, 546
Ischemic tolerance in the rat neocortex following hypothermic preconditioning, 845
No additional neuroprotection provided by barbiturate-induced burst suppression under mild hypothermic conditions in rats subjected to reversible focal ischemia, 835
Prospective analysis of aneurysm treatment in a series of 103 consecutive patients when endovascular embolization is considered the first option, 175
Hypovolemia
Change in circulating blood volume following craniotomy, 581
Hypoxia
Comparison of two commercially available near-infrared spectroscopy instruments for cerebral oximetry. Technical note, 351
Hypoxia in a human intracerebral glioma model, 449

Imaging study
Volume-rendered helical computerized tomography angiography in the detection and characterization of intracranial aneurysms, 254
Incidence risk
The impact of age and sex on the incidence of glial tumors in New York state from 1976 to 1995, 932
Indocyanine green
Change in circulating blood volume following craniotomy, 581
Inertial brain injury
Immediate coma following inertial brain injury dependent on axonal damage in the brainstem, 315
Inion
Superficial surgical landmarks for the transverse sinus and torcular herophili, 279
Instrumentation
A new device for endoscopic third ventriculostomy. Technical note, 509
Internal carotid artery
Prediction of aneurysm rupture site by an angiographically identified bleb at the aneurysm neck. Case illustration, 517
Interpeduncular cistern
Possible origin of suprasellar arachnoid cysts: neuroimaging and neurosurgical observations in nine cases, 62
Intraabdominal pressure
Posture-related changes in the pressure environment of the ventriculoperitoneal shunt system, 614
Intracerebral hemorrhage
Primary intracerebral and aneurysmal subarachnoid hemorrhage in Izumo City, Japan. Part I: Incidence and seasonal and diurnal variations, 958
Primary intracerebral and aneurysmal subarachnoid hemorrhage in Izumo City, Japan. Part II: Management and surgical outcome, 967
Intracranial bleeding
Cerebral microdialysis monitoring:determination of normal and ischemic cerebral metabolisms in patients with aneurysmal subarachnoid hemorrhage, 808
Intracranial compliance
Experimental evaluation of the Spiegelberg intracranial pressure and intracranial compliance monitor, 1072
Intracranial hemorrhage
Effect of direct arterial bypass on the prevention of future stroke in patients with the hemorrhagic variety of moyamoya disease, 397
Intracranial pressure
Cerebral perfusion pressure and clinical outcome. Letters, 158, 159
Cerebral perfusion pressure and contusion volume. Letters, 161
Experimental evaluation of the Spiegelberg intracranial pressure and intracranial compliance monitor, 1072
High level of extracellular potassium and its correlates after severe head injury: relationship to high intracranial pressure, 800
Hypothermia and severe brain injury. Letters, 718
Long-term testing of an intracranial pressure monitoring device, 852
Posture-related changes in the pressure environment of the ventriculoperitoneal shunt system, 614
Venous ophthalmodynamometry: a noninvasive method for assessment of intracranial pressure, 33
Intracranial pressure monitoring
Experimental evaluation of the Spiegelberg intracranial pressure and intracranial compliance monitor, 1072
Intraoperative aneurysm rupture
Contralateral subdural hematoma resulting from intraoperative aneurysm rupture. Case illustration, 147
Intraoperative angiography
Intraoperative endovascular treatment as an adjunct to microsurgical clipping of paraclinoid aneurysms, 554
Intraoperative monitoring
Experimental study of medullary trigeminal evoked potentials: development of a new method of intraoperative monitoring of the medulla oblongata, 68
Intraventricular cerebral tumor
Osteoblastic meningioma. Letters, 366, 367
Ischemia
Cerebral microdialysis monitoring: determination of normal and ischemic cerebral metabolisms in patients with aneurysmal subarachnoid hemorrhage, 808
Ischemic tolerance in the rat neocortex following hypothermic preconditioning, 845
Products of hemolysis in the subarachnoid space inducing spreading ischemia in the cortex and focal necrosis in rats: a model for delayed ischemic neurological deficits after subarachnoid hemorrhage? 658

Juvenile xanthogranuloma
Multiple intracranial juvenile xanthogranulomas. Case report, 335

Kainic acid
Subnecrotic stereotactic radiosurgery controlling epilepsy produced by kainic acid injection in rats, 1033

Index

Kenneth G. McKenzie
Biographical sketch of Kenneth G. McKenzie (1892–1964), 518
Ki-67
Nodular medulloblastoma. Letters, 723, 724
Progesterone regulators. Letters, 528, 529
Prognostic factors in intracranial ependymomas in children, 605
Kinase inhibitor
Effects of mitogen-activated protein kinase inhibitors on cerebral vasospasm in a double-hemorrhage model in dogs, 1041
Klinefelter syndrome
Efficacy of unilateral deep brain stimulation of the thalamic ventralis intermedius nucleus in a patient with bipolar disorder associated with Klinefelter syndrome and essential tremor. Case report, 127

Lactate
High level of extracellular potassium and its correlates after severe head injury: relationship to high intracranial pressure, 800
Laser Doppler flowmetry
Continuous monitoring of regional cerebral blood flow: experimental and clinical validation of a novel thermal diffusion microprobe, 265
Laser Doppler scanning
Effect of age on cerebral venous circulation disturbances in the rat, 298
Lateral head rotation
Diffuse axonal injury due to lateral head rotation in a rat model, 626
Leiomyoma
Multicentric intracranial smooth-muscle tumor in a woman with human immunodeficiency virus. Case report, 701
Leiomyosarcoma
Multicentric intracranial smooth-muscle tumor in a woman with human immunodeficiency virus. Case report, 701
Lymphangioma
Traumatically induced lymphangioma of the ulnar nerve, 1069

Macaca mulatta
Electrophysiological localization of the substantia nigra in the parkinsonian nonhuman primate. Technical note, 704
Macrophage
Dexamethasone-induced abolition of the inflammatory response in an experimental glioma model: a flow cytometry study, 634
Magnetic manipulation
Experimental study of the magnetic stereotaxis system for catheter manipulation within the brain, 282
Magnetic resonance imaging
Dynamic nature of cavernous malformations: a prospective magnetic resonance imaging study with volumetric analysis, 981
Efficacy of neuroradiological imaging, neurological examination, symptom status in follow-up assessment of patients with high-grade gliomas, 201
Expanding lacunae causing triventricular hydrocephalus. Letters, 155
Meningioma cleavage. Letters, 159, 160
Possible origin of suprasellar arachnoid cysts: neuroimaging and neurosurgical observations in nine cases, 62
Subthalamic nucleus. Letters, 1091
Tumor shape and recurrence. Letters, 528
Magnetoencephalography
Cortical reorganization after digit-to-hand replantation. Case report, 876
Managed care
Neurosurgery: a historical prologue to the future. 2000 Presidential address, 733
Meckel's cave
An unusual pterygopalatine meningocele associated with neurofibromatosis Type 1. Case report, 480
Median nerve
Functional magnetic resonance imaging of somatosensory cortex activity produced by electrical stimulation of the median nerve or tactile stimulation of the index finger, 774
Medical history
Recurrent artery of Heubner: Otto Heubner's description of the artery and his influence on pediatrics in Germany, 1084
Medulla oblongata
Experimental study of medullary trigeminal evoked potentials: development of a new method of intraoperative monitoring of the medulla oblongata, 68
Medulla oblongata (*continued*)
Medulloblastoma
Innovative approach in the diagnosis of medulloblastoma in which the ^{123}I-metaiodobenzylguanidine single-positron emission computerized tomography technique is used. Case illustration, 145
Medulloblastomas with extensive posttherapy neuronal maturation. Report of two cases, 330
Nodular medulloblastoma. Letters, 723, 724
Melanoma
Surgical treatment of brain metastases from melanoma: a retrospective study of 91 patients, 9
Membrane of Liliequist
Possible origin of suprasellar arachnoid cysts: neuroimaging and neurosurgical observations in nine cases, 62
Menigeal tumor
Metastatic solitary fibrous tumor of the meninges. Case report, 490
Meningioma
Classification and quantification of the petrosal approach to the petroclival region, 108
Extracorporeal irradiation of tumorous calvaria. Case report, 494
Meningioma model. Letters, 162, 163
Optimal treatment for meningiomas. Letters, 153, 154
Primary extradural meningiomas: a report on nine cases and review of the literature from the era of computerized tomography scanning, 940
Progesterone regulators. Letters, 528, 529
Regression of a presumed meningioma with the antiestrogen agent mepitiostane. Case report, 132
Role of hydrodynamic processes in the pathogenesis of peritumoral brain edema in meningiomas, 594
Solitary sarcoid granulomatosis mimicking meningioma. Case illustration, 897
Meningitis
An unusual pterygopalatine meningocele associated with neurofibromatosis Type 1. Case report, 480
Meningocele
An unusual pterygopalatine meningocele associated with neurofibromatosis Type 1. Case report, 480
Mepitiostane
Regression of a presumed meningioma with the antiestrogen agent mepitiostane. Case report, 132
Metaanalysis
Do women fare worse: a metaanalysis of gender differences in traumatic brain injury outcome, 539
Metaidobenzylguanidine
Innovative approach in the diagnosis of medulloblastoma in which the ^{123}I-metaiodobenzylguanidine single-positron emission computerized tomography technique is used. Case illustration, 145
Metastasis
Metastatic solitary fibrous tumor of the meninges. Case report, 490
Survival of patients with synchronous brain metastases: an epidemiological study in southeastern Michigan, 927
MIBI SPECT study
Diffuse vertebral body metastasis of a glioblastoma multiforme: a technetium-99m Sestamibi single-photon emission computerized tomography study. Case report, 887
Microadenoma
Multiple pituitary adenomas in Cushing's disease, 753
Microcirculation
Continuous monitoring of regional cerebral blood flow: experimental and clinical validation of a novel thermal diffusion microprobe, 265
Microdialysis
Cerebral microdialysis monitoring: determination of normal and ischemic cerebral metabolisms in patients with aneurysmal subarachnoid hemorrhage, 808
Clinical cerebral microdialysis: a methodological study, 37
Microelectrode recording
Electrophysiological localization of the substantia nigra in the parkinsonian nonhuman primate. Technical note, 704
Microglia
Dexamethasone-induced abolition of the inflammatory response in an experimental glioma model: a flow cytometry study, 634

Microvascular decompression
Microvascular decompression for cochlear symptoms, 421
Neuronal hamartoma of the trigeminal sensory root associated with trigeminal neuralgia. Case illustration, 514
Middle cerebral artery occlusion
Temporal changes in sensitivity of rats to cerebral ischemic insult, 82
Middle fossa
Intratumoral injection of plastic adhesive material for removal of cavernous sinus hemangioma. Technical note, 1078
Middle meningeal artery
Middle meningeal artery embolization for refractory chronic subdural hematoma. Case report, 686
Midline fusion defect
Clival encephalocele. Case illustration, 513
Migraine
Headaches in patients with radiosurgically treated occipital arteriovenous malformations, 224
Products of hemolysis in the subarachnoid space inducing spreading ischemia in the cortex and focal necrosis in rats: a model for delayed ischemic neurological deficits after subarachnoid hemorrhage? 658
Mitogen-activated protein kinase
Effects of mitogen-activated protein kinase inhibitors on cerebral vasospasm in a double-hemorrhage model in dogs, 1041
Mobile computerized tomography scanning
Mobile computerized tomography scanning in the neurosurgery intensive care unit: increase in patient safety and reduction of staff workload, 432
Molecular genetics
Molecular cytogenetic analysis of medulloblastomas and supratentorial primitive neuroectodermal tumors by using conventional banding, comparative genomic hybridization, and spectral karyotyping, 437
Movement disorders
Use of an intracranial near-infrared probe for localization during stereotactic surgery for movement disorders. Technical note, 498
Moyamoya disease
Angiographically verified progression of moyamoya disease in an adult. Case report, 1055
Effect of direct arterial bypass on the prevention of future stroke in patients with the hemorrhagic variety of moyamoya disease, 397
Long-term natural history of hemorrhagic moyamoya disease in 42 patients, 976

Nasal speculum
Nasal speculum. Letters, 1091
Natural history
Long-term natural history of hemorrhagic moyamoya disease in 42 patients, 976
Natural history of the neck remnant of a cerebral aneurysm treated with the Guglielmi detachable coil system, 561
Near-infrared light
Use of an intracranial near-infrared probe for localization during stereotactic surgery for movement disorders. Technical note, 498
Neck remnant
Natural history of the neck remnant of a cerebral aneurysm treated with the Guglielmi detachable coil system, 561
Neoplasm
Combined magnetic resonance imaging– and positron emission tomography–guided stereotactic biopsy in brainstem mass lesions: diagnostic yield in a series of 30 patients, 951
Nerve compression
Predominant infraspinatus muscle weakness in suprascapular nerve compression. Case illustration, 516
Nerve degeneration
Effectiveness of preoperative administration of an *N*-methyl-D-aspartate antagonist to enhance cochlear neuron resistance to intraoperative traumatic stress: an experimental study, 90
Nerve graft
Survival of adult rat retinal ganglion cells with regrown axons in peripheral nerve grafts: a comparison of graft attachment with suture or fibrin glue, 275
Nerve guide
Facial nerve repair accomplished by the interposition of a collagen nerve guide, 113
Nerve regeneration
Cortical reorganization after digit-to-hand replantation. Case report, 876
Nerve tumor
Segmental neurofibromatosis. Letters, 530, 531, 532
Neural differentiation
Differentiation of green fluorescent protein–labeled embryonic stem cell–derived neural precursor cells into Thy-1 positive neurons and glia after transplantation into adult rat striatum, 1026
Neurobehavioral deficit
Neurobehavioral protection by the neuronal calcium channel blocker Ziconotide in a model of traumatic diffuse brain injury in rats, 821
Neurobehavioral protection
Neurobehavioral protection by the neuronal calcium channel blocker Ziconotide in a model of traumatic diffuse brain injury in rats, 821
Neuroblastoma
Neuroblastomatous recurrence of ganglioglioma. Case report, 698
Neuroendoscopic surgery
Efficacy of neuroendoscopic procedures in minimally invasive preferential management of pineal region tumors: a prospective study, 245
Successful neuroendoscopic third ventriculostomy for hydrocephalus and syringomyelia associated with fourth ventricle outlet obstruction. Case report, 326
Neuroendoscopic third ventriculostomy
Endoscopic approach to tectal tumors. Letters, 152
Neurofibromatosis
An unusual pterygopalatine meningocele associated with neurofibromatosis Type 1. Case report, 480
Segmental neurofibromatosis. Letters, 530, 531, 532
Neurohypophysis
Acromegaly associated with a granular cell tumor of the neurohypophysis: a clinical and histological study. Case report, 121
Neuromonitoring
Cerebral microdialysis monitoring: determination of normal and ischemic cerebral metabolisms in patients with aneurysmal subarachnoid hemorrhage, 808
Comparison of two commercially available near-infrared spectroscopy instruments for cerebral oximetry. Technical note, 351
Continuous monitoring of regional cerebral blood flow: experimental and clinical validation of a novel thermal diffusion microprobe, 265
Neuronal differentiation
Medulloblastomas with extensive posttherapy neuronal maturation. Report of two cases, 330
Neuronavigation
Reversal of thalamic hand syndrome by long-term motor cortex stimulation. Case report, 873
Virtual image navigation: a new method to control intraoperative bleeding in neuroendoscopic surgery. Technical note, 342
Neuroprotection
Ischemic tolerance in the rat neocortex following hypothermic preconditioning, 845
No additional neuroprotection provided by barbiturate-induced burst suppression under mild hypothermic conditions in rats subjected to reversible focal ischemia, 835
Neuropsychology
Predictors of neuropsychological outcome in patients following microelectrode-guided pallidotomy for Parkinson's disease, 410
Neurosarcoidosis
Solitary sarcoid granulomatosis mimicking meningioma. Case illustration, 897
Neurosurgery
3131C—World War II neurosurgery, 901
Optical imaging of bilingual cortical representations. Case report, 676
Neurosurgery intensive care unit
Mobile computerized tomography scanning in the neurosurgery intensive care unit: increase in patient safety and reduction of staff workload, 432
Neurosurgical education
3131C—World War II neurosurgery, 901
Henry Schwartz's address to the Society of Neurological Surgeons, May 1998, 148
Neurosurgical history
Biographical sketch of Kenneth G. McKenzie (1892–1964), 518

Neurosurgical history (*continued*)
Henry Schwartz's address to the Society of Neurological Surgeons, May 1998, 148
Neurosurgery: a historical prologue to the future. 2000 Presidential address, 733
Nimodipine
Prospective analysis of aneurysm treatment in a series of 103 consecutive patients when endovascular embolization is considered the first option, 175
Nitric oxide
Effects of potassium channel inhibitors on the relaxation induced by the nitric oxide donor diethylamine/nitric oxide in isolated human cerebral arteries, 1048
Production of reactive oxygen species after reperfusion in vitro and in vivo: protective effect of nitric oxide, 99
Nitric oxide donor
Production of reactive oxygen species after reperfusion in vitro and in vivo: protective effect of nitric oxide, 99
N-methyl-D-aspartate antagonist
Effectiveness of preoperative administration of an *N*-methyl-D-aspartate antagonist to enhance cochlear neuron resistance to intraoperative traumatic stress: an experimental study, 90

Occipital lobe
Headaches in patients with radiosurgically treated occipital arteriovenous malformations, 224
Octreotide
Long-term surgical outcome in 16 patients with thyrotropin pituitary adenoma, 194
Oculomotor nerve
Intracranial oculomotor nerve rhabdomyoma. Case illustration, 715
Ommaya resevoir
Venticulostomy. Letters, 1092
Open neurosurgery
Simulation of the surgical manipulation involved in clipping a basilar artery aneurysm: concepts of virtual clipping. Technical note, 355
Operative technique
Use of titanium mesh for reconstruction of large anterior cranial base defects. Technical note, 711
Ophthalmic artery aneurysm
Intraoperative endovascular treatment as an adjunct to microsurgical clipping of paraclinoid aneurysms, 554
Ophthalmodynamometry
Venous ophthalmodynamometry: a noninvasive method for assessment of intracranial pressure, 33
Optic neuropathy
Multiple intracranial juvenile xanthogranulomas. Case report, 335
Optic pathway
Anaplastic astrocytoma invading the optic chiasm through the optic pathway. Case illustration, 716
Osteitis syndrome
Synovitis, acne, pustulosis, hyperostosis, and osteitis syndrome presenting as a primary calvarial lesion. Case report and review of the literature, 693
Osteoblastic meningioma
Osteoblastic meningioma. Letters, 366, 367
Outcome
Effect of long-term mild hypothermia therapy in patients with severe traumatic brain injury: 1-year follow-up review of 87 cases, 546
Impact of Guglielmi detachable coils on outcomes of patients with intracranial aneurysms treated by a multidisciplinary team at a single institution, 569
Outcome study
Do women fare worse: a metaanalysis of gender differences in traumatic brain injury outcome, 539
Oxidative phosphorylation
Impaired cerebral mitochondrial function after traumatic brain injury in humans, 815
Oxygen extraction fraction
Relationship between residual cerebral blood flow and oxygen metabolism as predictive of ischemic tissue viability: sequential multitracer positron emission tomography scanning of middle cerebral artery occlusion during the critical first 6 hours after stroke in pigs, 647
Oxygen free radical
Production of reactive oxygen species after reperfusion in vitro and in vivo: protective effect of nitric oxide, 99
Oxygen metabolism
Relationship between residual cerebral blood flow and oxygen metabolism as predictive of ischemic tissue viability: sequential multitracer positron emission tomography scanning of middle cerebral artery occlusion during the critical first 6 hours after stroke in pigs, 647
Oxyhemoglobin
Comparison of two commercially available near-infrared spectroscopy instruments for cerebral oximetry. Technical note, 351

p21
Aberrant p21 regulation in radioresistant primary glioblastoma multiforme cells bearing wild-type *p53*, 863
p53
Aberrant p21 regulation in radioresistant primary glioblastoma multiforme cells bearing wild-type *p53*, 863
Telomerase activity in primary and secondary glioblastomas multiforme as a novel molecular tumor marker, 618
Wild-type p53–dependent etoposide-induced apoptosis mediated by caspase-3 activation in human glioma cells, 289
Pain
Reversal of thalamic hand syndrome by long-term motor cortex stimulation. Case report, 873
Pallidotomy
Pallidotomy and neuropsychological outcome. Letters, 527
Predictors of neuropsychological outcome in patients following microelectrode-guided pallidotomy for Parkinson's disease, 410
Use of an intracranial near-infrared probe for localization during stereotactic surgery for movement disorders. Technical note, 498
Paraclinoid aneurysm
Intraoperative endovascular treatment as an adjunct to microsurgical clipping of paraclinoid aneurysms, 554
Paraparesis
Paraparesis induced by inflammatory contents of a pneumonectomy cavity, 1065
Parcellation
Volume reduction in the caudate nucleus following stereotactic placement of lesions in the anterior cingulate cortex in humans: a morphometric magnetic resonance imaging study, 1019
Electrophysiological localization of the substantia nigra in the parkinsonian nonhuman primate. Technical note, 704
Parkinson's disease
Differentiation of green fluorescent protein–labeled embryonic stem cell–derived neural precursor cells into Thy-1 positive neurons and glia after transplantation into adult rat striatum, 1026
Electrophysiological localization of the substantia nigra in the parkinsonian nonhuman primate. Technical note, 704
Excitotoxic ablation. Letters, 364, 365
Neural transplantation. Letters, 163, 164
Pallidotomy and neuropsychological outcome. Letters, 527
Predictors of neuropsychological outcome in patients following microelectrode-guided pallidotomy for Parkinson's disease, 410
Pediatrics
Recurrent artery of Heubner: Otto Heubner's description of the artery and his influence on pediatrics in Germany, 1084
Penetrating artery
Arterial dissections of penetrating cerebral arteries causing hypertension-induced cerebral hemorrhage, 859
Perforating artery
Basilar artery anatomy. Letters, 368, 369
Pericallosal artery
Microanatomy of the pericallosal arterial complex, 667
Peripheral nerve
Segmental neurofibromatosis. Letters, 530, 531, 532
Traumatically induced lymphangioma of the ulnar nerve, 1069
Petrosal approach
Classification and quantification of the petrosal approach to the petroclival region, 108
Petrosal vein
Superior petrosal vein varicosity presenting as an enhancing cerebellopontine angle lesion. Case illustration, 515

Pig
Effect of initially limited resuscitation in a combined model of fluid-percussion brain injury and severe uncontrolled hemorrhagic shock, 305
Immediate coma following inertial brain injury dependent on axonal damage in the brainstem, 315
Relationship between residual cerebral blood flow and oxygen metabolism as predictive of ischemic tissue viability: sequential multitracer positron emission tomography scanning of middle cerebral artery occlusion during the critical first 6 hours after stroke in pigs, 647
Pilocytic astrocytoma
Involution of diencephalic pilocytic astrocytoma after partial resection. Report of two cases in adults, 484
Pineal region
Ependymal cyst producing alpha-fetoprotein. Case report, 682
Pineal region tumor
Efficacy of neuroendoscopic procedures in minimally invasive preferential management of pineal region tumors: a prospective study, 245
Pituitary
Multiple pituitary adenomas in Cushing's disease, 753
Pituitary adenoma
Long-term surgical outcome in 16 patients with thyrotropin pituitary adenoma, 194
Pituitary tumor
Acromegaly associated with a granular cell tumor of the neurohypophysis: a clinical and histological study. Case report, 121
Radiosurgery for Cushing's disease after failed transsphenoidal surgery, 738
Transcranial–transdural real-time ultrasonography during transsphenoidal resection of a large pituitary tumor. Case report, 129
Plastic adhesive
Intratumoral injection of plastic adhesive material for removal of cavernous sinus hemangioma. Technical note, 1078
Porphyrin
Fluorescence-guided resection of glioblastoma multiforme by using 5-aminolevulinic acid–induced porphyrins. A prospective study in 52 consecutive patients, 1003
Positron emission tomography
Cerebral circulation and metabolism in the acute stage of subarachnoid hemorrhage, 1014
Combined magnetic resonance imaging–and positron emission tomography–guided stereotactic biopsy in brainstem mass lesions: diagnostic yield in a series of 30 patients, 951
Relationship between residual cerebral blood flow and oxygen metabolism as predictive of ischemic tissue viability: sequential multitracer positron emission tomography scanning of middle cerebral artery occlusion during the critical first 6 hours after stroke in pigs, 647
Posterior fossa
Dysembryoplastic neuroepithelial tumor of the cerebellum and brainstem. Case report, 487
Superficial surgical landmarks for the transverse sinus and torcular herophili, 279
Posterior fossa tumor
Neuronal hamartoma of the trigeminal sensory root associated with trigeminal neuralgia. Case illustration, 514
Posterior inferior cerebellar artery
Extradural posterior inferior cerebellar artery aneurysm. Case illustration, 899
Postural fluctuation
Influence of cranioplasty on postural blood flow regulation, cerebrovascular reserve capacity, and cerebral glucose metabolism, 53
Potassium
High level of extracellular potassium and its correlates after severe head injury: relationship to high intracranial pressure, 800
Potassium channel
Effects of potassium channel inhibitors on the relaxation induced by the nitric oxide donor diethylamine/nitric oxide in isolated human cerebral arteries, 1048
Preclinical trial
Improvement in mitochondrial dysfunction as a new surrogate efficiency measure for preclinical trials: dose–response and time-window profiles for administration of the calcium channel blocker Ziconotide in experimental brain injury, 829
Primitive neuroectodermal tumor
Medulloblastomas with extensive posttherapy neuronal maturation. Report of two cases, 330
Molecular cytogenetic analysis of medulloblastomas and supratentorial primitive neuroectodermal tumors by using conventional banding, comparative genomic hybridization, and spectral karyotyping, 437
Progesterone receptor
Progesterone regulators. Letters, 528, 529
Prognosis
Ependymomas in children. Letters, 721
Medulloblastomas with extensive posttherapy neuronal maturation. Report of two cases, 330
Prognostic factors in intracranial ependymomas in children, 605
Progressive disease angiography
Angiographically verified progression of moyamoya disease in an adult. Case report, 1055
Proptosis
Unusual intradiploic hematoma. Case report, 895
Proton
Radiation therapy for chordomas. Letters, 157
Pseudoaneurysm
Ruptured irregularly shaped aneurysms: pseudoaneurysm formation in a thrombus located at the rupture site, 998
Pseudomonas
Brain abscess related to metal fragments 47 years after head injury. Case report, 477
Psychological outcome
Transparahippocampal selective amygdalohippocampectomy in children and adolescents: efficacy of the procedure and cognitive morbidity in patients, 402
Pterygopalatine fossa
An unusual pterygopalatine meningocele associated with neurofibromatosis Type 1. Case report, 480
Pulse spectrophotometry
Change in circulating blood volume following craniotomy, 581
Pustulosis
Synovitis, acne, pustulosis, hyperostosis, and osteitis syndrome presenting as a primary calvarial lesion. Case report and review of the literature, 693

Quality of life
Quality of life in patients with glioblastoma multiforme participating in a randomized study of brachytherapy as a boost treatment, 917

Radiation injury
Stereotactic radiosurgery for cavernous malformations, 987
Radiation therapy
Radiation therapy for chordomas. Letters, 157
Radioresistance
Aberrant p21 regulation in radioresistant primary glioblastoma multiforme cells bearing wild-type *p53*, 863
Radiosurgery
Efficacy of neuroendoscopic procedures in minimally invasive preferential management of pineal region tumors: a prospective study, 245
Headaches in patients with radiosurgically treated occipital arteriovenous malformations, 224
Optimal treatment for meningiomas. Letters, 153, 154
Radiosurgery and Cushing's disease. Letters, 907, 908
Radiosurgery for Cushing's disease after failed transsphenoidal surgery, 738
Stereotactic radiosurgery for cavernous malformations, 987
Subnecrotic stereotactic radiosurgery controling epilepsy produced by kainic acid injection in rats, 1033
Radiotherapy
Extracorporeal irradiation of tumorous calvaria. Case report, 494
Randomized trial
Quality of life in patients with glioblastoma multiforme participating in a randomized study of brachytherapy as a boost treatment, 917
Rat
Differentiation of green fluorescent protein-labeled embryonic stem cell-

Index

Rat (*continued*)
derived neural precursor cells differentiate into Thy-1 positive neurons and glia after transplantation into adult rat striatum, 1026
Diffuse axonal injury due to lateral head rotation in a rat model, 626
Effect of age on cerebral venous circulation disturbances in the rat, 298
Effectiveness of preoperative administration of an *N*-methyl-D-aspartate antagonist to enhance cochlear neuron resistance to intraoperative traumatic stress: an experimental study, 90
Ischemic tolerance in the rat neocortex following hypothermic preconditioning, 845
Neurobehavioral protection by the neuronal calcium channel blocker Ziconotide in a model of traumatic diffuse brain injury in rats, 821
No additional neuroprotection provided by barbiturate-induced burst suppression under mild hypothermic conditions in rats subjected to reversible focal ischemia, 835
Product of hemolysis in the subarachnoid space inducing spreading ischemia in the cortex and focal necrosis in rats: a model for delayed ischemic neurological deficits after subarachnoid hemorrhage? 658
Subnecrotic stereotactic radiosurgery controlling epilepsy produced by kainic acid injection in rats, 1033
Survival of adult rat retinal ganglion cells with regrown axons in peripheral nerve grafts: a comparison of graft attachment with suture or fibrin glue, 275
Temporal changes in sensitivity of rats to cerebral ischemic insult, 82
Upregulation of rho A and rho kinase messenger RNAs in the basilar artery of a rat model of subarachnoid hemorrhage, 471
Virtual image navigation: a new method to control intraoperative bleeding in neuroendoscopic surgery. Technical note, 342
Recurrence
Chronic subdural hematoma: evaluation of the clinical significance of postoperative drainage volume, 796
Recurrent artery of Heubner
Recurrent artery of Heubner: Otto Heubner's description of the artery and his influence on pediatrics in Germany, 1084
Regeneration
Survival of adult rat retinal ganglion cells with regrown axons in peripheral nerve grafts: a comparison of graft attachment with suture or fibrin glue, 275
Remodeling technique
The remodeling technique of balloon-assisted Guglielmi detachable coil placement in wide-necked aneurysms: experience at the University of Illinois at Chicago, 388
Reperfusion injury
Production of reactive oxygen species after reperfusion in vitro and in vivo: protective effect of nitric oxide, 99
Residual neck
Natural history of the neck remnant of a cerebral aneurysm treated with the Guglielmi detachable coil system, 561
Resuscitation
Effect of initially limited resuscitation in a combined model of fluid-percussion brain injury and severe uncontrolled hemorrhagic shock, 305
Retinal ganglion cell
Survival of adult rat retinal ganglion cells with regrown axons in peripheral nerve grafts: a comparison of graft attachment with suture or fibrin glue, 275
Rhabdomyoma
Intracranial oculomotor nerve rhabdomyoma. Case illustration, 715
Rhizotomy
Brachial plexus dorsal rhizotomy in the treatment of upper-limb spasticity, 26
Rho A
Upregulation of rho A and rho kinase messenger RNAs in the basilar artery of a rat model of subarachnoid hemorrhage, 471
Rho kinases
Upregulation of rho A and rho kinase messenger RNAs in the basilar artery of a rat model of subarachnoid hemorrhage, 471
Rose bengal photothrombosis
Effect of age on cerebral venous circulation disturbances in the rat, 298
Ruptured aneurysm
Ruptured irregularly shaped aneurysms: pseudoaneurysm formation in a thrombus located at the rupture site, 998
Sarcoplasmic reticulum
Oxyhemoglobin and intracellular calcium. Letters, 370
Segmentation
Volume reduction in the caudate nucleus following stereotactic placement of lesions in the anterior cingulate cortex in humans: a morphometric magnetic resonance imaging study, 1019
Seizure
Subnecrotic stereotactic radiosurgery controlling epilepsy produced by kainic acid injection in rats, 1033
Sella turcica
Sellar reconstruction with resorbable vicryl patches, gelatin foam, and fibrin glue in transsphenoidal surgery: a 10-year experience with 376 patients, 762
Sensory recovery
Cortical reorganization after digit-to-hand replantation. Case report, 876
Sensory stimulation
Role of the mode of sensory stimulation in presurgical brain mapping in which functional magnetic resonance imaging is used, 427
Severe head injury
High level of extracellular potassium and its correlates after severe head injury: relationship to high intracranial pressure, 800
Sex
The impact of age and sex on the incidence of glial tumors in New York state from 1976 to 1995, 932
Sheep
Continuous monitoring of regional cerebral blood flow: experimental and clinical validation of a novel thermal diffusion microprobe, 265
Shock
Effect of initially limited resuscitation in a combined model of fluid-percussion brain injury and severe uncontrolled hemorrhagic shock, 305
Single-photon emission computerized tomography
Innovative approach in the diagnosis of medulloblastoma in which the ^{123}I-metaiodobenzylguanidine single-positron emission computerized tomography technique is used. Case illustration, 145
Skull
Synovitis, acne, pustulosis, hyperostosis, and osteitis syndrome presenting as a primary calvarial lesion. Case report and review of the literature, 693
Unusual intradiploic hematoma. Case report, 895
Skull base
Classification and quantification of the petrosal approach to the petroclival region, 108
Slippage phenomenon
Aneurysm clip slippage. Letters, 371, 372
Smooth-muscle cell
Oxyhemoglobin and intracellular calcium. Letters, 370
Smooth-muscle tumor
Multicentric intracranial smooth-muscle tumor in a woman with human immunodeficiency virus. Case report, 701
Solitary lesion
Solitary tuberculoid Hansen lesion of the ulnar nerve. Case illustration, 898
Somatosensory cortex
Functional magnetic resonance imaging of somatosensory cortex activity produced by electrical stimulation of the median nerve or tactile stimulation of the index finger, 774
Spasticity
Brachial plexus dorsal rhizotomy in the treatment of upper-limb spasticity, 26
Spontaneous involution
Involution of diencephalic pilocytic astrocytoma after partial resection. Report of two cases in adults, 484
Spontaneous regression
Spontaneous regression of a germinoma in the pineal body after placement of a ventriculoperitoneal shunt. Case report, 884
Spreading depression
Products of hemolysis in the subarachnoid space inducing spreading ischemia in the cortex and focal necrosis in rats: a model for delayed ischemic neurological deficits after subarachnoid hemorrhage? 658
Stereotactic neurosurgery
Use of an intracranial near-infrared probe for localization during stereotactic surgery for movement disorders. Technical note, 498

Stereotaxis
Combined magnetic resonance imaging– and positron emission tomography–guided stereotactic biopsy in brainstem mass lesions: diagnostic yield in a series of 30 patients, 951
Experimental study of the magnetic stereotaxis system for catheter manipulation within the brain, 282
Magnetic resonance imaging stereotactic target localization for deep brain stimulation in dystonic children, 784
Stress
Change in circulating blood volume following craniotomy, 581
Stroke
Cerebral microdialysis monitoring: determination of normal and ischemic cerebral metabolisms in patients with aneurysmal subarachnoid hemorrhage, 808
Production of reactive oxygen species after reperfusion in vitro and in vivo: protective effect of nitric oxide, 99
Relationship between residual cerebral blood flow and oxygen metabolism as predictive of ischemic tissue viability: sequential multitracer positron emission tomography scanning of middle cerebral artery occlusion during the critical first 6 hours after stroke in pigs, 647
Subarachnoid hemorrhage
Cerebral circulation and metabolism in the acute stage of subarachnoid hemorrhage, 1014
Cerebral microdialysis monitoring: determination of normal and ischemic cerebral metabolisms in patients with aneurysmal subarachnoid hemorrhage, 808
Cognition after subarachnoid hemorrhage. Letters, 160
Efficacy and safety of the endothelin$_{A/B}$ receptor antagonist TAK-044 in treating subarachnoid hemorrhage. A report by the Steering Committee on behalf of the UK/Netherlands/Eire TAK-044 Subarachnoid Haemorrhage Study Group, 992
Heparin-induced thrombocytopenia and thrombosis following subarachnoid hemorrhage. Case report, 136
Natural history of unruptured intracranial aneurysms: probability of and risk factors for aneurysm rupture, 379
Primary intracerebral and aneurysmal subarachnoid hemorrhage in Izumo City, Japan. Part I: Incidence and seasonal and diurnal variations, 958
Primary intracerebral and aneurysmal subarachnoid hemorrhage in Izumo City, Japan. Part II: Management and surgical outcome, 967
Risk of rupture from incidental cerebral aneurysms, 550
Rupture of an aneurysm during three-dimensional computerized tomography angiography. Case illustration, 900
Subarachnoid hemorrhage as a cause of an adaptive response in cerebral arteries, 463
Upregulation of rho A and rho kinase messenger RNAs in the basilar artery of a rat model of subarachnoid hemorrhage, 471
Subdural air collection
Relationship between drainage catheter location and postoperative recurrence of chronic subdural hematoma after burr-hole irrigation and closed-system drainage, 791
Subdural drainage
Chronic subdural hematoma: evaluation of the clinical significance of postoperative drainage volume, 796
Subdural electrode
Surgical treatment of intractable epilepsy accompanying cortical dysplasia, 766
Subdural hematoma
Chronic subdural hematoma: evaluation of the clinical significance of postoperative drainage volume, 796
Contralateral subdural hematoma resulting from intraoperative aneurysm rupture. Case illustration, 147
Middle meningeal artery embolization for refractory chronic subdural hematoma. Case report, 686
Relationship between drainage catheter location and postoperative recurrence of chronic subdural hematoma after burr-hole irrigation and closed-system drainage, 791
Substantia nigra
Electrophysiological localization of the substantia nigra in the parkinsonian nonhuman primate. Technical note, 704
Subthalamic nucleus
Electrophysiological localization of the substantia nigra in the parkinsonian nonhuman primate. Technical note, 704
Subthalamic nucleus. Letters, 1091
Suction decompression
Intraoperative endovascular treatment as an adjunct to microsurgical clipping of paraclinoid aneurysms, 554
Superficial temporal–middle cerebral artery bypass
Effect of direct arterial bypass on the prevention of future stroke in patients with the hemorrhagic variety of moyamoya disease, 397
Suprascapular nerve
Predominant infraspinatus muscle weakness in suprascapular nerve compression. Case illustration, 516
Suprasellar arachnoid cyst
Possible origin of suprasellar arachnoid cysts: neuroimaging and neurosurgical observations in nine cases, 62
Surgery
Intratumoral injection of plastic adhesive material for removal of cavernous sinus hemangioma. Technical note, 1078
Surgical treatment of brain metastases from melanoma: a retrospective study of 91 patients, 9
Surgical treatment of intractable epilepsy accompanying cortical dysplasia, 766
Surgical approach
Classification and quantification of the petrosal approach to the petroclival region, 108
Swine
Maturation-dependent response of the piglet brain to scaled cortical impact, 455
Synchronous lesion
Survival of patients with synchronous brain metastases: an epidemiological study in southeastern Michigan, 927
Synovitis
Synovitis, acne, pustulosis, hyperostosis, and osteitis syndrome presenting as a primary calvarial lesion. Case report and review of the literature, 693
Syringomyelia
Successful neuroendoscopic third ventriculostomy for hydrocephalus and syringomyelia associated with fourth ventricle outlet obstruction. Case report, 326

Tectal tumor
Endoscopic approach to tectal tumors. Letters, 152
Telomerase
Telomerase activity in primary and secondary glioblastomas multiforme as a novel molecular tumor marker, 618
Temporal lobe epilepsy
Intraoperative hippocampal electrocorticography to predict the extent of hippocampal resection in temporal lobe epilepsy surgery, 44
Transparahippocampal selective amygdalohippocampectomy in children and adolescents: efficacy of the procedure and cognitive morbidity in patients, 402
Temporary arterial occlusion
Prospective analysis of aneurysm treatment in a series of 103 consecutive patients when endovascular embolization is considered the first option, 175
Thalamic syndrome
Reversal of thalamic hand syndrome by long-term motor cortex stimulation. Case report, 873
Thalamotomy
Use of an intracranial near-infrared probe for localization during stereotactic surgery for movement disorders. Technical note, 498
Thalamus
Long-term deep brain stimulation in a patient with essential tremor: clinical response and postmortem correlation with stimulator termination sites in ventral thalamus. Case report, 140
Volume reduction in the caudate nucleus following stereotactic placement of lesions in the anterior cingulate cortex in humans: a morphometric magnetic resonance imaging study, 1019
Third ventricle
A new device for endoscopic third ventriculostomy. Technical note, 509
Hemorrhagic colloid cyst. Letters, 369, 370

Index

Third ventriculostomy
Successful neuroendoscopic third ventriculostomy for hydrocephalus and syringomyelia associated with fourth ventricle outlet obstruction. Case report, 326
Thoracotomy
Paraparesis induced by inflammatory contents of a pneumonectomy cavity, 1065
Three-dimensional computerized tomography angiography
Rupture of an aneurysm during three-dimensional computerized tomography angiography. Case illustration, 900
Three-dimensional magnetic resonance imaging
Magnetic resonance imaging stereotactic target localization for deep brain stimulation in dystonic children, 784
Thrombocytopenia
Heparin-induced thrombocytopenia and thrombosis following subarachnoid hemorrhage. Case report, 136
Thrombosis
Heparin-induced thrombocytopenia and thrombosis following subarachnoid hemorrhage. Case report, 136
Thromboxane A_2
Effects of potassium channel inhibitors on the relaxation induced by the nitric oxide donor diethylamine/nitric oxide in isolated human cerebral arteries, 1048
Thrombus endovascular therapy
Ruptured irregularly shaped ruptured aneurysms: pseudoaneurysm formation in a thrombus located at the rupture site, 998
Thyrotropin
Long-term surgical outcome in 16 patients with thyrotropin pituitary adenoma, 194
Time-window profile
Improvement in mitochondrial dysfunction as a new surrogate efficiency measure for preclinical trials: dose–response and time-window profiles for administration of the calcium channel blocker Ziconotide in experimental brain injury, 829
Tinnitus
Microvascular decompression for cochlear symptoms, 421
Tissue plasminogen activator
Prospective analysis of aneurysm treatment in a series of 103 consecutive patients when endovascular embolization is considered the first option, 175
Tissue viability
Relationship between residual cerebral blood flow and oxygen metabolism as predictive of ischemic tissue viability: sequential multitracer positron emission tomography scanning of middle cerebral artery occlusion during the critical first 6 hours after stroke in pigs, 647
Titanium
Aneurysm clip slippage. Letters, 371, 372
Titanium mesh
Use of titanium mesh for reconstruction of large anterior cranial base defects. Technical note, 711
Tolerance
Ischemic tolerance in the rat neocortex following hypothermic preconditioning, 845
Torcular herophili
Superficial surgical landmarks for the transverse sinus and torcular herophili, 279
Transcallosal approach
Microanatomy of the pericallosal arterial complex, 667
Transcranial Doppler ultrasonography
Transcranial–transdural real-time ultrasonography during transsphenoidal resection of a large pituitary tumor. Case report, 129
Transphenoidal approach
Nasal speculum. Letters, 1091
Transplantation
Neural transplantation. Letters, 163, 164
Transport time
Mobile computerized tomography scanning in the neurosurgery intensive care unit: increase in patient safety and reduction of staff workload, 432
Transsphenoidal approach
Nasal speculum. Letters, 1091
Transsphenoidal microsurgery
Clival encephalocele. Case illustration, 513
Transsphenoidal surgery
Multiple pituitary adenomas in Cushing's disease, 753
Sellar reconstruction with resorbable vicryl patches, gelatin foam, and fibrin glue in transsphenoidal surgery: a 10-year experience with 376 patients, 762
Transverse sinus
Superficial surgical landmarks for the transverse sinus and torcular herophili, 279
Trapped temporal horn
Endoscopically guided fenestration of the choroidal fissure for treatment of trapped temporal horn. Case report, 891
Trauma
Traumatically induced lymphangioma of the ulnar nerve, 1069
Traumatic brain edema
Contribution of edema and cerebral blood volume to traumatic brain swelling in head-injured patients, 183
Traumatic brain injury
Effect of long-term mild hypothermia therapy in patients with severe traumatic brain injury: 1-year follow-up review of 87 cases, 546
Hypopituitarism following traumatic brain injury and aneurysmal subarachnoid hemorrhage: a preliminary report, 743
Impaired cerebral mitochondrial function after traumatic brain injury in humans, 815
Improvement in mitochondrial dysfunction as a new surrogate efficiency measure for preclinical trials: dose–response and time-window profiles for administration of the calcium channel blocker Ziconotide in experimental brain injury, 829
Neurobehavioral protection by the neuronal calcium channel blocker Ziconotide in a model of traumatic diffuse brain injury in rats, 821
Tremor
Efficacy of unilateral deep brain stimulation of the thalamic ventralis intermedius nucleus in a patient with bipolar disorder associated with Klinefelter syndrome and essential tremor. Case report, 127
Trigeminal nerve
Experimental study of medullary trigeminal evoked potentials: development of a new method of intraoperative monitoring of the medulla oblongata, 68
Trigeminal neuralgia
Neuronal hamartoma of the trigeminal sensory root associated with trigeminal neuralgia. Case illustration, 514
Tuberculoid lesion
Solitary tuberculoid Hansen lesion of the ulnar nerve. Case illustration, 898
Tumor invasion
Anaplastic astrocytoma invading the optic chiasm through the optic pathway. Case illustration, 716
Tumor model
Hypoxia in a human intracerebral glioma model, 449
Tumor recurrence
Efficacy of neuroradiological imaging, neurological examination, symptom status in follow-up assessment of patients with high-grade gliomas, 201
Tumor shape and recurrence. Letters, 528

Ulnar nerve
Solitary tuberculoid Hansen lesion of the ulnar nerve. Case illustration, 898
Traumatically induced lymphangioma of the ulnar nerve, 1069
Ultrasound
Transcranial–transdural real-time ultrasonography during transsphenoidal resection of a large pituitary tumor. Case report, 129
Unruptured intracranial aneurysm
Natural history of unruptured intracranial aneurysms: probability of and risk factors for aneurysm rupture, 379

Varicosity
Superior petrosal vein varicosity presenting as an enhancing cerebellopontine angle lesion. Case illustration, 515
Vascular engorgement
Contribution of edema and cerebral blood volume to traumatic brain swelling in head-injured patients, 183

Vascular occlusion
Effect of age on cerebral venous circulation disturbances in the rat, 298
Vasculature
Hypoxia in a human intracerebral glioma model, 449
Vasospasm
Effects of mitogen-activated protein kinase inhibitors on cerebral vasospasm in a double-hemorrhage model in dogs, 1041
Products of hemolysis in the subarachnoid space inducing spreading ischemia in the cortex and focal necrosis in rats: a model for delayed ischemic neurological deficits after subarachnoid hemorrhage? 658
Subarachnoid hemorrhage as a cause of an adaptive response in cerebral arteries, 463
Vein of Galen
Thalamic venous angiomas draining into a vein-of-Galen varix. Case illustration, 1083
Vein of Galen malformation
Gamma surgery for vein of Galen malformations, 229
Venous angioma
Thalamic venous angiomas draining into a vein-of-Galen varix. Case illustration, 1083
Venous outflow pressure
Venous ophthalmodynamometry: a noninvasive method for assessment of intracranial pressure, 33
Ventralis intermedius nucleus
Efficacy of unilateral deep brain stimulation of the thalamic ventralis intermedius nucleus in a patient with bipolar disorder associated with Klinefelter syndrome and essential tremor. Case report, 127
Ventriculocisternostomy
Endoscopically guided fenestration of the choroidal fissure for treatment of trapped temporal horn. Case report, 891
Ventriculoperitoneal shunt
Posture-related changes in the pressure environment of the ventriculoperitoneal shunt system, 614
Spontaneous regression of a germinoma in the pineal body after placement of a ventriculoperitoneal shunt. Case report, 884
Ventriculostomy
A new device for endoscopic third ventriculostomy. Technical note, 509
Ventriculostomy. Letters, 1092
Vertebral artery
Long-term follow-up study of unruptured vertebral artery dissection: clinical outcomes and serial angiographic findings, 19
Vicryl patch
Sellar reconstruction with resorbable vicryl patches, gelatin foam, and fibrin glue in transsphenoidal surgery: a 10-year experience with 376 patients, 762
Virtual reality
Simulation of the surgical manipulation involved in clipping a basilar artery aneurysm: concepts of virtual clipping. Technical note, 355
Vision
Tethered brain. Case illustration, 146
Vogele-Bale-Hohner mouthpiece
Computer-assisted neurosurgery by using a noninvasive vacuum-affixed dental cast that acts as a reference base: another step toward a unified approach in the treatment of brain tumors, 208
Volume
Dynamic nature of cavernous malformations: a prospective magnetic resonance imaging study with volumetric analysis, 981
Volume rendering
Volume-rendered helical computerized tomography angiography in the detection and characterization of intracranial aneurysms, 254

Water map
Contribution of edema and cerebral blood volume to traumatic brain swelling in head-injured patients, 183
Waveform pattern
Continuous electromyography monitoring of motor cranial nerves during cerebellopontine angle surgery, 586
World Health Organization
Ependymomas in children. Letters, 721, 722
World War II
3131C—World War II neurosurgery, 901

Xenon-enhanced computerized tomography scanning
Continuous monitoring of regional cerebral blood flow: experimental and clinical validation of a novel thermal diffusion microprobe, 265

Ziconotide
Neurobehavioral protection by the neuronal calcium channel blocker Ziconotide in a model of traumatic diffuse brain injury in rats, 821

Index to
Journal of Neurosurgery: Spine
Volume 93

July and October 2000

Author Index

ABE H. *See* Koyanagi I, 15
ABUMI K. *See* Kanayama M, 259
AÇIKBAŞ SC. Correct intraoperative screw insertion. Letters, 179
_____, TUNCER MR. New method for intraoperative determination of proper screw insertion or screw malposition, 40
AKAR Z, KAFADAR AM, TANRIOVER N, DASHTI RS, ISLAK C, KOCER N, KUDAY C. Rotational compression of the vertebral artery at the point of dural penetration. Case report, 300
AKINO M. *See* Koyanagi I, 15
AL DEEB S. *See* Al Moutaery K, 276
AL MOUTAERY K, AL DEEB S, BIARY N, MORAIS C, KHAN HA, TARIQ M. Effect of aluminum on neurological recovery in rats following spinal cord injury, 276
ALEXANDER J. *See* Schultz KD Jr, 214
ALLEN JC. *See* Constantini S, 183
ANAND P. *See* Carlstedt T, 237
APFELBAUM RI, LONSER RR, VERES R, CASEY A. Direct anterior screw fixation for recent and remote odontoid fractures, 227
ASADA Y. *See* Wakabayashi Y, 133
ATKINSON JLD. *See* Lyons MK, 53
ATTAR A. *See* Ügur HÇ, 248
AVELLINO AM. *See* Schuster JM, 8

BANGERTER K. *See* Yu CG, 85
BÄRLOCHER CB, SEILER RW. Vertebral erosion and a ligamentum flavum cyst. Case illustration, 335
BAYKANER MK, DOĞULU F, ÖZTÜRK G, EDALI N, TALI T. A viable residual spinal hydatid cyst cured with albendazole. Case report, 142
BELANGER E, PICARD C, LACERTE D, LAVALLEE P, LEVI ADO. Subacute posttraumatic ascending myelopathy after spinal cord injury. Report of three cases, 294
BENZEL EC. Correct intraoperative screw insertion. Letters, 179
_____. Diffuse idiopathic skeletal hyperostosis. Letters, 342
BERK C. Hydatid disease. Letters, 181
BHOJRAJ SY. Hydatid disease. Letters, 182
BIARY N. *See* Al Moutaery K, 276
BLUMENTHAL S. *See* Ray CD, 338
BOUTSEN Y. *See* Gilliard C, 152
BRACKEN MB. Methylprednisolone and spinal cord injury. Letters, 175
_____. The use of methylprednisolone. Letters, 340
BRAGA FM. *See* Brasil AVB, 109
BRASIL AVB, COELHO DG, FILHO TEPB, BRAGA FM. A biomechanical comparison of the Rogers interspinous and the Lovely–Carl tension band wiring techniques for fixation of the cervical spine, 109
BULAS RV. *See* Darakchiev BJ, 157
BURKE DA. *See* Hadi B, 266
BURKE TG, CAPUTY A. Microendoscopic posterior cervical foraminotomy: a cadaveric model and clinical application for cervical radiculopathy, 126

CAPUTY A. *See* Burke TG, 126
CARLSTEDT T. Spinal nerve root repair after brachial plexus injury. Letters, 337
_____, ANAND P, HALLIN R, MISRA PV, NORÉN G, SEFERLIS T. Spinal nerve root repair and reimplantation of avulsed ventral roots into the spinal cord after brachial plexus injury, 237
CASEY A. *See* Apfelbaum RI, 227
CASTRO S. *See* Yu CG, 85
CHADDUCK JB. *See* Elias WJ, 45, 340
CHAPMAN JR. *See* Schuster JM, 8
CIFTCI E. *See* Berk C, 181
COELHO DG. *See* Brasil AVB, 109
COHEN ZR, KNOLLER N, HADANI M, DAVIDSON B, NASS D, RAM Z. Traumatic intratumoral hemorrhage as the presenting symptom of a spinal neurinoma. Case report, 327
COLEY SC. *See* Molyneux AJ, 304
COMEY CH. *See* Schultz KD Jr, 214
CONSTANTINI S, MILLER DC, ALLEN JC, RORKE LB, FREED D, EPSTEIN FJ. Radical excision of intramedullary spinal cord tumors: surgical morbidity and long-term follow-up evaluation in 164 children and young adults, 183
CUNNINGHAM BW. *See* Kanayama M, 259

DARAKCHIEV BJ, BULAS RV, DUNSKER SB. Use of calcitonin for the treatment of an odontoid fracture. Case report, 157
DASHTI RS. *See* Akar Z, 300
DAVIDSON B. *See* Cohen ZR, 327
DE COENE B. *See* Gilliard C, 152
DEEN HG. The "open book" technique for preparation of the lumbar transverse process for posterolateral fusion. Technical note, 332
_____. *See* Lyons MK, 53
DEMIRPENÇE E. *See* Kaptanoglu E, 77
DEUTSCH H, JALLO GI, FAKTOROVICH A, EPSTEIN F. Spinal intramedullary cavernoma: clinical presentation and surgical outcome, 65
DIETRICH WD. *See* Yu CG, 85
DOĞULU F. *See* Baykaner MK, 142

DOMENICUCCI M. Nontraumatic acute spinal subdural hematoma. Letters, 181
DOORIS A. *See* Hitchon PW, 102
DOORIS AP. *See* Hitchon PW, 252
DRAKE J. *See* Hitchon PW, 102
DRAKE JS. *See* Hitchon PW, 252
DUFF SE, GRUNDY PL, GILL SS. New approach to cervical flexion deformity in ankylosing spondylitis. Case report, 283
DUNSKER SB. *See* Darakchiev BJ, 157
DURHAM S. *See* Sun PP, 28

EDALI N. *See* Baykaner MK, 142
EGEMEN N. *See* Úgur HÇ, 248
ELHAN A. *See* Úgur HÇ, 248
ELIAS WJ, SIMMONS NE, KAPTAIN GJ, CHADDUCK JB, WHITEHILL R. Complications of posterior lumbar interbody fusion when using a titanium threaded cage device, 45
_____, _____, _____, WHITEHILL R, CHADDUCK JB. Interbody cages. Letters, 340
EPSTEIN F. *See* Deutsch H, 65
EPSTEIN FJ. *See* Constantini S, 183
ERWOOD SC. *See* Mayr MT, 291
EYB R. *See* Mühlbauer M, 161

FAKTOROVICH A. *See* Deutsch H, 65
FILHO TEPB. *See* Brasil AVB, 109
FINKELSTEIN JA. *See* Kim M, 168
FOURNEY DR, FULLER GN, GOKASLAN ZL. Intraspinal extradural myxopapillary ependymoma of the sacrum arising from the filum terminale externa. Case report, 322
FREED D. *See* Constantini S, 183
FULLER GN. *See* Fourney DR, 322

GERMON TJ. *See* Grundy PL, 21
GILL K. *See* Ray CD, 338
GILL SS. *See* Duff SE, 283
_____. *See* Grundy PL, 21
GILLIARD C, DE COENE B, LAHDOU JB, BOUTSEN Y, NOËL H, GODFRAIND C. Cervical epidural pseudotumor and multifocal fibrosclerosis. Case report and review of the literature, 152
GIROUARD AA. *See* Schuster JM, 8
GODFRAIND C. *See* Gilliard C, 152
GOEL V. *See* Hitchon PW, 102
GOEL VK. *See* Hitchon PW, 252
GOKASLAN ZL. *See* Fourney DR, 322
GRADY MS. *See* Schuster JM, 8
GRAHAM RS, OBERLANDER EK, STEWART JE, GRIFFITHS DJ. Validation and use of a finite element model of C-2 for determination of stress and fracture patterns of anterior odontoid loads, 117
GRIFFITHS DJ. *See* Graham RS, 117
GRUNDY PL, GERMON TJ, GILL SS. Transpedicular approaches to cervical uncovertebral osteophytes causing radiculopathy, 21
GRUNDY PL. *See* DUFF SE, 283

HACKER RJ. A randomized prospective study of an anterior cervical interbody fusion device with a minimum of 2 years of follow-up results, 222
HADANI M. *See* Cohen ZR, 327
HADI B, ZHANG YP, BURKE DA, SHIELDS CB, MAGNUSON DSK. Lasting paraplegia caused by loss of lumbar spinal cord interneurons in rats: no direct correlation with motor neuron loss, 266
HAGGERTY CJ. *See* Kanayama M, 259
HAID RW JR. *See* Mayr MT, 291
_____. *See* Schultz KD Jr, 214
HALLIN R. *See* Carlstedt T, 237
HARA M, TAKAYASU M, WATANABE K, NODA A, TAKAGI T, SUZUKI Y, YOSHIDA J. Protein kinase inhibition by fasudil hydrochloride promotes neurological recovery after spinal cord injury in rats, 94
HAYASHI K. *See* Matsunaga S, 194
HETH JA, KIRBY P, MENEZES AH. Intraspinal familial clear cell meningioma in a mother and child. Case report, 317
HIDA K. *See* Koyanagi I, 15
HITCHON PW, GOEL VK, ROGGE T, DOORIS AP, DRAKE JS, TORNER JC. Spinal stability with anterior or posterior Ray threaded fusion cages, 102
_____, _____, ROGGE TN, TORNER JC, DOORIS AP, DRAKE JS, YANG SJ, TOTORIBE K. In vitro biomechanical analysis of three anterior thoracolumbar implants, 252
HORI S. *See* Wakabayashi Y, 133
HUANG DL. *See* Sagher O, 71
HUNTER S. *See* Mayr MT, 291
HURLBERT RJ. Methylprednisolone and spinal cord injury. Letters, 178
_____. Methylprednisolone for acute spinal cord injury: an inappropriate standard of care, 1
_____. The use of methylprednisolone. Letters, 340
HUSSEIN S. *See* Luedemann WO, 130

IJIRI K. *See* Matsunaga S, 194
IMAMURA H. *See* Koyanagi I, 15
ISLAK C. *See* Akar Z, 300
ISONO M. *See* Wakabayashi Y, 133
ITOH H. *See* Kamimura M, 312
IWASAKI Y. *See* Koyanagi I, 15
IZUMI T. *See* Wakabayashi Y, 133

JALLO GI. *See* Deutsch H, 65
JIMENEZ O. *See* Yu CG, 85
JINDAL A, KANSAL S, MAHAPATRA AK. Split cord malformation with partial eventration of the diaphragm. Case report, 309

KAFADAR AM. *See* Akar Z, 300
KAMIMURA M, KINOSHITA T, ITOH H, YUZAWA Y, TAKAHASHI J, OHTSUKA K. Eosinophilic granuloma of the spine: early spontaneous disappearance of tumor detected on magnetic resonance imaging. Case report, 312
KANAYAMA M, CUNNINGHAM BW, HAGGERTY CJ, ABUMI K, KANEDA K, MCAFEE PC. In vitro biomechanical investigation of the stability and stress-shielding effect of lumbar interbody fusion devices, 259

KANEDA K. *See* Kanayama M, 259
KANSAL S. *See* Jindal A, 309
KAO MC. Endoscopic sympathectomy. Letters, 342
KAPTAIN GJ, SIMMONS NE, REPLOGLE RE, POBEREskin L. Incidence and outcome of kyphotic deformity following laminectomy for cervical spondylotic myelopathy, 199
_____. *See* Elias WJ, 45, 340
KAPTANOGLU E, TUNCEL M, PALAOGLU S, KONAN A, DEMIRPENÇE, KILINÇ K. Comparison of the effects of melatonin and methylprednisolone in experimental spinal cord injury, 77
KARANTH KS. *See* Sarwat AM, 330
KHAN HA. *See* Al Moutaery K, 276
KILINÇ K. *See* Kaptanoglu E, 77
KIM M, NOLAN P, FINKELSTEIN JA. Evaluation of 11th rib extrapleural–retroperitoneal approach to the thoracolumbar junction. Technical note, 168
KIM YS. *See* Ray CD, 338
KINOSHITA T. *See* Kamimura M, 312
KIRBY P. *See* Heth JA, 317
KLARA P. *See* Ray CD, 338
KLINE DG. Spinal nerve root repair after brachial plexus injury. Letters, 336
KNOLLER N. *See* Cohen ZR, 327
KNOSP E. *See* Mühlbauer M, 161
KOCER N. *See* Akar Z, 300
KONAN A. *See* Kaptanoglu E, 77
KÖNIG A. *See* Vitzthum HE, 58
KOYANAGI I, IWASAKI Y, HIDA K, AKINO M, IMAMURA H, ABE H. Acute cervical cord injury without fracture or dislocation of the spinal column, 15
KRAUSS WE. *See* Roncaroli F, 148
KUDAY C. *See* Akar Z, 300

LACERTE D. *See* Belanger E, 294
LAHDOU JB. *See* Gilliard C, 152
LAVALLEE P. *See* Belanger E, 294
LEMENS SM. *See* Lyons MK, 53
LEVI ADO. *See* Belanger E, 294
LONSER RR. *See* Apfelbaum RI, 227
LU K. Endoscopic sympathectomy. Letters, 342
LUEDEMANN WO, TATAGIBA MS, HUSSEIN S, SAMII M. Congenital arthrogryposis associated with atlantoaxial subluxation and dysraphic abnormalities. Case report, 130
LYONS MK, ATKINSON JLD, WHAREN RE, DEEN HG, ZIMMERMAN RS, LEMENS SM. Surgical evaluation and management of lumbar synovial cysts: the Mayo Clinic experience, 53

MAGAÑA I. *See* Ray CD, 338
MAGNUSON DSK. *See* Hadi B, 266
MAHAPATRA AK. *See* Jindal A, 309
MANN FA. *See* Schuster JM, 8
MARCILLO AE. *See* YU CG, 85
MATSUNAGA S, IJIRI K, HAYASHI K. Nonsurgically managed patients with degenerative spondylolisthesis: a 10- to 18-year follow-up study, 194
MAYR MT, HUNTER S, ERWOOD SC, HAID RW JR. Calcifying pseudoneoplasms of the spine with myelopathy. Report of two cases, 291
MCAFEE PC. *See* Kanayama M, 259
MCLAUGHLIN MR. *See* Schultz KD Jr, 214
MENEZES AH. *See* Heth JA, 317
_____. *See* Taggard DA, 205
MEYER W. *See* Wrobel CJ, 341
MILLER DC. *See* Constantini S, 183
MIRZA SK. *See* Schuster JM, 8
MISRA PV. *See* Carlstedt T, 237
MOLYNEUX AJ, COLEY SC. Embolization of spinal cord arteriovenous malformations with an ethylene vinyl alcohol copolymer dissolved in dimethyl sulfoxide (Onyx liquid embolic system). Report of two cases, 304
MORAIS C. *See* Al Moutaery K, 276
MÜHLBAUER M, PFISTERER W, EYB R, KNOSP E. Minimally invasive retroperitoneal approach for lumbar corpectomy and anterior reconstruction. Technical note, 161

NASS D. *See* Cohen ZR, 327
NEWELL DW. *See* Schuster JM, 88
NODA A. *See* Hara M, 94
NOËL H. *See* Gilliard C, 152
NOLAN P. *See* Kim M, 168
NORÉN G. *See* Carlstedt T, 237

OBERLANDER EK. *See* Graham RS, 117
OHTSUKA K. *See* Kamimura M, 312
ÖZTÜRK G. *See* Baykaner MK, 142

PALAOGLU S. *See* Kaptanoglu E, 77
PARAMORE CG. Dorsal arachnoid web with spinal cord compression: variant of an arachnoid cyst? Report of two cases, 287
PFISTERER W. *See* Mühlbauer M, 161
PICARD C. *See* Belanger E, 294
POBEREskin L. *See* Kaptain GJ, 199
POFFENBARGER GJ. *See* Sun PP, 28

RAM Z. *See* Cohen ZR, 327
RAO GP. Spinal intramedullary tuberculous lesion: medical management. Report of four cases, 137
RAY CD, BLUMENTHAL S, KLARA P, MAGAÑA I, GILL K, SCHÖNMAYER R, KIM YS. Interbody cages. Letters, 338
REPLOGLE RE. *See* Kaptain GJ, 199
RODTS GE JR. *See* Schultz KD Jr, 214
ROGGE T. *See* Hitchon PW, 102
ROGGE TN. *See* Hitchon PW, 252
RONCAROLI F, SCHEITHAUER BW, KRAUSS WE. Capillary hemangioma of the spinal cord. Report of four cases, 148
RORKE LB. *See* Constantini S, 183
RYKEN TC. *See* Taggard DA, 205

SAGHER O, HUANG DL. Effects of cervical spinal cord stimulation on cerebral blood flow in the rat, 71
SAMII M. *See* Luedemann WO, 130
SARWAT AM, KARANTH KS, SUTCLIFFE JC. A rare complication of

hardware failure in neurostimulation. Report of two cases, 330
SCHEITHAUER BW. *See* Roncaroli F, 148
SCHÖNMAYER R. *See* Ray CD, 338
SCHULTZ KD JR, MCLAUGHLIN MR, HAID RW JR, COMEY CH, RODTS GE JR, ALEXANDER J. Single-stage anterior–posterior decompression and stabilization for complex cervical spine disorders, 214
SCHUSTER JM, AVELLINO AM, MANN FA, GIROUARD AA, GRADY MS, NEWELL DW, WINN HR, CHAPMAN JR, MIRZA SK. Use of structural allografts in spinal osteomyelitis: a review of 47 cases, 8
SEFERLIS T. *See* Carlstedt T, 237
SEIFERT V. *See* Vitzthum HE, 58
SEILER RW. *See* Bärlocher CB, 335
SHIELDS CB. *See* Hadi B, 266
SHIMOMURA T. *See* Wakabayashi Y, 133
SIMMONS NE. *See* Elias WJ, 45, 340
_____. *See* Kaptain GJ, 199
SPETZLER RF. *See* Vishteh AG, 180
STEWART JE. *See* Graham RS, 117
SUN PP, POFFENBARGER GJ, DURHAM S, ZIMMERMAN RA. Spectrum of occipitoatlantoaxial injury in young children, 28
SUTCLIFFE JC. *See* Sarwat AM, 330
SUZUKI Y. *See* Hara M, 94

TAGGARD DA, MENEZES AH, RYKEN TC. Treatment of Down syndrome–associated craniovertebral junction abnormalities, 205
TAJIMA A. *See* Wakabayashi Y, 133
TAKAGI T. *See* Hara M, 94
TAKAHASHI J. *See* Kamimura M, 312
TAKAYASU M. *See* Hara M, 94
TALI T. *See* Baykaner MK, 142
TANIURA S, TATEBAYASHI K, WATANABE K, WATANABE T. Intramedullary spinal cord metastasis from gastric cancer. Case report, 145
TANRIOVER N. *See* Akar Z, 300
TARIQ M. *See* Al Moutaery K, 276
TAŞDEMIROGLŬ E, TOGAY HŞ. Nontraumatic acute spinal subdural hematoma. Letters, 179
TATAGIBA MS. *See* Luedemann WO, 130
TATEBAYASHI K. *See* Taniura S, 145
TEKDEMIR İ. *See* Ŭgur HÇ, 248
TERASHI H. *See* Wakabayashi Y, 133
THEODORE N. *See* Vishteh AG, 180
TOGAY HS. *See* Taşdemiroglŭ E, 179
TORNER J. *See* Hitchon PW, 102
TORNER JC. *See* Hitchon PW, 252
TOTORIBE K. *See* Hitchon PW, 252
TUNCEL M. *See* Kaptanoglu E, 77
TUNCER MR. *See* Açıkbaş SC, 40

ŬGUR HÇ, UZ A, ATTAR A, TEKDEMIR İ, EGEMEN N, ELHAN A. Anatomical projection of the cervical uncinate process in ventral, ventrolateral, and posterior decompressive surgery, 248
UZ A. *See* ŬGUR HÇ, 248

VERES R. *See* Apfelbaum RI, 227
VISHTEH AG, THEODORE N, SPETZLER RF. Nontraumatic acute spinal subdural hematoma. Letters, 180
VITZTHUM HE, KÖNIG A, SEIFERT V. Dynamic examination of the lumbar spine by using vertical, open magnetic resonance imaging, 58

WAKABAYASHI Y, ISONO M, SHIMOMURA T, TAJIMA A, TERASHI H, ASADA Y, IZUMI T, HORI S. Neurocutaneous vascular hamartomas mimicking Cobb syndrome. Case report, 133
WATANABE K. *See* Hara M, 94
_____. *See* Taniura S, 145
WATANABE T. *See* Taniura S, 145
WEIDER B. *See* Yu CG, 85
WHAREN RE. *See* Lyons MK, 53
WHITEHILL R. *See* Elias WJ, 45, 340
WINN HR. *See* Schuster JM, 8
WROBEL CJ, MEYER W. Diffuse idiopathic skeletal hyperostosis. Letters, 341

YANG SJ. *See* Hitchon PW, 252
YEZIERSKI RP. *See* Yu CG, 85
YOSHIDA J. *See* Hara M, 94
YU CG, JIMENEZ O, MARCILLO AE, WEIDER B, BANGERTER K, DIETRICH WD, CASTRO S, YEZIERSKI RP. Beneficial effects of modest systemic hypothermia on locomotor function and histopathological damage following contusion-induced spinal cord injury in rats, 85
YUZAWA Y. *See* Kamimura M, 312

ZHANG YP. *See* Hadi B, 266
ZIMMERMAN RA. *See* Sun PP, 28
ZIMMERMAN RS. *See* Lyons MK, 53

Subject Index

Albendazole
A viable residual spinal hydatid cyst cured with albendazole. Case report, 142
Allograft
Use of structural allografts in spinal osteomyelitis: a review of 47 cases, 8
Aluminum
Effect of aluminum on neurological recovery in rats following spinal cord injury, 276
Ankylosing spondylitis
New approach to cervical flexion deformity in ankylosing spondylitis. Case report, 283
Anterolateral approach
Transpedicular approaches to cervical uncovertebral osteophytes causing radiculopathy, 21
Arachnoid cyst
Dorsal arachnoid web with spinal cord compression: variant of an arachnoid cyst? Report of two cases, 287
Arachnoid web
Dorsal arachnoid web with spinal cord compression: variant of an arachnoid cyst? Report of two cases, 287
Arteriovenous malformation
Embolization of spinal cord arteriovenous malformations with an ethylene vinyl alcohol copolymer dissolved in dimethyl sulfoxide (Onyx liquid embolic system). Report of two cases, 304
Arthrogryposis
Congenital arthrogryposis associated with atlantoaxial subluxation and dysraphic abnormalities. Case report, 130
Astrocytoma
Radical excision of intramedullary spinal cord tumors: surgical morbidity and long-term follow-up evaluation in 164 children and young adults, 183
Atlantoaxial
Congenital arthrogryposis associated with atlantoaxial subluxation and dysraphic abnormalities. Case report, 130
Atlantoaxial instability
Treatment of Down syndrome–associated craniovertebral junction abnormalities, 205
Atlantooccipital joint
Spectrum of occipitoatlantoaxial injury in young children, 28
Avulsion
Spinal nerve root repair and reimplantation of avulsed ventral roots into the spinal cord after brachial plexus injury, 237

Basilar invagination
Treatment of Down syndrome–associated craniovertebral junction abnormalities, 205
Biomechanical study
A biomechanical comparison of the Rogers interspinous and the Lovely–Carl tension band wiring techniques for fixation of the cervical spine, 109
Biomechanical study *(continued)*
Spinal stability with anterior or posterior Ray threaded fusion cages, 102
Validation and use of a finite element model of C-2 for determination of stress and fracture patterns of anterior odontoid loads, 117
Biomechanics
In vitro biomechanical analysis of three anterior thoracolumbar implants, 252
In vitro biomechanical investigation of the stability and stress-shielding effect of lumbar interbody fusion devices, 259
Bone plate
In vitro biomechanical analysis of three anterior thoracolumbar implants, 252
Bone screw
In vitro biomechanical analysis of three anterior thoracolumbar implants, 252
Brachial plexus
Spinal nerve root repair and reimplantation of avulsed ventral roots into the spinal cord after brachial plexus injury, 237

Calcitonin
Use of calcitonin for the treatment of an odontoid fracture. Case report, 157
Capillary
Capillary hemangioma of the spinal cord. Report of four cases, 148
Cavernoma
Spinal intramedullary cavernoma: clinical presentation and surgical outcome, 65
Cavernous angioma
Neurocutaneous vascular hamartomas mimicking Cobb syndrome. Case report, 133
Central pattern generator
Lasting paraplegia caused by loss of lumbar spinal cord interneurons in rats: no direct correlation with motor neuron loss, 266
Cerebral blood flow
Effects of cervical spinal cord stimulation on cerebral blood flow in the rat, 71
Cervical discectomy
A randomized prospective study of an anterior cervical interbody fusion device with a minimum of 2 years of follow-up results, 222
Cervical spine
Anatomical projection of the cervical uncinate process in ventral, ventrolateral, and posterior decompressive surgery, 248
A biomechanical comparison of the Rogers interspinous and the Lovely–Carl tension band wiring techniques for fixation of the cervical spine, 109
Cervical epidural pseudotumor and multifocal fibrosclerosis. Case report and review of the literature, 152

Cervical spine *(continued)*
Incidence and outcome of kyphotic deformity following laminectomy for cervical spondylotic myelopathy, 199
Microendoscopic posterior cervical foraminotomy: a cadaveric model and clinical application for cervical radiculopathy, 126
New approach to cervical flexion deformity in ankylosing spondylitis. Case report, 283
Transpedicular approaches to cervical uncovertebral osteophytes causing radiculopathy, 21
Treatment of Down syndrome–associated craniovertebral junction abnormalities, 205
Validation and use of a finite element model of C-2 for determination of stress and fracture patterns of anterior odontoid loads, 117
Cervical spine fusion
Single-stage anterior–posterior decompression and stabilization for complex cervical spine disorders, 214
Cervical spine injury
Direct anterior screw fixation for recent and remote odontoid fractures, 227
Spectrum of occipitoatlantoaxial injury in young children, 28
Cervical spine trauma
Single-stage anterior–posterior decompression and stabilization for complex cervical spine disorders, 214
Cervical spondylosis
Acute cervical cord injury without fracture or dislocation of the spinal column, 15
Single-stage anterior–posterior decompression and stabilization for complex cervical spine disorders, 214
Children
Intraspinal familial clear cell meningioma in a mother and child. Case report, 317
Spectrum of occipitoatlantoaxial injury in young children, 28
Clear cell
Intraspinal familial clear cell meningioma in a mother and child. Case report, 317
Cloward procedure
Complications of posterior lumbar interbody fusion when using a titanium threaded cage device, 45
Cobb syndrome
Neurocutaneous vascular hamartomas mimicking Cobb syndrome. Case report, 133
Complication
A rare complication of hardware failure in neurostimulation. Report of two cases, 330
Compression
Rotational compression of the vertebral artery at the point of dural penetration. Case report, 300
Conservative treatment
Eosinophilic granuloma of the spine: early spontaneous disappearance of tumor detected on magnetic resonance imaging. Case report, 312
Corpectomy
Minimally invasive retroperitoneal approach for lumbar corpectomy and anterior reconstruction. Technical note, 161
Craniocervical injury
Spectrum of occipitoatlantoaxial injury in young children, 28
Craniovertebral junction
Treatment of Down syndrome–associated craniovertebral junction abnormalities, 205

Decompression
Anatomical projection of the cervical uncinate process in ventral, ventrolateral, and posterior decompressive surgery, 248
Deformity
Incidence and outcome of kyphotic deformity following laminectomy for cervical spondylotic myelopathy, 199
Degenerative spine disorder
Dynamic examination of the lumbar spine by using vertical, open magnetic resonance imaging, 58
Degenerative spondylolisthesis
Nonsurgically managed patients with degenerative spondylolisthesis: a 10- to 18-year follow-up study, 194
Diaphragm
Evaluation of 11th rib extrapleural–retroperitoneal approach to the thoracolumbar junction. Technical note, 168
Discectomy
Anatomical projection of the cervical uncinate process in ventral, ventrolateral, and posterior decompressive surgery, 248
Down syndrome
Treatment of Down syndrome–associated craniovertebral junction abnormalities, 205
Dysraphism
Congenital arthrogryposis associated with atlantoaxial subluxation and dysraphic abnormalities. Case report, 130

Electrical stimulation
Effects of cervical spinal cord stimulation on cerebral blood flow in the rat, 71
Electron microscopy
Comparison of the effects of melatonin and methylprednisolone in experimental spinal cord injury, 77
Electrophysiology
Effect of aluminum on neurological recovery in rats following spinal cord injury, 276
Embolization
Embolization of spinal cord arteriovenous malformations with an ethylene vinyl alcohol copolymer dissolved in dimethyl sulfoxide (Onyx liquid embolic system). Report of two cases, 304
Endoscopy
Microendoscopic posterior cervical foraminotomy: a cadaveric model and clinical application for cervical radiculopathy, 126
Epidural lesion
Cervical epidural pseudotumor and multifocal fibrosclerosis. Case report and review of the literature, 152
Eventration of diaphragm
Split cord malformation with partial eventration of the diaphragm. Case report, 309
Excitotoxicity
Lasting paraplegia caused by loss of lumbar spinal cord interneurons in rats: no direct correlation with motor neuron loss, 266
Experimental spinal cord injury
Effect of aluminum on neurological recovery in rats following spinal cord injury, 276
Extradural neoplasm
Intraspinal extradural myxopapillary ependymoma of the sacrum arising from the filum terminale externa. Case report, 322

Familial tumor
Intraspinal familial clear cell meningioma in a mother and child. Case report, 317
Fasudil hydrochloride
Protein kinase inhibition by fasudil hydrochloride promotes neurological recovery after spinal cord injury in rats, 94
Fibroosseous lesion
Calcifying pseudoneoplasms of the spine with myelopathy. Report of two cases, 291

Finite element analysis
Validation and use of a finite element model of C-2 for determination of stress and fracture patterns of anterior odontoid loads, 117
Foraminotomy
Microendoscopic posterior cervical foraminotomy: a cadaveric model and clinical application for cervical radiculopathy, 126
Transpedicular approaches to cervical uncovertebral osteophytes causing radiculopathy, 21
Fracture
Direct anterior screw fixation for recent and remote odontoid fractures, 227
Free radical
Comparison of the effects of melatonin and methylprednisolone in experimental spinal cord injury, 77
Fusion technique
The "open book" technique for preparation of the lumbar transverse process for posterolateral fusion. Technical note, 332

Gastric cancer
Intramedullary spinal cord metastasis from gastric cancer. Case report, 145
Gene-related peptide
Use of calcitonin for the treatment of an odontoid fracture. Case report, 157
Granuloma
Calcifying pseudoneoplasms of the spine with myelopathy. Report of two cases, 291
Spinal intramedullary tuberculous lesion: medical management. Report of four cases, 137

Hamartoma
Neurocutaneous vascular hamartomas mimicking Cobb syndrome. Case report, 133
Hemangioma
Capillary hemangioma of the spinal cord. Report of four cases, 148
Hemorrhage
Traumatic intratumoral hemorrhage as the presenting symptom of a spinal neurinoma. Case report, 327
Hydatid cyst
A viable residual spinal hydatid cyst cured with albendazole. Case report, 142
Hydatid disease
A viable residual spinal hydatid cyst cured with albendazole. Case report, 142
Hypothermia
Beneficial effects of modest systemic hypothermia on locomotor function and histopathological damage following contusion-induced spinal cord injury in rats, 85

Interbody cage
Complications of posterior lumbar interbody fusion when using a titanium threaded cage device, 45
Interbody fusion
A randomized prospective study of an anterior cervical interbody fusion device with a minimum of 2 years of follow-up results, 222
Internal fixation
A randomized prospective study of an anterior cervical interbody fusion device with a minimum of 2 years of follow-up results, 222
In vitro biomechanical analysis of three anterior thoracolumbar implants, 252

Intramedullary lesion
Spinal intramedullary cavernoma: clinical presentation and surgical outcome, 65
Spinal intramedullary tuberculous lesion: medical management. Report of four cases, 137
Intramedullary tumor
Intramedullary spinal cord metastasis from gastric cancer. Case report, 145
Radical excision of intramedullary spinal cord tumors: surgical morbidity and long-term follow-up evaluation in 164 children and young adults, 183

Kainic acid
Lasting paraplegia caused by loss of lumbar spinal cord interneurons in rats: no direct correlation with motor neuron loss, 266
Kyphosis
Incidence and outcome of kyphotic deformity following laminectomy for cervical spondylotic myelopathy, 199

Laminectomy
Incidence and outcome of kyphotic deformity following laminectomy for cervical spondylotic myelopathy, 199
Ligamentum flavum
Vertebral erosion and a ligamentum flavum cyst. Case illustration, 335
Locomotion
Beneficial effects of modest systemic hypothermia on locomotor function and histopathological damage following contusion-induced spinal cord injury in rats, 85
Low-back pain
Nonsurgically managed patients with degenerative spondylolisthesis: a 10- to 18-year follow-up study, 194
Lumbar interbody fusion
In vitro biomechanical investigation of the stability and stress-shielding effect of lumbar interbody fusion devices, 259
Lumbar spine
Complications of posterior lumbar interbody fusion when using a titanium threaded cage device, 45
Dynamic examination of the lumbar spine by using vertical, open magnetic resonance imaging, 58
Evaluation of 11th rib extrapleural–retroperitoneal approach to the thoracolumbar junction. Technical note, 168
Minimally invasive retroperitoneal approach for lumbar corpectomy and anterior reconstruction. Technical note, 161
The "open book" technique for preparation of the lumbar transverse process for posterolateral fusion. Technical note, 332
Surgical evaluation and management of lumbar synovial cysts: the Mayo Clinic experience, 53
Vertebral erosion and a ligamentum flavum cyst. Case illustration, 335

Magnetic resonance imaging
Acute cervical cord injury without fracture or dislocation of the spinal column, 15
Dynamic examination of the lumbar spine by using vertical, open magnetic resonance imaging, 58
Eosinophilic granuloma of the spine: early spontaneous disappearance of tumor detected on magnetic resonance imaging. Case report, 312
Spectrum of occipitoatlantoaxial injury in young children, 28

Melatonin
Comparison of the effects of melatonin and methylprednisolone in experimental spinal cord injury, 77
Meningioma
Intraspinal familial clear cell meningioma in a mother and child. Case report, 317
Metastasis
Intramedullary spinal cord metastasis from gastric cancer. Case report, 145
Methylprednisolone
Comparison of the effects of melatonin and methylprednisolone in experimental spinal cord injury, 77
Methylprednisolone for acute spinal cord injury: an inappropriate standard of care, 1
Multifocal fibrosclerosis
Cervical epidural pseudotumor and multifocal fibrosclerosis. Case report and review of the literature, 152
Myelopathy
Calcifying pseudoneoplasms of the spine with myelopathy. Report of two cases, 291
Incidence and outcome of kyphotic deformity following laminectomy for cervical spondylotic myelopathy, 199
Subacute posttraumatic ascending myelopathy after spinal cord injury. Report of three cases, 294
Myxopapillary ependymoma
Intraspinal extradural myxopapillary ependymoma of the sacrum arising from the filum terminale externa. Case report, 322

Nerve root compression
Vertebral erosion and a ligamentum flavum cyst. Case illustration, 335
Neurinoma
Traumatic intratumoral hemorrhage as the presenting symptom of a spinal neurinoma. Case report, 327
Neurocutaneous syndrome
Neurocutaneous vascular hamartomas mimicking Cobb syndrome. Case report, 133
Neurological deterioration
Subacute posttraumatic ascending myelopathy after spinal cord injury. Report of three cases, 294
Neuroprotection
Beneficial effects of modest systemic hypothermia on locomotor function and histopathological damage following contusion-induced spinal cord injury in rats, 85
Neurostimulation
A rare complication of hardware failure in neurostimulation. Report of two cases, 330

Odontoid
Direct anterior screw fixation for recent and remote odontoid fractures, 227
Odontoid fracture
Use of calcitonin for the treatment of an odontoid fracture. Case report, 157
Validation and use of a finite element model of C-2 for determination of stress and fracture patterns of anterior odontoid loads, 117
Orbit
Cervical epidural pseudotumor and multifocal fibrosclerosis. Case report and review of the literature, 152
Ossification
Acute cervical cord injury without fracture or dislocation of the spinal column, 15
Osteomyelitis
Use of structural allografts in spinal osteomyelitis: a review of 47 cases, 8
Osteotomy
New approach to cervical flexion deformity in ankylosing spondylitis. Case report, 283

Pedicle
New method for intraoperative determination of proper screw insertion or screw malposition, 40
Pharmacotherapy
Methylprednisolone for acute spinal cord injury: an inappropriate standard of care, 1
Pineal gland
Comparison of the effects of melatonin and methylprednisolone in experimental spinal cord injury, 77
Pleura
Evaluation of 11th rib extrapleural–retroperitoneal approach to the thoracolumbar junction. Technical note, 168
Posterior approach
Transpedicular approaches to cervical uncovertebral osteophytes causing radiculopathy, 21
Posterior longitudinal ligament
Acute cervical cord injury without fracture or dislocation of the spinal column, 15
Practice guideline
Methylprednisolone for acute spinal cord injury: an inappropriate standard of care, 1
Pseudoneoplasm
Calcifying pseudoneoplasms of the spine with myelopathy. Report of two cases, 291
Pseudotumor
Cervical epidural pseudotumor and multifocal fibrosclerosis. Case report and review of the literature, 152

Radicular pain
Surgical evaluation and management of lumbar synovial cysts: the Mayo Clinic experience, 53
Radiculopathy
Microendoscopic posterior cervical foraminotomy: a cadaveric model and clinical application for cervical radiculopathy, 126
Rat
Effect of aluminum on neurological recovery in rats following spinal cord injury, 276
Effects of cervical spinal cord stimulation on cerebral blood flow in the rat, 71
Lasting paraplegia caused by loss of lumbar spinal cord interneurons in rats: no direct correlation with motor neuron loss, 266
Protein kinase inhibition by fasudil hydrochloride promotes neurological recovery after spinal cord injury in rats, 94
Resection
Surgical evaluation and management of lumbar synovial cysts: the Mayo Clinic experience, 53
Restabilization
Nonsurgically managed patients with degenerative spondylolisthesis: a 10- to 18-year follow-up study, 194
Retroperitoneal space
Evaluation of 11th rib extrapleural–retroperitoneal approach to the thoracolumbar junction. Technical note, 168

Sacrococcygeal region
Intraspinal extradural myxopapillary ependymoma of the sacrum arising from the filum terminale externa. Case report, 322

Sacrum
Intraspinal extradural myxopapillary ependymoma of the sacrum arising from the filum terminale externa. Case report, 322
Screw fixation
Direct anterior screw fixation for recent and remote odontoid fractures, 227
New method for intraoperative determination of proper screw insertion or screw malposition, 40
Screw malposition
New method for intraoperative determination of proper screw insertion or screw malposition, 40
Segmental instability
Dynamic examination of the lumbar spine by using vertical, open magnetic resonance imaging, 58
Spina bifida
Congenital arthrogryposis associated with atlantoaxial subluxation and dysraphic abnormalities. Case report, 130
Spinal canal stenosis
Acute cervical cord injury without fracture or dislocation of the spinal column, 15
Spinal cord
Beneficial effects of modest systemic hypothermia on locomotor function and histopathological damage following contusion-induced spinal cord injury in rats, 85
Capillary hemangioma of the spinal cord. Report of four cases, 148
Embolization of spinal cord arteriovenous malformations with an ethylene vinyl alcohol copolymer dissolved in dimethyl sulfoxide (Onyx liquid embolic system). Report of two cases, 304
Intramedullary spinal cord metastasis from gastric cancer. Case report, 145
Radical excision of intramedullary spinal cord tumors: surgical morbidity and long-term follow-up evaluation in 164 children and young adults, 183
A rare complication of hardware failure in neurostimulation. Report of two cases, 330
Spinal nerve root repair and reimplantation of avulsed ventral roots into the spinal cord after brachial plexus injury, 237
Traumatic intratumoral hemorrhage as the presenting symptom of a spinal neurinoma. Case report, 327
Spinal cord blood flow
Protein kinase inhibition by fasudil hydrochloride promotes neurological recovery after spinal cord injury in rats, 94
Spinal cord compression
A viable residual spinal hydatid cyst cured with albendazole. Case report, 142
Dorsal arachnoid web with spinal cord compression: variant of an arachnoid cyst? Report of two cases, 287
Spinal cord injury
Acute cervical cord injury without fracture or dislocation of the spinal column, 15
Beneficial effects of modest systemic hypothermia on locomotor function and histopathological damage following contusion-induced spinal cord injury in rats, 85
Comparison of the effects of melatonin and methylprednisolone in experimental spinal cord injury, 77
Lasting paraplegia caused by loss of lumbar spinal cord interneurons in rats: no direct correlation with motor neuron loss, 266
Methylprednisolone for acute spinal cord injury: an inappropriate standard of care, 1
Protein kinase inhibition by fasudil hydrochloride promotes neurological recovery after spinal cord injury in rats, 94
Subacute posttraumatic ascending myelopathy after spinal cord injury. Report of three cases, 294
Spinal cord injury trial
Methylprednisolone for acute spinal cord injury: an inappropriate standard of care, 1
Spinal cord stimulation
Effects of cervical spinal cord stimulation on cerebral blood flow in the rat, 71
Spinal decompression
Evaluation of 11th rib extrapleural–retroperitoneal approach to the thoracolumbar junction. Technical note, 168
Spinal eosinophilic granuloma
Eosinophilic granuloma of the spine: early spontaneous disappearance of tumor detected on magnetic resonance imaging. Case report, 312
Spinal fusion
Complications of posterior lumbar interbody fusion when using a titanium threaded cage device, 45
Evaluation of 11th rib extrapleural–retroperitoneal approach to the thoracolumbar junction. Technical note, 168
Minimally invasive retroperitoneal approach for lumbar corpectomy and anterior reconstruction. Technical note, 161
Nonsurgically managed patients with degenerative spondylolisthesis: a 10- to 18-year follow-up study, 194
Spinal stability with anterior or posterior Ray threaded fusion cages, 102
Use of calcitonin for the treatment of an odontoid fracture. Case report, 157
Spinal instability
Nonsurgically managed patients with degenerative spondylolisthesis: a 10- to 18-year follow-up study, 194
Spinal instrumentation
A biomechanical comparison of the Rogers interspinous and the Lovely–Carl tension band wiring techniques for fixation of the cervical spine, 109
Single-stage anterior–posterior decompression and stabilization for complex cervical spine disorders, 214
Spinal nerve root
Spinal nerve root repair and reimplantation of avulsed ventral roots into the spinal cord after brachial plexus injury, 237
Spinal stabilization
Spinal stability with anterior or posterior Ray threaded fusion cages, 102
Spinal surgery
Spinal intramedullary cavernoma: clinical presentation and surgical outcome, 65
Spine
Calcifying pseudoneoplasms of the spine with myelopathy. Report of two cases, 291
Intraspinal extradural myxopapillary ependymoma of the sacrum arising from the filum terminale externa. Case report, 322
A randomized prospective study of an anterior cervical interbody fusion device with a minimum of 2 years of follow-up results, 222
Spinal intramedullary tuberculous lesion: medical management. Report of four cases, 137
Use of structural allografts in spinal osteomyelitis: a review of 47 cases, 8
Spine fusion
In vitro biomechanical analysis of three anterior thoracolumbar implants, 252
Spine injury
New method for intraoperative determination of proper screw insertion or screw malposition, 40
Spine model
In vitro biomechanical investigation of the stability and stress-shielding effect of lumbar interbody fusion devices, 259

Split cord malformation
Split cord malformation with partial eventration of the diaphragm. Case report, 309
Steroid
Methylprednisolone for acute spinal cord injury: an inappropriate standard of care, 1
Stress shielding
In vitro biomechanical investigation of the stability and stress-shielding effect of lumbar interbody fusion devices, 259
Subluxation
Congenital arthrogryposis associated with atlantoaxial subluxation and dysraphic abnormalities. Case report, 130
Surgery
Rotational compression of the vertebral artery at the point of dural penetration. Case report, 300
Surgical complication
Complications of posterior lumbar interbody fusion when using a titanium threaded cage device, 45
Sympathetic nervous system
Effects of cervical spinal cord stimulation on cerebral blood flow in the rat, 71
Synovial cyst
Surgical evaluation and management of lumbar synovial cysts: the Mayo Clinic experience, 53
Vertebral erosion and a ligamentum flavum cyst. Case illustration, 335
Syringomyelia
Dorsal arachnoid web with spinal cord compression: variant of an arachnoid cyst? Report of two cases, 287

Tectorial membrane
Spectrum of occipitoatlantoaxial injury in young children, 28
Thoracic spine
Dorsal arachnoid web with spinal cord compression: variant of an arachnoid cyst? Report of two cases, 287
Evaluation of 11th rib extrapleural–retroperitoneal approach to the thoracolumbar junction. Technical note, 168
Threaded fusion cage
In vitro biomechanical investigation of the stability and stress-shielding effect of lumbar interbody fusion devices, 259
Spinal stability with anterior or posterior Ray threaded fusion cages, 102
Transverse process
The "open book" technique for preparation of the lumbar transverse process for posterolateral fusion. Technical note, 332
Trauma
Traumatic intratumoral hemorrhage as the presenting symptom of a spinal neurinoma. Case report, 327
Tuberculoma
Spinal intramedullary tuberculous lesion: medical management. Report of four cases, 137
Tuberculous arachnoiditis
Spinal intramedullary tuberculous lesion: medical management. Report of four cases, 137

Ultrasound
Radical excision of intramedullary spinal cord tumors: surgical morbidity and long-term follow-up evaluation in 164 children and young adults, 183
Uncinate process
Anatomical projection of the cervical uncinate process in ventral, ventrolateral, and posterior decompressive surgery, 248
Uncovertebral osteophyte
Transpedicular approaches to cervical uncovertebral osteophytes causing radiculopathy, 21

Vascular malformation
Capillary hemangioma of the spinal cord. Report of four cases, 148
Neurocutaneous vascular hamartomas mimicking Cobb syndrome. Case report, 133
Spinal intramedullary cavernoma: clinical presentation and surgical outcome, 65
Vertebral artery
Anatomical projection of the cervical uncinate process in ventral, ventrolateral, and posterior decompressive surgery, 248
Rotational compression of the vertebral artery at the point of dural penetration. Case report, 300
Vertebral erosion
Vertebral erosion and a ligamentum flavum cyst. Case illustration, 335
Vitamin E
Effect of aluminum on neurological recovery in rats following spinal cord injury, 276